

Latest Products from...

Heat Gun



See page 2072

Cordless Combi Drill



See page 2058

Cordless Screwdriver



See page 2051

MiniDrill Kit



See page 2048

Contents	Page
Corded Drills - Impact	2063
Corded Drills - Rotary	2062
Corded Drills - SDS	2064
Cordless - Drill/Screwdrivers	2051
Cordless Combi Drills	2057
Drills - Bench & Machine	2066
Grinders	2070
Heat Guns	2072
Impact Wrenches	2055
Kits	2065
Mini Multi Tools	2048
Sanders	2071
Saws	2066

Mini Multi Tools

18V Mini Drill Kit
D00012**DURATOOL**

- Two-speed rotary tool kit
 - Ideal for electronics, craft and hobby work
 - Supplied with **60 various accessories**
 - Attractive aluminium carry and storage case with strong perspex window
- Kit contents: Mini drill, plug-in transformer with UK pins, accessories and carry case.

Technical Data	
Voltage (Tool)	18V
No Load Speed	8000-18000rpm
Chuck Capacity	1-3.2mm
Mains Adaptor Input Voltage	230V

498144

Model No.	Order Code	1+	5+
D00012	129-3117●	12.96	12.17

Drill



- Hand held d.c. drill
- Supplied with four collets 0.5mm to 2.0mm
- Operates from a d.c. power source 6V to 16V
- No load speed 14,500 rpm and torque of 500g.cm

204685

Order Code	Price Each
142-035	1+
	14.95

300 Series Multitool

DREMEL

230Volt, 125watt motor multi-tool. Variable speed 10000-33000rpm. Ergonomic design with soft grip and comfort switches. On board wrench storage and integrated hang hook. Multi-tool 300/25 is supplied with 25 x mixed accessories and storage case. Multi-tool 300/55 is supplied with flex-shaft 55 x mixed accessories and storage case.

481440

Description	Order Code	Price Each
Multitool 300/25	135-8780	34.54

700 products added online every week



See our pick of the hottest products and latest technologies in 'What's New?' at www.farnell.co.uk

400 Series Multitool

DREMEL

230Volt, 140watt motor professional multi-tool. Digital variable speed via LCD screen (5000-33000rpm), with precise speed adjustment by 1000rpm increments. Ergonomic pistol grip design. Supplied with flex-shaft, cutting guide, line and circle cutter, lawn mower sharpener, 80 x mixed accessories and storage case.

481455

Order Code	Price Each
135-8779	95.66

Cordless Rotary Drill

DREMEL

Model: 8000JG

10.8V cordless variable speed (5000-35000rpm) cordless rotary tool. Lithium battery technology results in the battery holding its charge even when not used for long periods. Supplied with 3 hour charger, 60 assorted accessories, instruction manual and soft case.

481452

Order Code	Price Each
135-8757	60.46

Dremel Power Tool Battery

DREMEL

1.3Ah 10.8V Li-Ion Battery Pack to use on dremel cordless tools

New

526589.516664

Mfrs. List No.	Order Code	1+	3+	10+
10.8V BATTERY 26150855JD	167-5597●	34.54	32.82	--

Flexible Shaft

DREMEL

- Ideal attachment for precise, detailed work or hard to reach places
- Comfort grip handpiece allows fingertip control to cut, grind, sand, polish and more
- Integrated shaft lock button for quick and easy accessory changes
- 127mm bend radius provides more comfort and flexibility during use
- Quick connect attaches to Dremel tool in seconds

New

- Supplied with driver cap
- Length: 1070mm

526552.438073

Mfrs. List No.	Order Code	1+	3+	10+
FLEXISHAFT 26150225PD	167-5585●	23.32	22.15	--

20 Piece Cleaning/Polishing Kit

DREMEL

New



- Assortment of 18 various cleaning/polishing accessories in a convenient carry case
- Removable accessory tray and 3 dividers provide the perfect storage solution
- Also includes 2 x mandrels

526580.438079

Mfrs. List No.	Order Code	1+	3+
POLISHING KIT 26150684JA	167-5592●	12.09	11.48

52 Piece Multipurpose Accessory Kit

DREMEL

New



- Assortment of best selling multi-tool accessories in a convenient carry case
- Removable accessory tray and 3 dividers provide the perfect storage solution
- Includes 2 x mandrels and various accessories for applications such as carving, engraving, routing, grinding, sharpening, cleaning, polishing, cutting and sanding

438062.526579

Mfrs. List No.	Order Code	1+	3+
MULTI PURPOSE KIT 2615056532	167-5591●	9.06	8.61

69 Piece Cutting Kit

DREMEL

New



- Assortment of 68 various cut-off wheels in a convenient carry case
- Removable accessory tray and 3 dividers provide the perfect storage solution
- Also includes 1 x mandrel

526581.438066

Mfrs. List No.	Order Code	1+	3+
CUTTING KIT 26150688JA	167-5593●	12.09	11.48

100 Accessory Kit

DREMEL

New



This accessory set includes the 100 best selling accessories in a handy tin box. The accessories can be easily stored in the foam insert or the included small plastic case. Accessories cover everything from drilling, cutting, polishing, engraving and grinding.

489454

Mfrs. List No.	Order Code	1+
701	149-6780	12.95

200 Piece Accessory Kit

DREMEL

New



- 200 high quality Dremel accessories in a unique storage box
- Includes Dremel SpeedClic - an innovation that makes changing cut-off wheels quick and easy
- Box includes extra storage
- Includes accessories for applications such as carving, engraving, routing, grinding, sharpening, cleaning, polishing, cutting and sanding

526578

Mfrs. List No.	Order Code	1+	3+
200 PCE SET 26150704JA	167-5589●	41.45	39.38

Speedclic Cutting Disc Starter Set

DREMEL

New



- The speedclic starter set includes the SpeedClic mandrel and two metal cuttings wheels
- Quick easy, keyless
- Suitable for cutting a variety of materials including common bricks, concrete blocks, slate and roofing tiles

526591.516673


Mfrs. List No.	Order Code	1+	3+
SPEED/C STARTED SET 2615S406JC	167-5599●	10.79	10.25

Over 480,000 products online

QGO



Speedclick Cutting Discs



- Outstanding cutting performance
- Consistent cutting depth and long cutting life
- High-quality concentration and excellent concentricity

DREMEL

New

526592.516674

	Mfrs. List No.	Order Code	Price Each	
			1+	3+
SPEED/C METAL CUT, 5 PK	2615S456JC	167-5600●	7.38	7.38
SPEED/C METAL CUT, 12 PK	2615S456JD	167-5601●	7.38	10.67
SPEED/C THIN CUT WHEEL	2615S409JB	167-5602●	7.38	8.20
SPEED/C PLASTIC CUT WHEELS	2615S476JB	167-5603●	7.38	7.38
SPEED/C WOOD CUTTING WHEEL	2615S544JB	167-5604●	7.38	12.30
SPEED/C DIAMOND CUT WHEEL	2615S545JB	167-5605●	7.38	12.30

Abrasive & Polishing Buffs



Abrasive Buffs and polishing cloth for use with dremel power tools. For precise and delicate material removal on metal, glass, wood and plastic. The flexible material enables to work on tight and irregularly shaped areas.

DREMEL

New

526593.516682

	Mfrs. List No.	Order Code	Price Each	
			1+	3+
SPEED/C MED / COURSE BUFFS	2615S511JA	167-5607●	3.28	3.28
SPEED/C FINE BUFF	2615S512JA	167-5608●	7.38	3.28
SPEED/C POLISHING WHEEL	2615S423JA	167-5609●	7.38	1.73

Mini Saw Attachment



DREMEL

New

- Transforms your Dremel tool into a precision circular saw for fine, clear and straight cuts in all types of wood
- Easier to use than a hand saw, more precise than a jigsaw and fits in tighter spaces than a circular saw
- Perfect for laminate and wood flooring or thin wood plates
- Safety guard and lower guard for protection
- Quick connect attaches to your Dremel tool in seconds
- Supplied with driver cap

526594.438117

	Mfrs. List No.	Order Code	Price Each	
			1+	5+
MINI SAW ATTACHMENT	26150670JA	167-5610●	23.32	22.15

RotoZip RZ3 Spiral Saw



ROTOZIP

New

Model: F012RZ03JG

The RotoZip® Spiral Saw system offers maximum cutting efficiency to save time, effort and money on the job. RotoZip® allows fast, easy and effective cutting in various materials. Whether cutting straight lines, perfect circles or free-hand - the RotoZip® Spiral Saw can handle any possible direction or shape.

- The RotoZip RZ3 Spiral Saw offers great cutting efficiency to save time, effort and money on the job.
- Makes even the most difficult easy
- Tough and fast cutting of straight lines, perfect circles or free-hand shapes
- Quick-release foot allows easy cutting depth adjustment
- Soft band handle for maximum comfort
- Soft grip body for comfortable handling
- Dust sealed switch
- No-load speed 30,000 RPM and 500W rated power input
- Completed with vacuum attachment, 5 x XBIT Multipurpose, 1 x XBIT Wall Tile, 1 x XBIT Diamond Floor Tile and RotoZip tool bag

Technical Data		
Voltage		230 / 110V
No Load Speed		30000rpm
Watts		500w

526596.516660

	Mfrs. List No.	Order Code	Price Each	
			1+	3+
RZ3 240V	F012RZ03JG	167-5612●	109.87	107.05

RotoZip RZ5 Spiral Saw

ROTOZIP

New



Model: F012RZ05JG *F012RZ05JH

The RotoZip® Spiral Saw system offers maximum cutting efficiency to save time, effort and money on the job. RotoZip® allows fast, easy and effective cutting in various materials. Whether cutting straight lines, perfect circles or free-hand - the RotoZip® Spiral Saw can handle any possible direction or shape.

- The RotoZip RZ5 Spiral Saw offers maximum cutting efficiency to save time, effort and money on the job.
- Tough and fast cutting of straight lines, perfect circles or free-hand shapes
- Quick-release foot allows easy cutting depth adjustment
- Soft band handle for maximum comfort
- Soft grip body for comfortable handling
- Dust sealed switch
- No-load speed 30,000 RPM and 600W rated power input
- Completed with 4mm collet for XBITS, jigsaw handle, straight edge guide, circle cutter and vacuum attachments. 5 x XBIT Multipurpose, 1 x XBIT Wall Tile, 1 x XBIT Diamond Floor Tile and RotoZip tool bag

Technical Data		
Voltage		230 / 110V
No Load Speed		30000rpm
Watts		600W

526597.516661

	Mfrs. List No.	Order Code	Price Each	
			1+	3+
RZ5 240V	F012RZ05JG	167-5613●	149.43	145.60

X-Bits for Rotozip Spiral Saws

ROTOZIP

New



CT 156

TL12060 (XB DW3): Tracing
Suitable for: Drywall cut outs, Foam board
TL12065 (XB MC1): Metal
Suitable for: All types of metals
TL12066 (CT156) Collet Kit
4mm collet and collet nut to use on X-Bits on the RZ3 Spiral Saw

High quality contractor rated X Bits are ideal to use with the rotozip spiral saws they have a 4mm shank and can be used on RZ5 and also on RZ3 when used with collet kit

491392.526599

	Mftrs. List No.	Order Code	Price Each	
			1+	3+
XBIT W/PURP TRACING, 3PK	2610942613	167-5614●	12.76	12.12
XBIT METAL	2610942617	167-5615●	15.31	14.54
4MM COLLET NUT KIT - CT156	2610942623	167-5616●	5.95	5.65

Cordless - Drill/Screwdrivers**4.8V Rechargeable Cordless Screwdriver****DURATOOL****New**

Technical Data	
Voltage	4.8V
No Load Speed	150rpm
Weight	0.34kg

- Ideal for DIY and light trade use
- Forward/reverse for easy screwdriving and screw removal
- Ergonomic design
- Supplied with mains charger, bit adaptor, 23 screwdriver bits and blow moulded carry case

462502/520565

Order Code	1+	Price Each	5+
149-6781	9.83		8.84

3.6V Cordless Screwdriver**BOSCH****New**


Technical Data	
Battery Capacity	1
Voltage	3.6V
No Load Speed	180rpm
Max. Torque	3N-m
Weight	0.3kg

Model: IXO 111

- Forward and reverse screwdriving with LED indicator
- Front power light
- Soft grip handle
- 2 finger trigger
- Battery life indicator
- Battery charger doubles as a useful toolholder
- Supplied with 5 hour charger (with magnetic bit holder), selection of 12 screwdriver bits
- 2 year manufacturer's warranty

527125

Order Code	Price Each
167-7918	29.78 28.60

Cordless Screwdriver**DEWALT****DC600KA**

3.6V, 2 speed reverse action screwdriver. Features 3 stage pivot action adjustable soft grip handle and independent on/off switch for a light to illuminate work. 8 x adjustable torque settings. Supplied with charger, 2 x 1.2Ah Ni Cd battery packs and carry case.

491116

Description	Order Code	Price Each
DC600KA screwdriver	135-2953	59.50
Replacement battery DE9054	135-2974	18.00

Screwdriver (Cordless)**DEWALT****DW920K**

7.2V Heavy duty two position screwdriver (in-line and pistol grip). Fifteen position adjustable torque control. Variable speed with reverse action. Supplied with charger, battery pack and carrying case.

491039

Description	Order Code	Price each
DW920K screwdriver	412-2045	1+
Replacement battery DE9062	412-2185	76.00
		30.29

10.8V Screwdriver - Cordless**BOSCH****GSR 10.8V-LI**

10.8V Lithium-ion battery professional cordless screwdriver. Features a strong magnetic bit holder, soft grip handle for comfort, 10 stage adjustable torque settings plus 1 drill mode and in-built LED spot light. Supplied with 30 minute charger, 2 x battery packs, holster and soft durable fabric case.

Model	GSR 10.8V-LI
Voltage	10.8 V
No Load Speed	0-400 rpm
Tool Holder	6.35 mm
Battery	2 x 1.0Ah Li-ion
Weight	0.8 kg

481414

Description	Order Code	Price Each
Screwdriver	135-8775	89.00
Replacement battery 10.8V Li	135-8776	40.49

10.8V Screwdriver - Cordless**BOSCH****GW 10.8V Li**

10.8V Lithium-ion battery cordless screwdriver. Features 5 positional rotating head positions for all-around access. Clic change bit holder - pull to insert/release and 7 position clutch for correct torque control. Supplied with charger, 2 x battery packs and carry case.

Model	GW 10.8V-LI
Voltage	10.8 V
No Load Speed	0-585 rpm
Tool Holder	1/4" hex
Battery	2 x 1.3Ah Li-ion
Weight	1.1 kg

489673

Descriptions	Order Code	Price Each
GW 10.8V Li Screwdriver	135-8289	1+
Replacement battery	135-8776	123.00
		40.49

Cordless 9.6v Drill**New****Makita**

Max. in steel	10mm
Max. in wood	21mm
Torque Settings	16 + Drill
Max torque S/H	14/24Nm
Max. size wood screw	No 10
Net weight	2.3Kg
Charging Time	30 Mins



Cordless - Drill/Screwdrivers - continued

Cordless 9.6v Drill - continued

Standard Equipment: Charger, battery cartridges, double end bit

526713

Voltage	Mfrs. List No.	Order Code	Price Each	
			1+	3+
CORDLESS 9.6V DRILL	6261DWPE	167-6795	76.59	74.29

Cordless 10.8V Twin Pack



New

Makita

Drill/Driver w Keyless Chuck (white) DF330D
Impact Driver 1/4" Hex Drive (white) TD090D
Charger DC10WA
Batteries x 2 BL1013
Charging time 50 min
Aluminium Case

Standard Equipment: Fast charger, battery cartridges, case, screwdriver bit

526714

Voltage	Mfrs. List No.	Order Code	Price Each	
			1+	3+
CORDLESS 10.8V TWIN PACK	LCT204W	167-6794	127.65	123.82

12V Drill / Screwdriver - Cordless

PSR 12 VE2BAT

BOSCH



12V drill/driver with electronic speed control, variable speed and smooth acceleration. Rotary action for drilling metal, wood, plasterboard and breeze block. Single sleeve keyless chuck and automatic spindle lock. Two mechanical gears deliver maximum torque at low speeds. Supplied with charger, 2 x battery packs and carry case.

Model PSR 12 VE2BAT
No Load Speed 0-320/0-1250 rpm
Drilling Capacity Steel 10 mm
Drilling Capacity Wood 20 mm
Battery 2 x 1.3Ah Ni Cd

479334

Order Code
135-8356Price Each
68.08

46

See our range of
safety glasses
and earplugs

page 1680



page 1684

12V Drill / Screwdrivers - Cordless

GSR 12-2V

BOSCH



12V two speed reverse action drill/driver. Features 25 adjustable torque settings plus drill mode. Supplied with charger and 2 x 1.5Ah Ni Cd battery packs.

Model GSR 12-2V
No Load Speed 0-400/0-1200rpm
Drilling Capacity Steel 12mm
Drilling Capacity Wood 23mm
Maximum Torque 27N-m
Battery 2 x 1.5Ah Ni Cd
Weight 1.5kg

481463

Description	Order Code	Price Each
Drill/Driver	135-8719	79.00
Replacement battery 1.5Ah	135-8663	57.00

Heavy Duty 12V Drill/Driver



BOSCH

New

Technical Data
Battery Capacity 2.6Ah, NiMH
Voltage 12V
Chuck Keyless
Chuck Size 13 mm
No Load Speed 1650rpm
Hammer No
Max. Torque 67 N-m
Drilling Capacity ∅ :
Wood 40mm
Steel 13mm
Weight 2.4kg

Model: GSR 12VE 2

- 2-speed planetary gears with metal gear wheels
- High-performance motor with parallel winding and air-cooled gearbox
- Robust "Dura Shield" housing
- Auto-Lock drill chuck with carbide jaws
- Ergonomically shaped handle
- Changeable carbon brushes
- 25 torque settings + drill setting

Contents:

1 x Charger, 2 x 2.6 Ah NiMH batteries, Carrying case, Keyless chuck, Auxiliary handle

526887

Description	Order Code	Price Each	
		1+	3+
DRILL/DRIVER 12V 2X2.6AH	167-7137●	175.00	166.25

12V Drill / Screwdriver - Cordless

DC727KA

DEWALT



12V mid handle drill/driver. Two speed settings, variable speed and reverse switch for controllable use. 17 position adjustable torque control. Supplied with charger, 2 x 1.3Ah Ni Cd battery packs and carrying case.

Model Number DC727KA
No Load Speed 0-450/0-1400 rpm
Drilling Capacity Steel 10 mm
Drilling Capacity Wood 25 mm
Maximum Torque 32 N-m
Battery 2 x 1.3Ah Ni Cd
Weight 1.7 kg

484372

Description	Order Code	Price Each
		1+
DC727KA drill/screwdriver	135-2954	99.00

12V Drill/Driver

BOSCH



Model: GSR 12V

- Powerful high-torque motor
- Highly efficient motor/gearbox coordination
- Robust 2Dura Shield" housing
- 2-speed gearbox with metal gear wheels
- Compact design
- Quick change chuck with Auto-Lock
- Ergonomically shaped handle with softgrip
- 20 torque settings + drill setting
- Run-out brake

Contents:

1 x Charger, 2 x 2.0 Ah NiCd batteries, Carrying case

Technical Data
Battery Capacity 2.0Ah, NiCd
Voltage 12V
Chuck Keyless
Chuck Size 13 mm
No Load Speed 1400rpm
Hammer No

Technical Data
Max. Torque 36 N-m
Drilling Capacity ∅ :
Wood 28mm
Steel 13mm
Weight 1.90kg

526886

Description	Order Code	Price Each	
		1+	3+
GSR12V drill/screwdriver	167-7136●	115.00	109.25

Cordless 12V Drill & Torch

New

Makita



Max. in Steel	10mm
Max. in wood	25mm
Torque settings	16 + Drill
Max torque S/H	18/30Nm
Max. size wood screw	No. 12
No load speed	Hi 0-1300rpm Lo0-400rpm
Net Weight	1.5Kg
Charging time	30 mins

Standard Equipment: Charger, battery cartridges, double end bit + Torch

526715

Voltage	Mfrs. List No.	Order Code	Price Each	
			1+	3+
CORDLESS 12V DRILL & TORCH	6271DWPLE	167-6793	80.84	78.42

Angle Head Drill - Cordless

DEWALT

DW965K



12V heavy duty 10mm cordless right angle drill. Dual speed gearbox with reverse action. Multiple grip soft touch switch. Keyless chuck with electronic brake. Supplied with charger, 1 x 2.0Ah Ni Cd battery pack and carrying case.

Model Number	DW965K
Voltage	12.0 V
No Load Speed	0-400/0-1200 rpm
Drilling Capacity Steel	10 mm
Drilling Capacity Wood	25 mm
Battery	1 x 2.0Ah Ni Cd
Chuck Capacity	10mm
Weight	2.0 kg

484818

Description	Order Code	Price Each	
		1+	3+
DW965K drill	135-3031	192.78	
Replacement battery DE9071	135-2976	44.90	

Cordless 18V Angle Drill

New

Makita



- Comes with a keyless chuck

Max in steel	10mm
Max in wood	25mm
Head height	93mm
Max torque	13.7Nm
No Load Speed	0-1800rpm
Net weight	1.7Kgs
Charging time	Approx 22 min

Standard Equipment: Fast charger, battery cartridges, side handle, chuck key (BDA340 Only)

526721

Voltage	Mfrs. List No.	Order Code	Price Each	
			1+	3+
CORDLESS 18V ANGLE DRILL	BDA351RFE	167-6786	293.61	284.80

14.4V Drill / Screwdriver - Cordless

BOSCH

PSR 14.4V LI-2



14.4V cordless two speed reverse action drill/driver. Features 25 adjustable torque setting plus drill mode. Integrated power light assists in low-light conditions and directional LEDS shows the operator drill rotation. 25% smaller in size and weight compared to conventional drill/drivers due to Lithium Ion battery technology. Keyless chuck with Autolock for easy, quick accessory change-over. Supplied with charger, 1 x battery pack and carry case.

Model	PSR 14.4
No Load Speed	0-370/0-1150 rpm
Drilling Capacity Steel	10 mm
Drilling Capacity Wood	35 mm
Battery	14.4V Li-Ion

490649

Order Code	Price Each	
	1+	3+
135-8398	85.10	

Compact 14.4V Cordless Drill Driver

BOSCH

New



- Compact and professional drill driver for wide range of applications
- Two variable speed
- Soft start electronic switch
- 10mm Keyless chuck
- This Bosch Drill Driver is Compact tool for universal use
- 2-speed
- Bosch Cordless Drill Driver GSR14.4 2 Comes with 25 torque settings
- GSR 14.4 2 Come with 2 x 1.5 Ah NiCd battery packs
- Softgrip
- Compact dimensions

527214

Description	Mfrs. List No.	Order Code	Price Each	
			1+	3+
DRILL/DRIVER 14.4V	GSR1442	167-7138	99.00	94.05

Cordless Drill/Driver - 14.4Volt

BOSCH

New



- Powerful: high transmission of torque due to newly developed 2-speed planetary gearbox with metal gear wheels for powerful drilling and screwdriving
- Extremely robust: fully functional, even after falling from a height of 2 m onto concrete thanks to the "Dura Shield" housing
- Long lifetime and overload capability due to the new, unique Bosch high-performance motor and the world's first air-cooled gearbox

- Progressively increasing torque enables fine adjustment to any size of screw
- Newly developed Auto-Lock drill chuck with high clamping force for screwdriver bits and drill bits
- Ergonomically shaped handle with comfort zone in the softgrip area for a secure hold and fatigue-free working
- Changeable carbon brushes
- 25 torque settings + drill setting

527223

Description	Mfrs. List No.	Order Code	Price Each	
			1+	3+
DRILL/DRIVER 14.4V LI-ION	GSR144VE2LI	167-7139	254.00	241.30

14.4V Cordless Drill/Screwdriver

Makita

6339DWFE



14.4V, three speed drill driver. Sixteen adjustable torque settings. Variable speed trigger control with forward and reverse action. Supplied with charger, 2 x 3.0Ah Ni MH battery packs, 2 x screwdriver bits and carry case.

493499

Description	Order Code	Price Each	
		1+	3+
6339DWFE drill/screwdriver	138-2608	185.64	

18V Drill/Driver

DURATOOL

New



Technical Data	
Battery Capacity	1.2Ah
Voltage	18V
Chuck	Keyless
Chuck Size	10mm
No Load Speed	900rpm
Hammer	No
Max. Torque	10 N-m
Drilling Capacity ∅ :	
Wood	16mm
Steel	6mm
Masonry	-

Model: D00013

- 16 torque settings
 - Built-in bit holder
- Supplied with battery, charger, 6 drill bits, 6 screwdriver bits, bit adaptor and blow moulded carry case



Cordless - Drill/Screwdrivers - continued

18V Drill/Driver - continued

435516/520562

Description	Order Code	Price Each
18V Drill/Driver	129-3118●	15.73
Spare Battery	129-3119	5.20
Spare Charger	129-3120●	3.10

18V Drill / Screwdriver - Cordless

PSR 18V LI-2



18V cordless two speed reverse action drill/driver. Features 25 adjustable torque setting plus drill mode. Integrated power light assists in low-light conditions and directional LEDS shows the operator drill rotation. 25% smaller in size and weight compared to conventional drill/drivers due to Lithium Ion battery technology. Keyless chuck with Auto-lock for easy, quick accessory change-over. Supplied with charger, 1 x battery pack and carry case.

Model	PSR 14.4
No Load Speed	0-400/0-1250 rpm
Drilling Capacity Steel	10 mm
Drilling Capacity Wood	35 mm
Battery	18V Li-ion

490651

Order Code	Price Each
135-8396	1+ 59.57

Heavy Duty 18 volt drill/driver



- New model, professional drill/driver.
- Two speed. 1/2" 1.5-13mm Keyless Chuck.
- Maximum Torque hard/soft 70/30Nm
- 10mm screw capacity.
- Max In Steel: 13mm; Max In Wood: 45mm; Max Torque: 72Nm; Battery Type: 2.6Ah



527220

Description	Mfrs. List No.	Order Code	1+	3+	+
DRILL/DRIVER 18V 2X3.0AH	GSR18VE2	167-7140●	220.00	209.00	--

18V Drill/Driver



Technical Data	
Battery Capacity	2.6AhLi-Ion
Voltage	18V
Chuck	Keyless
Chuck Size	13mm
No Load Speed	1600rpm
Hammer	No
Max. Torque	50N-m
Drilling Capacity ∅:	
Wood	32mm
Steel	13mm

Model: GSR 18VLI

- 25 torque settings
- 2 speed settings
- Flexible 'Durashield' housing protects tool from falls from heights of up to 2m
- Improved air cooling of motor for longer life
- Soft grip for comfort
- Screwdriver bit holder
- Supplied with 1 x batteries, 1 hour charger and heavy duty carry case
- 3 year manufacturer's warranty when registered

526892

Description	Order Code	Price Each
DRILL/DRIVER 18V LI-ION	167-7142●	1+ 192.00 3+ 182.40

Professional Lithium-ion Drill-Driver



- Long service life and ideal power transfer thanks to optimised 2-speed metal planetary gears.
- Soft grip for operator's comfort. Auto lock for ease of bit change.
- Durashield elastic housing with the separation of the housing and motor provides unparalleled protection from hard and heavy knocks.
- Max In Steel: 13mm; Max In Wood: 38mm; Max Torque: 80Nm; Battery Type: 2.6Ah NiMH; Battery Power: 18v; Speed: 0 - 400 rpm, 0 - 1.300 rpm; Charger Type: 30min Charger; Net Weight: 2.7kg; We Supply This Bosch

New

GSR18VE2 With: 13mm quick-change chuck, two 2.6Ah NiMH batteries, 30-minute charger and carry case

527226

Description	Mfrs. List No.	Order Code	1+	3+	+
DRILL/DRIVER 18V LI-ION	GSR18VE2LI	167-7141●	274.00	260.30	--

Cordless 18V Drill Driver

New



Max in steel	13mm
Max in wood	36mm
Torque settings	16 + Drill
Max torque S/H	37/42Nm
No Load Speed	Hi 0-1300rpm Lo 0-400rpm
Net weight	2.2Kg
Charging time	30 mins

Standard Equipment: Charger, battery cartridges, double ended bit

527222

Voltage	Mfrs. List No.	Order Code	1+	3+
CORDLESS 18V DRILL DRIVER	6391DWPE3	167-6785	136.16	135.90

Cordless 18V Drill Driver

New



Max. in Steel	13mm
Max. in wood	38mm
Torque settings	16 + Drill
Max torque S/H	32/50Nm
No load speed	H: 0-1500rpm L: 0-400rpm
Net weight	1.8Kg
Charging time	Approx 22 mins

Standard Equipment: Fast charger, battery cartridges, philips bit 2-24

526717

Voltage	Mfrs. List No.	Order Code	1+	3+
CORDLESS 18V DRILL DRIVER	BDF452RFE	167-6791	246.80	239.40

18V Cordless Drill/Screwdrivers



DC759KA



18V Drill driver for drilling and screwdriving applications. Two speed settings, variable speed and reverse action. 17 position adjustable torque control. 13mm single sleeve keyless chuck. Supplied with charger, 2 x 2.0Ah Ni Cd battery packs and carry case.

490965

Description	Order Code	Price Each
DC759KA drill/screwdriver	135-2962	1+ 182.58
Replacement battery DE9095	135-2983	56.12

18V Cordless Drill/Screwdriver

6349DWFE



18V Three speed drill driver. Sixteen adjustable torque settings. Variable speed trigger control with forward and reverse action. Supplied with charger, 2 x 3.0Ah Ni MH battery packs, 2 x screwdriver bits and carry case.



491256

Description	Order Code	Price Each
6349DWFE drill/screwdriver	138-2610	1+ 218.28

24V Drill/Driver



Technical Data
Voltage
No Load Speed
Chuck Capacity
Charger
Drilling Capacity
Weight

24V - 2.0Ah
0-450, 0-1500rpm
13mm (keyless)
240V \approx 50/60Hz
Wood: 38mm
Steel: 15mm
2.8kg

Model: GSR24VE-2

A powerful, 24V cordless drill/driver designed for heavy-duty use.

- Electronic switch with forward/reverse rotation, lock-on switch and run out brake
- 15 torque settings
- Soft grip centre handle for optimum comfort
- Supplied with 1 hour charger, 2 x 2.6Ah Ni-MH batteries and a robust carrying case

526881

Order Code	Price Each
167-7143●	1+ 3+ 272.00 258.40

28 Volt 13 mm Heavy Duty Hammerdrill/Driver



Standard Equipment

- 1 hour charger
- 2 batteries
- Multi-position side handle
- Grease
- Heavy duty carrying case



- Powerful 28 Volt combination tool for heavy duty hammerdrilling and screwdriving applications
- Three speed settings for optimum performance in high torque, normal use and high speed applications
- 22 position adjustable torque control for uniform results and optimised precision when screwdriving
- 13 mm all metal self-tightening keyless chuck tightens throughout operation providing superior bit gripping strength
- Electronic brake for added control

Voltage	28 V
Battery Capacity	Li-Ion 2.2 Ah
Chuck Capacity	1.5-1.3 mm
Power Output	650 Watts
No Load Speed	0-400 / 0-1200 / 0-1600 rpm
Impact Energy	0-2700 Jp
Beats per Minute	0-6800 / 0-20400 / 0-27200 bpm
Max Torque	M16
Max. Drilling Capacity (Wood)	M16

525244

Description	Mfrs. List No.	Order Code	1+	3+
28 Volt Combi Drill	DC910KL-GB	166-4836●	416.00	395.20
Multi Chemistry Charger	DE9135-GB	166-4845●	89.00	84.55

36V Drill / Screwdriver - Cordless

GSR 36V LiCP



36V Lithium-Ion battery two speed reverse action drill driver. Features 15 adjustable torque settings plus drill mode. Supplied with charger, 2 x 1.3Ah Li-Ion battery packs and carry case.

Model	GSR 36V LiCP
Voltage	36V
No Load Speed	0-400/0-1400 rpm
Drilling Capacity Steel	13 mm
Drilling Capacity Wood	50 mm
Maximum Torque	35 N-m
Battery	2 x 1.3Ah Li-Ion
Weight	2.5 kg

489585

Description	Order Code	Price Each
GSR 36V LiCP drill/screwdriver	135-8284	1+ 279.00

Impact Wrenches

Impact Wrench

GDS 18E



500W 1/2in square drive 2-speed impact wrench. Well positioned centre of gravity with centre grip for fatigue free working. Quick tool changing.

Model	GDS 18E
Input Power	500 W
No Load Speed	550-1300 rpm
Impact / Minute	1300 rpm
Maximum Torque	70-250 N-m
Tool Holder	1/2"
Weight	3.3 kg

479278

Voltage	Order Code	Price Each
230	135-8264	195.000
110	135-8265	162.556

Impact Wrench - Cordless

GDS 12V



12V 1/2in square drive cordless impact wrench. Features soft grip handle for operator comfort and integrated 3 positional swivelling light for better visibility in low light conditions. Incorporates a belt/ladder hook for operator use and carry strap. Supplied with 30minute charger, 2 x 2.6Ah Ni Mh battery packs and carry case.

Model	GDS 12V
Voltage	12 V
No Load Speed	2800 rpm
Full Load Impact Rate	0-3200 ipm
Torque	175 N-m
Drive	1/2"
Battery	2 x 2.6Ah Ni MH
Weight	1.75 kg

481613

Description	Order Code	Price Each
Impact Wrench	135-8721	199.00
Replacement battery 2.6Ah	135-8752	81.69

Coming soon



Register your interest for items that are 'Coming Soon' at **www.farnell.co.uk** and we'll email you to let you know that they're in stock.

Impact Wrenches - continued

Impact Screwdriver - Cordless

GDR 12V



12V hexagon drive cordless impact driver. Forward and reverse action. Soft grip handle for operator comfort. Supplied with 1/2 hour charger, 2 x 2.6Ah Ni MH battery packs and carry case.

Model	GDR 12V
Voltage	12 V
No Load Speed	2800 rpm
Full Load Impact Rate	3200 ipm
Torque	125 N-m
Drive	1/4"
Battery	2 x 2.6Ah Ni MH
Weight	1.75 kg

479408

Description	Order Code	Price Each
Impact Screwdriver	135-8759	209.00
Replacement Battery 2.6Ah	135-8752	81.69

Impact Driver 14.4V



GDR144V Bosch 14.4V cordless impact driver is ideal for repetitive screw-driving or in areas where access is restricted. The percussion action on the Bosch GDR14.4V will save you time and effort. The mechanism operates in the same way as a conventional percussion (hammer) drill and therefore drives the screw into the material as well as rotating it. The Bosch GDR14.4V benefits from a strong canned brush DC-motor with optimum ventilation and a sturdy aluminium gear box with rubber protection ring. The GDR14.4V comes complete with NiMH batteries which have no memory effect therefore can be "topped" up or charged at any time without affecting battery life. NiMH batteries also tend to out-perform NiCd batteries in high drain applications. Belt clip, hand strap, rubber ring

New

527199

Description	Mfrs. List No.	Order Code	1+	3+	+
IMPACT DRIVER 14.4V	GDR144V	167-7112	209.00	198.55	--

12v Compact Cordless Impact Wrench



- Durable frameless high speed motor delivers up to 160 Nm of torque
- All metal gearing for efficient power transmission and long tool life
- Aluminium front housing provides greater heat dispersion increasing motor life
- Improved variable speed switch and electronic motor brake for complete control for both setting and removing fasteners
- 1/2" square drive allows for quick and easy bit changes
- Compact body enables use in tight spaces

New

Voltage	12V
Battery Capacity	NiMH 2.6Ah
Bit Holder	1/2"
Power Output	220 Watts
No Load Speed	0-2400 rpm
Impacts per Minute	0-2700 ipm
Max. Torque	160 Nm
Max. Bolt Diameter	M16

Standard Equipment

30 minute charger
2 batteries
Heavy duty carrying case

525237

Description	Mfrs. List No.	Order Code	1+	3+
12 Volt Impact Wrench	DC840KB-GB	166-4832	193.00	183.35
Multi Chemistry Charger	DE9135-GB	166-4845	89.00	84.55

Help us to help the environment



This catalogue has been printed on paper certified from a sustainable source.

Please recycle after use.

12 Volt Compact Cordless Impact Driver

New



- Durable frameless high speed motor delivers up to 130 Nm of torque
- All metal gearing for efficient power transmission and long tool life
- Aluminium front housing provides greater heat dispersion increasing motor life
- Improved variable speed switch and electronic motor brake for complete control for both setting and removing fasteners
- 6.35 mm keyless hex-drive allows for quick and easy bit changes
- Compact body enable use in tight spaces

Voltage	12V
Battery Capacity	NiMH 2.6Ah
Bit Holder	1/4"
Power Output	220 Watts
No Load Speed	0-2400 rpm
Impacts per Minute	0-2700 ipm
Max. Torque	130 Nm
Max. Bolt Diameter	M12

Standard Equipment

30 minute charger
2 batteries
Heavy duty carrying case

525239

Description	Mfrs. List No.	Order Code	1+	3+
12 Volt Impact Wrench	DC845KB-GB	166-4833	211.00	200.45
Multi Chemistry Charger	DE9135-GB	166-4845	89.00	84.55

Impact Wrenches

Model Number	DW053K-2	DW059K-2
Voltage	12 V	18 V
No Load Speed	2400 rpm	1650 rpm
Full Load Impact Rate	3000 ipm	2600 ipm
Torque	160 N-m	418 N-m
Drive	1/2"	1/2"
Battery	2 x 2.0Ah Ni Cd	2 x 2.0Ah Ni Cd
Weight	1.7 kg	3.4 kg

DW053K-2



12V 1/2" square drive heavy duty cordless impact wrench. Forward, reverse, variable speed and electronic brake for total control. Supplied with charger, 2 x 2.6Ah Ni MH battery packs and carrying case.

Description	Order Code	Price Each
DW053K-2 Impact wrench	135-2996	181.05
Replacement battery DE9071	135-2976	44.90

DW059K-2



18V 1/2" square drive heavy duty cordless impact wrench. 485 Nm of sustained torque to perform a wide range of heavy-duty fastening applications. 1650rpm/2600 bpm for faster application speed. Durable magnesium gear case and all metal transmission for extended durability. Anti-slip comfort grip handle. Supplied with charger, 2 x 2.6Ah Ni MH battery packs and carry case.

484547

Description	Order Code	Price Each
DW059K-2 Impact wrench	135-2997	299.95
Replacement battery DE9095	135-2983	56.12

FREE global legislation support



RoHS, REACH, WEEE, EuP,
Batteries Directive - we've got it
covered at:
www.global-legislation.com

Impact Wrench 18V



The small power pack for tough job-stop performance: high torque and high impact force ensure optimum performance when driving screws into metal and wood. High level of efficiency: new battery technology extends the lifetime of the batteries by 50%, 1/2 hour charger for fast recharging. High level of convenience: compact and ergonomic shape for fatigue-free working.

BOSCH

New

527203

Description	Mfrs. List No.	Order Code	1+	3+	+
IMPACT WRENCH 18V	GDS18V	167-7115	270.00	256.50	--

Impact Driver 18V



Bosch GDR 18V 18 volt naked cordless impact driver, complete with belt clip, hand loop and rubber ring.

- Top performance: high torque and high impact force ensure optimum performance when driving screws into metal and wood
- High level of efficiency
- High level of convenience: compact and ergonomic shape for fatigue-free working

BOSCH

New

527202

Description	Mfrs. List No.	Order Code	1+	3+	+
IMPACT DRIVER 18V	GDR18V	167-7113	259.00	246.05	--

18 Volt Compact Cordless Impact Wrench



- Durable frameless high speed motor delivers up to 195 Nm of torque
- All metal gearing for efficient power transmission and long tool life
- Aluminium front housing provides greater heat dispersion increasing motor life
- Improved variable speed switch and electronic motor brake for complete control for both setting and removing fasteners
- 1/2" square drive allows for quick and easy bit changes
- Compact body enable use in tight spaces

DEWALT

New

525240

Standard Equipment
30 minute charger
2 batteries
Heavy duty carrying case

Voltage	18 V
Battery Capacity	NiMH 2.6Ah
Bit Holder	1/2"
Power Output	250 Watts
No Load Speed	0-2400 rpm
Impacts per Minute	0-2700 ipm
Max. Torque	195 Nm
Max. Bolt Diameter	M16

Description	Mfrs. List No.	Order Code	1+	3+
18 Volt Impact Wrench	DC820KB-GB	166-4834	284.00	269.80
18 Volt Li-ion Nano Battery	DE9180-XJ	166-4844	149.00	141.55
Multi Chemistry Charger	DE9135-GB	166-4845	89.00	84.55

Cordless 18V Impact Wrench



Drive shanks	1/2" Square
No load speed	0-2400rpm
Impacts per minute	0-3000ipm
Net weight	1.7Kg
Charging time	Approx 22 min

New

Makita

526720

Standard Equipment: Fast charger, battery cartridges, belt clip

Voltage	Mfrs. List No.	Order Code	1+	3+
CORDLESS 18V IMPACT WRENCH	BTW251RFE	167-6788	293.61	284.80

Cordless Combi Drills

12V Combi Drill



BOSCH

New

Technical Data	
Battery Capacity	2.6Ah, NiMH
Voltage	12V
Chuck	Keyless
Chuck Size	13 mm
No Load Speed	1850rpm
Hammer	Yes
Max. Torque	60 N-m
Drilling Capacity ∅ :	
Masonry	13mm
Wood	35mm
Steel	13mm
Weight	2.7kg

Model: GSB 12VE2

- Carbide strengthened autolock chuck grip
- Unique progressive clutch
- 5 Metals planets on first gear
- High-current resistant electronic switch
- Planetary gearbox
- Double wound 42mm motor
- Air-cooled geartrain
- Softgrip handle
- Heavy Duty batteries with cooling sticks
- Robustness: fully functional after 2m drop on concrete

Contents:

1 x Charger, 2 x 2.6 Ah Ni MH batteries, Carrying case

526888

Description	Order Code	Price Each
		1+ 3+
COMBI 12V HEAVY DUTY	167-7124	185.00 175.75

Cordless 12V Combi

New

Makita



Max. in Steel	10mm
Max. in wood	25mm
Max. in masonry	8mm
Chuck capacity	18/30Nm
Torque settings	16 + Drill
Max torque S/H	18/30Nm
Max. size wood screw	No 10
No load speed	Hi 0-1300rpm Lo 0-400rpm
Blows per minute	Hi 0-19500 Lo 0-6000bpm
Net weight	1.6Kg
Charging time	30 mins

Standard Equipment: Charger, battery cartridges

526716

Voltage	Mfrs. List No.	Order Code	Price Each
			1+ 3+
CORDLESS 12V COMBI	8271DWPE3	167-6792	123.40 119.69

Combi Drill - Cordless

8414DWFE



12V, three speed cordless combi drill. Variable speed control with forward and reverse action. Sixteen adjustable torque settings. Supplied with charger, 2 x 3.0Ah NI MH battery packs and carry case.

491154

Description	Order Code	Price Each
		1+
8414DWFE combi drill	138-2611	188.58

Technical information at your fingertips



Over **352,000** technical datasheets available online.

Visit **www.farnell.co.uk** and look for the **Tech Info** heading in your search results.

Farnell



Cordless Combi Drills - continued

12V Combi Drill - Cordless
DC945KB

DEWALT



12V combi drill suitable for hammer drilling and screwdriving applications. Three speed settings for optimum performance in high torque, normal use and high speed applications. Twenty two position adjustable torque control settings for precise screwdriving. 13mm self-tightening chuck for total control of bit. Supplied with one hour charger, 2 x 2.6Ah Ni MH battery packs and heavy duty carry case.

Model Number	DC945KB	Drilling Capacity Soft Brick	12 mm
No Load Speed	0-450/0-1450/0-1800 rpm	Maximum Torque	48 N-m
Blows/minute	7650 - 30600 BPM	Battery	2 x 2.6Ah NiMH
Drilling Capacity Steel	13 mm	Weight	2.4 kg
Drilling Capacity Wood	38 mm		

483981

Description	Order Code	Price Each
DC945KB combi drill	135-2968	194.77
Replacement battery DE9501-XJ	135-2987	59.00

14.4 V Combi Drill

BOSCH

New



Technical Data
Battery Capacity
Voltage
Chuck
Chuck Size
No Load Speed
Hammer
Max. Torque
Drilling Capacity \varnothing :
Masonry
Wood
Steel
Weight

2.6Ah, NiMH
14.4V
Keyless
13 mm
1950rpm
Yes
65 N-m
14mm
40mm
13mm
2.8kg

Model: GSB 14.4VE2

- Carbide strengthened autolock chuck grip
- Unique progressive clutch
- 5 Metals planets on first gear
- High-current resistant electronic switch
- Planetary gearbox
- Double wound 42mm motor
- Air-cooled geartrain
- Softgrip handle
- Heavy Duty batteries with cooling sticks
- Robustness: fully functional after 2m drop on concrete

Contents:

1 x Charger, 2 x 2.6 Ah Ni MH batteries, Carrying case

526889

Description	Order Code	Price Each
		1+ 3+
COMBI 14.4V HEAVY DUTY	167-7125	209.00 198.55

14.4v Cordless Combination Drill

BOSCH

New



- All new stronger housing material for extra strength
- Unique 'UNI BODY' design for stable drive train.
- 48mm Bosch motor.
- Optimized cooling system.
- User changeable brushes.
- High tech battery charging technology.
- Soft grip on trigger.
- Two speed gearbox.
- Keyless Chuck.

527206

Description	Mfrs. List No.	Order Code	1+	3+	+
COMBI 14.4V LI-ION	GSB144VE2LI	167-7126	269.00	255.55	--

Coming soon



Register your interest for items that are 'Coming Soon' at www.farnell.co.uk and we'll email you to let you know that they're in stock.

Cordless 14.4V Combi

New

Makita



Max. in Steel
Max. in wood
Torque settings
Max torque S/H
Max. size wood screw
No load speed
Net weight
Charging time

10mm
25mm
16 + Drill
20/36Nm
No 12
H: 0-1500rpm L: 0-400rpm
1.7Kg
Approx 30 mins

Standard Equipment: Charger, battery cartridges, double ended bit

526718

Voltage	Mfrs. List No.	Order Code	Price Each
			1+ 5+
CORDLESS 14.4V COMBI	8281DWPE	167-6790	117.44 113.92

Combi Drill - Cordless

Makita

8434DWFE



14.4V, three speed cordless combi drill. Variable speed control with forward and reverse action. Sixteen adjustable torque settings. Supplied with charger, 2 x 3.0Ah Ni MH battery packs, 2 x screwdriver bits and carry case.

491303

Description	Order Code	Price Each
		1+
8434DWFE combi drill	138-2612	222.30

14.4V Combi Drill - Cordless

DEWALT

DC935KB



14.4V combi drill suitable for hammer drilling and screwdriving applications. Three speed settings for optimum performance in high torque, normal use and high speed applications. Twenty two position adjustable torque control settings for precise screwdriving. 13mm self-tightening chuck for total control of bit. Supplied with one hour charger, 2 x 2.6Ah Ni MH battery packs and heavy duty carry case.

Model Number	DC935KB	Drilling Capacity Soft Brick	14 mm
No Load Speed	0-450/0-1450/0-1800 rpm	Maximum Torque	50 N-m
Blows/minute	7650 - 30600 BPM	Battery	2 x 2.6Ah NiMH
Drilling Capacity Steel	13 mm	Weight	2.5 kg
Drilling Capacity Wood	45 mm		

483983

Description	Order Code	Price Each
		1+
DC935KB combi drill	135-2966	211.50
Replacement battery DE9502-XJ	135-2988	69.00

18V Combi Drill - Cordless

BOSCH

PSB 18VE-2



18V cordless combi drill, rotary action for metal and wood. Forward and reverse action for precise control and screwdriving. Electronic variable speed control. Soft grip panel on back handle. Supplied with charger, 1.3Ah Ni Cd battery pack, screwdriver bit, side handle and carrying case.

Model	PSB 18VE-2	Drilling Capacity Wood	28 mm
Voltage	18 V	Drilling Capacity Soft Brick	14 mm
No Load Speed	0-450/0-1600 rpm	Battery	18V 1.3Ah
Drilling Capacity Steel	13 mm	Weight	4.7 kg

490542

Order Code	Price Each
135-8351	102.12

18V Combi Drill , 2 x 3.0AH Batteries



New



- Autolock - newly developed chuck with carbides for long lasting grip
- 20% faster - than the main competitor
- Unique progressive clutch - for fine torque adjustment for small screw diameters plus coarse adjustment for large screws
- World first - fan cooled gear train for long tool lifetime
- Built to last - 35% more durable than its main competition due to its new double wound Bosch built motor for outstanding overload capacity
- Robustness - fully functional after a 2 metre drop

527209

Description	Mfrs. List No.	Order Code	1+	3+	5+
COMBI 18V 2X3.0AH	GSB18VE2T	167-7132●	261.00	247.95	--

18V Combi Drill

New



Technical Data
 Battery Capacity 2.6Ah Li-Ion
 Voltage 18V
 Chuck Keyless
 Chuck Size 13mm
 No Load Speed 3100rpm
 Hammer No
 Max. Torque 80N-m
 Drilling Capacity ∅ :
 Wood 46mm
 Steel 10mm

Model: GSB 18VE2LI

- 15 adjustable torque settings
- Electronic switch with forward and reverse action
- Switch-on lock and runout brake
- Withstands a 2m drop test
- Supplied with charger, 2 x 2.6Ah Li-ion battery packs and carrying case

526894

Description	Order Code	1+	3+
COMBI 18V LI-ION	167-7131●	299.00	284.05

18V Combi Drill - Cordless

DC925KB



18V heavy duty combi drill suitable for heavy duty hammer drilling and screwdriving applications. Three speed settings for optimum performance in high torque, normal use and high speed applications. Twenty two position adjustable torque control settings for precise screwdriving. 13mm self-tightening chuck for total control of bit. Supplied with one hour charger, 2 x 2.6Ah Ni MH battery packs and heavy duty carry case.

Model Number	DC935KB	Drilling Capacity Concrete	16 mm
No Load Speed	0-450/0-1500/0-2000 rpm	Maximum Torque	56 N-m
Blows/minute	7650 - 34000 BPM	Battery	2 x 2.6Ah NiMH
Drilling Capacity Steel	13 mm	Weight	2.8 kg
Drilling Capacity Wood	50 mm		

483985

Description	Order Code	1+	Price Each
DC925KB combi drill	135-2965		278.41
Replacement battery DE9503-XJ	135-2989		79.00

Cordless 18V Combi, 2 Bat

New



Max in steel 13mm
 Max in wood 36mm
 Max in masonry 13mm
 Torque settings 16 + Drill
 Blows per minute Hi 0-19500 Lo 6000
 Max torque S/H 27/42Nm
 No Load Speed Hi 0-1300rpm Lo 0-400rpm
 Net weight 2.2Kg
 Charging time 30 mins

Standard Equipment: Charger, battery cartridges, double ended bit

526724

Voltage	Mfrs. List No.	Order Code	1+	5+
C/LESS 18V SDS HAMMER DRILL	BHR241RFE	167-6782	293.61	284.80

Cordless 18V Combi, 3 Bat.

New



Max in steel 13mm
 Max in wood 36mm
 Max in masonry 13mm
 Torque settings 16 + Drill
 Blows per minute Hi 0-19500 Lo 6000
 Max torque S/H 27/42Nm
 No Load Speed Hi 0-1300rpm Lo 0-400rpm
 Net weight 2.2Kg
 Charging time 30 mins

Standard Equipment: Charger, battery cartridges, double ended bit

526723

Voltage	Mfrs. List No.	Order Code	1+	3+
C/LESS 18V COMBI, 3BAT	8391DWPE3	167-6784	148.93	144.46

24V Combi Drill

New



Technical Data
 Battery Capacity 1.2Ah
 Voltage 24V
 Chuck Keyless
 Chuck Size 13mm
 No Load Speed 900rpm
 Hammer Yes
 Max. Torque 14 N-m
 Drilling Capacity ∅ :
 Wood 22mm
 Steel 10mm
 Masonry 13mm

Model: D00016

- Ideal for light trade applications
- 16 torque settings for driving different sizes of screws and drilling various materials
- Suitable for drilling wood, steel and masonry
- Forward and reverse action
- Supplied with 2 x batteries, 1 hour charger, 6 drill bits, 6 screwdriver bits, bit adaptor and blow moulded carry case

435518/520563

Description	Order Code	Price Each
24V Combi Drill	129-3121●	34.01
Spare Battery	136-7036	8.02
Spare Charger	136-7037	6.96

24V Combi Drill - Cordless

PSB 24VE-2



24V cordless combi drill, rotary action for metal and wood. Forward and reverse action for precise control and screwdriving. Electronic variable speed control. Soft grip panel on back handle. Supplied with charger, 1 x 1.3Ah Ni Cd battery pack, screwdriver bit, side handle and carrying case.

Model PSB 12VE-2
 Voltage 24 V
 No Load Speed 0-500/0-1800 rpm
 Drilling Capacity Steel 13 mm
 Drilling Capacity Wood 30 mm
 Drilling Capacity Soft Brick 15 mm
 Battery 24V 1.3Ah

479331

Order Code	Price Each
135-8353	127.65

Heavy Duty 24V Combi Drill



New



Model: GSB24VE2
 ● 15 adjustable torque stages, drill stage and impact drill stage
 ● Electronic switch with forward and reverse action, switch-on lock and runout brake
 ● Supplied with charger, 2 x 2.6Ah Ni-MH battery packs, auxiliary handle and carrying case

Technical Data
 No Load Speed 0-520 rpm, 0-1850 rpm
 Drilling Capacity Steel 16 mm
 Drilling Capacity Wood 40 mm
 Drilling Capacity Concrete 17 mm
 Maximum Torque 55 N-m
 Weight 3.1 kg

526893

Description	Order Code	1+	3+
COMBI 24V HEAVY DUTY	167-7133●	309.00	293.55



Cordless Combi Drills - continued

36V Combi Drill - Cordless
GSB 36 V-LI

36V cordless combi-drill. 15 adjustable torque speeds plus drill mode. Soft grip handle for operator comfort. Forward and reverse action. Supplied with 45 minute charger, 2 x 2.0Ah Li-Ion battery packs and carrying case.

Model	GSB 36 V-LI
No Load Speed	0-400/0-1800 rpm
Blows / Minute	0-18000 bpm
Drilling Capacity Steel	16 mm
Drilling Capacity Wood	50 mm
Drilling Capacity Concrete	16 mm
Maximum Torque	80 N-m
Battery	2 x 2.0Ah Li-Ion
Weight	3.2 kg

489608

Description	Order Code	Price Each
GSB 36V LI combi drill	135-8309	355.00

36V Compact Combi Drill



New



Technical Data	
Battery Capacity	1.4Ah, Li-Ion
Voltage	36V
Chuck	Keyless
Chuck Size	13mm
No Load Speed	1500rpm
Hammer	Yes
Max Torque	32N-m
Drilling Capacity ∅ :	
Wood	50mm
Steel	13mm
Masonry	16mm
Weight	2.7kg

Model: GSB 36VLICP

- As fast and as powerful as a corded tool
- 36V power in a tool that is as light as an 18V or even 14.4V equivalent
- Battery can be charged at random as it has no memory effect
- High speed rotation
- Housing protects tool from falls from heights of up to 2m
- Depth stop
- Soft grip handle for comfort
- Supplied with 2 x batteries, 45 minute charger and carry case
- 3 years manufacturer's warranty when registered

526882

Order Code	Price Each
167-7134●	1+ 3+ 315.00 299.25

Cordless 18V SDS Hammer Drill

New

Makita



Max in steel	13mm
Max in wood	26mm
Max in masonry	20mm
Torque settings	16 + Drill
Blows per minute	0-4000bpm
No Load Speed	0-1100rpm
Net weight	3.5Kg
Charging time	22 mins

Standard Equipment: Fast charger, battery cartridges, depth stop

526725

Voltage	Mfrs. List No.	Order Code	Price Each
C/LESS 18V SDS HAMMER DRILL	BHR241RFE	167-6782	1+ 3+ 293.61 284.80

Hammer Drill - Cordless

GBH24VRE



24V rotary hammer drill with pistol grip. Forward/reverse rotation, selector wheel for variable speed, overload clutch, low vibration impact mechanism, SDS-Plus toolholder for fast tool changes. Complete with charger, 1 x 3.0Ah Ni Cd battery and case.

Model	GBH24VRE	No Load Speed	0-1000 rpm
Voltage	24 V	Blows / Minute	0-4400 bpm

Drilling Capacity Steel	13 mm	Battery	1 x 3.0 Ah Ni Cd
Drilling Capacity Wood	20 mm	Chuck	SDS Plus
Drilling Capacity Concrete	20 mm	Weight	4.1 kg

479340

Description	Order Code	Price Each
G24VRE hammer drill	135-8234	280.00
Replacement battery 3.0Ah	135-8232	172.83

Cordless 24V SDS Hammer Drill

New

Makita



Max in steel	13mm
Max in wood	27mm
Max in masonry	20mm
Joules	2.1Js
Blows per minute	0-4 700bpm
No Load Speed	0-1 100rpm
Vibration	RH 14m/sec ² HO 12m/sec ²
Charging time	1 Hr
Net Weight	4.1Kg

Standard Equipment: Master charger, battery cartridge, depth quage, side handle.

526726

Voltage	Mfrs. List No.	Order Code	Price Each
C/LESS 24V SDS HAMM DRILL	BHR200SAJ-4	167-6781	1+ 5+ 340.42 330.20

Hammer Drills - Cordless

DeWalt

Model Number	DC213KB	DC223KA
Voltage	18 V	24 V
No Load Speed	1100 rpm	1100 rpm
Blows/min	0-4200 BPM	0-4200 BPM
Drilling Capacity	13 mm	13 mm
Steel		
Drilling Capacity	30 mm	30 mm
Wood		
Drilling Capacity	20 mm	22 mm
Concrete		
Battery	2 x 2.6Ah Ni MH	2 x 2.0Ah NiCd
Chuck	SDS-Plus	SDS-Plus
Weight	3.1 kg	3.8 kg

DC213KB



18V 3-mode SDS-Plus cordless hammer drill. Suitable for drilling anchors and fixing holes in concrete, brick and masonry from 4 to 20mm. Compact design and rear mounted battery for balance and comfort. Internal mechanism connected to external housings via spring dampeners resulting in lower vibration and reduced user fatigue. Impact energy 2.1J. Supplied with charger, 2 x 3.0Ah Ni MH battery packs, grease tube and heavy duty carry case.

Description	Order Code	Price Each
DC213KB hammer drill	135-2938	1+ 3+ 329.00

DC223KA



24V 3 mode SDS-Plus hammer drill. Internal mechanism connected to external housings via spring dampeners meaning significantly lower vibration. Supplied with charger, 2 x 2.0Ah Ni Cd battery packs, side handle, grease and carrying case.

484226

Description	Order Code	Price Each
DC223KA hammer drill	135-2940	1+ 3+ 363.00
Replacement battery DE0243	135-2973	99.00

Hammer Drill - Cordless

GBH 24V



24V cordless rotary hammer drill. Features include electric brake, reverse action and variable speed control. Supplied with charger, 2 x 2.6Ah Ni MH battery packs and carrying case.

Model	GBH 24V	No Load Speed	0-1000 rpm
Voltage	24 V	Blows / Minute	0-4400 bpm

Drilling Capacity Steel	13 mm	Battery	2 x 2.6Ah Ni MH
Drilling Capacity Wood	20 mm	Chuck	SDS Plus
Drilling Capacity Concrete	20 mm	Weight	3.8 kg

489422

Description	Order Code	Price Each
GBH 24V hammer drill	135-8293	298.00
Replacement battery 2.6Ah	135-8304	179.74

Hammer Drill - Cordless

GBH24VFR



24V rotary hammer drill with pistol grip. Forward/reverse rotation, selector wheel for variable speed, overload clutch, low vibration impact mechanism, SDS Plus toolholder for fast tool changes. Complete with charger, 1 x 3.0Ah Ni Cd battery, 1 x 1.7Ah Ni Cd battery, quick change chuck, 3 x SDS-Plus drill bits, 4 x Brad Point Cas-sette, 4 x Karat set, 3 x HSS bits and case.

Model	GBH24VRE	Drilling Capacity Wood	20 mm
Voltage	24 V	Drilling Capacity Concrete	20 mm
No Load Speed	0-1000 rpm	Battery	1 x 3.0 Ah Ni Cd and 1 x 1.7Ah Ni Cd
Blows / Minute	0-4400 bpm	Chuck	SDS Plus and Quick change keyless
Drilling Capacity Steel	13 mm	Weight	4.1 kg

479239

Description	Order Code	Price Each
Drill	135-8242	424.65
Replacement battery 3.0Ah	135-8232	172.83

24V SDS Hammer Drill



New



Technical Data	
Battery Capacity	2.6Ah
Voltage	24V
Chuck	SDS-Plus
No Load Speed	31000rpm
Hammer	Yes
Drilling Capacity ∅:	
Wood	20mm
Steel	13mm

Model:GBH24V

A 24V rotary hammer drill with pistol grip, forward/reverse rotation, selector wheel for variable speed and an overload clutch.

The GBH 24V is the successful top of the range hammer in the max power 24v system. Outstanding in its material removal rate in concrete, compact in size and weighing 3.8 kg. It gives the highest hammer performance on one battery charge - more than 120 holes in concrete (diameter 6mm, 40mm deep). It is also suitable for chiselling.

- Cordless rotary hammer
- SDS plus tool holder
- Variable speed and reverse functions
- Electric motor brake

Contents: 2 x 2.6Ah NiMH heavy duty batteries, 30 min charger, carry case, auxiliary handle and depth stop

526895

Description	Order Code	Price Each
		1+ 3+
HAMMER 24V 2X2.6 AH NIMH	167-7110	367.00 348.65

28 Volt Heavy Duty 3 Mode dedicated SDS-Plus Cordless Hammer



Standard Equipment

- 1 hour charger
- 2 batteries
- Multi-position side handle
- Grease
- Heavy duty carrying case

New

- Ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4 mm to 26 mm
- 28 Volt Li-Ion technology delivers significantly improved user flexibility through 40% more runtime compared with 24 Volt, over double battery life and 80% full charge within 30 minutes charging
- Large 19 mm optimised hammer mechanism delivers corded drilling performance
- Efficient and compact gearbox for longer runtime and lighter weight
- Spring loaded battery latch system and guiderail for quick change and and secure battery fitment
- Internal mechanism connected to external housings via spring dampeners meaning significantly lower vibration, reduced user fatigue allowing longer operating periods

Voltage	28 V
Battery Capacity	Li-Ion 2.2 Ah
Power Output	450 Watts
No Load Speed	0-1150rpm

Impact Energy	0-2700 ip
Blows per Minute	4300 bpm
Tool Holder	M16

525241

RoHS ● Compliant
▲ Non-compliant



08447 11 11 11

Fax: 08447 11 11 12 2061

Description	Mfrs. List No.	Order Code	Price Each
28 Volt SDS Hammer Drill	DC228KL-GB	166-4835	1+ 5+
Multi Chemistry Charger	DE9135-GB	166-4845	509.00 483.55
			89.00 84.55

Hammer Drill - Cordless

GBH 36 V-Li



36V Lithium-Ion battery SDS-Plus reverse action hammer drill with integrated chiselling function. Soft grip on back handle for operator comfort. Slide in battery mechanism with double lock mechanism to avoid unintended release. Supplied with 45 minute charger. 2 x 2.0Ah Li-Ion battery packs and carry case.

Model	GBH 36 V-Li	Drilling Capacity Wood	30 mm
Voltage	36 V	Drilling Capacity Concrete	26 mm
No Load Speed	0-960 rpm	Battery	2 x 2.0Ah Li-Ion
Blows / Minute	0-4260 bpm	Chuck	SDS Plus
Drilling Capacity Steel	13 mm	Weight	4.3 kg

489427

Description	Order Code	Price Each
GBH 24V hammer drill	135-8308	1+ 524.40
Replacement battery 2.6Ah	135-8304	179.74

Torch

DW908



18V heavy duty flashlight with 90° pivoting head. Up to 3 hours continuous use. Battery and charger are not supplied.

484700

Description	Order code	Price Each
DW904 flashlight	135-3030	1+ 34.72
Replacement battery DE9095	135-2983	56.12

Flashlight

GLI 18V



46



18V flashlight with slim soft grip. Features adjustable focus and rotatable head. 200 minute operating time. Supplied with spare bulb.

479465

Description	Order Code	Price Each
Flashlight	135-8769	16.00
Replaement battery 2.6Ah	135-8755	121.81

10.8V Torch

Bare Unit



New



Model: GLI 10.8V-Li

Cordless Combi Drills - continued

10.8V Torch - continued

Bare Unit - continued

- Small, handy and lightweight
- Bright 1Watt powered LED light
- Belt clip
- Soft-grip handle for comfort
- Battery runtime on one charge: 450 min/7.5 hours
- Dimensions: 160x50x60mm

526891

Description	Order Code	Price Each	
		1+	3+
TORCH, 10.8V LI-ION NAKED	167-7121●	16.00	15.20

Wet & Dry Vacuum
DC500

Operates off any DeWalt 12 to 18V battery packs or 230V/110V mains supply. High efficiency filter traps 99.7% of dust as small as 0.3 microns. Wet and dry filter eliminates change over. Drain port on tank for easy emptying of liquids. Please note battery and charger units available as an accessory.

484330

Voltage	Order Code	Price Each	
		1+	
18V	135-2950	99.00	
110V	135-2951	99.00	

Multi Chemistry Fast Charger



Charges all DEWALT 7.2V - 18V NiCd/ NiMH/Li-Ion batteries so users only need one charger for multiple cordless products. Charges the 2.0Ah battery pack in 40 mins minimising downtime. The DEWALT 3-stage charging system provides maximum runtime and extends overall life of the battery. Diagnostics with LED indicator communicates battery charge status: charged, charging, power line problem, replace pack, and battery too hot or too cold.

New

Voltage	7.2-18.0 V	Width	120mm
Battery Chemistry	NiCd/NiMH/Li-Ion	Height	85mm
Charging current	3 A	Length	165mm
Charging Time	40 (2.0Ah) min	Height	147mm

525251

Description	Mfrs. List No.	Order Code	1+	3+
Multi Chemistry Charger	DE9135-GB	166-4845●	89.00	84.55

18V Nano Technology Li-Ion Battery Pack



- DEWALT exclusive nano-phosphate lithium ion cells offer long battery life & durability; 2000 recharges
- Lightweight design provides the user with 18V power for the equivalent of 12V NiCd/NiMH pack weight
- No memory effect and virtually no self-discharge for maximum productivity & less downtime
- Compatible with all DEWALT 18V Tools

New

- High capacity battery - 20% more run-time than 2.0 Ah NiCd packs
- Excellent electrical characteristics

Compatible with all 18V DeWALT tools

Voltage	18 V	Length	120 mm
Battery Capacity	2.0 Ah	Weight	0.68kg
Height	115 mm	Features	Nano Technology

523271

Description	Mfrs. List No.	Order Code	1+	3+
18 Volt Li-ion Nano Battery	DE9180-XJ	166-4844●	149.00	141.55

Corded Drills - Rotary



Rotary Drills

GWB 10RE



400W, right angle rotary drill with paddle switch. Electronic control and speed preselector wheel. Forward and reverse action.

Model	GWB 10RE	Drilling Capacity Wood	22 mm
Input Power	400 W	Chuck Capacity	10 mm
No Load Speed	750-1100 rpm	Weight	1.6 kg
Drilling Capacity Steel	10 mm		

491007

Voltage	Order Code	Price Each	
		1+	
230	135-8409	175.00	
110	135-8410	175.00	

13mm Rotary Angle Drill

New



Max. in steel	13mm
Max. in wood	38mm
No load speed with attachment	Hi 0-900rpm Lo 0-400rpm
Without attachment	0-600rpm
Input wattage	710w
Net weight	3.7Kg

Standard Equipment: Chuck key, side handle, hex wrench

526712

Voltage	Mfrs. List No.	Order Code	1+	3+
ANGLE DRILL 110V	DA4000LR/1	167-6796	212.76	206.37
ANGLE DRILL 240V	DA4000LR/2	167-6797	212.76	206.37

Rotary Drills

GBM 10-2RE



500W drill with 2-speed gearbox for greater torque control, variable speed control and reverse action.

Model	GWB 10-2RE
Input Power	500 W
No Load Speed	0-1150/0-2100 rpm
Drilling Capacity Steel	10 mm
Drilling Capacity Wood	25 mm
Chuck Capacity	10 mm
Weight	1.75 kg

490852

Voltage	Order Code	Price Each	
		1+	
230	135-8366	84.55	
110	135-8367	84.55	

Rotary Drills

GBM 13-2



550W 2-speed general purpose rotary drill.

Model	GBM 13-2
Input Power	550 W
No Load Speed	1000/1900 rpm
Drilling Capacity Steel	13 mm
Drilling Capacity Wood	32 mm
Chuck Capacity	13 mm
Weight	1.95 kg

479262

Voltage	Order Code	Price Each	
		1+	
230	135-8378	99.00	
110	135-8379	99.00	

Rotary Drills

GBM13-2RE



550W variable speed pistol grip rotary drill. Features synchronized 2-speed gearbox and reverse action.

Model	GBM 13-2RE
Input Power	550 W
No Load Speed	0-1000/1900 rpm
Drilling Capacity Steel	13 mm
Drilling Capacity Wood	32 mm
Chuck Capacity	13 mm
Weight	1.9 kg

490853

Voltage	Order Code	Price Each
230	135-8368	119.00
110	135-8369	119.00

Rotary Drills

GBM 23-2



1150W back handle rotary drill for large diameter steel drilling. 2 morse taper bit holder can be connected with an adapter to take a 16mm chuck.

Model	GBM 23-2
Input Power	1150 W
No Load Speed	280/640 rpm
Drilling Capacity Steel	23 mm
Drilling Capacity Wood	50 mm
Weight	4.6 kg

490857

Voltage	Order Code	Price Each
230	135-8370	375.00
110	135-8371	375.00

Corded Drills - Impact

SDS + Rotary Hammer Drill



Max. in concrete	18mm
Max. in steel	13mm
Max. in wood	24mm
Joules	1.3
Vibration	RH: 14mm/sec
Blows per minute	0-5000bpm
No load speed	0-1500rpm
Input wattage	440w
Net weight	1.7kg

Standard Equipment: Side handle, depth stop, case.

526709

Voltage	Mfrs. List No.	Order Code	1+	3+
SDS DRILL 110V	HR1830/1	167-6803	93.61	90.80
SDS DRILL 240V	HR1830/2	167-6804	93.61	90.80

Impact Drills

GSB13RE



550W single speed impact drill with forward and reverse action. Supplied with side handle.

Model	GSB 13RE
Input Power	550 W
No Load Speed	0-2600 rpm
Drilling Capacity Steel	10 mm
Drilling Capacity Wood	20 mm
Drilling Capacity Concrete	13 mm
Weight	1.6 kg


490860

Voltage	Order Code	Price Each
230	135-8384	46.55
110	135-8385	46.55

DEWALT - Impact Drills - Percussion Under 700W



D21710K



600W variable speed, reverse action single speed percussion drill. Supplied with handle, depth stop and carry case.

491265

Voltage	Order Code	Price Each
230	135-2884	1+
110	135-2885	61.20
		61.20

13mm Percussion drill




Max. in steel	13mm
Max. in wood	30mm
Max. in masonry	16mm
Blows per minute	0-44800bpm
No load speed	0-2800bpm
Input wattage	650w
Net weight	1.7kg

Standard Equipment: Side handle, depth stop

526711

Voltage	Mfrs. List No.	Order Code	1+	3+
PERCUSSION DRILL 240V	HP1620K/2	167-6800	48.50	47.05
PERCUSSION DRILL 110V	HP1620K/1	167-6798	48.50	47.05

Impact Drills



HP1621



650W single speed reverse action impact drill. Variable speed trigger control. Supplied with depth gauge and side handle.

Model	HP1621
Input Power	650 W
No Load Speed	0-2800 rpm
Blows / Minute	44800 bpm
Cutting Capacity Steel	13 mm
Cutting Capacity Wood	30 mm
Cutting Capacity Concrete	16 mm
Weight	1.7 kg

494761

Voltage	Order Code	Price Each
230	138-2618	47.93
110	138-2619	47.93

700W Hammer Drills




Technical Data	700W
Wattage	230V or 110V
Voltage	Keyless
Chuck	13mm
Chuck Size	0-3000rpm
No Load Speed	Yes
Hammer	
Drilling Capacity ∅ :	
Wood	30mm
Steel	12mm
Masonry	18mm
Weight	1.6kg

Model: GSB 1600RE

- Professional quality, compact hammer drill
- Speed pre-selection
- Forward and reverse action
- Depth stop
- Multi-position side handle
- Soft grip for comfort
- Supplied in a carry case
- 3 years manufacturer's warranty when registered

526883

Voltage	Order Code	Price Each
230	167-7128●	1+ 58.85
110	167-7127●	61.95 58.85



Corded Drills - Impact - continued

750W Impact Drill

New

BOSCH



Technical Data	
Wattage	750W
Voltage	230V or 110V
Chuck	Keyless
Chuck Size	10mm
No Load Speed	3000rpm
Hammer	No
Drilling Capacity \varnothing :	
Wood	40mm
Steel	13mm
Masonry	20mm
Weight	2.2kg

Model: GSB 18-2RE1 & 18-2RE2

- Single sleeve quick change chuck with Auto Lock for quick tool changes with one hand
- Forward/reverse rotation
- Softgrip for a secure hold
- Electronic control for exact pilot drilling
- Speed pre selection with setting wheel
- Spindle collar diameter of 43 mm (European standard) - can be used in drill stands

Contents: 1 x Auxiliary handle, 1 x Depth stop, 1 x carrying case

526885

Voltage	Order Code	Price Each	
		1+	3+
230	167-7130●	89.25	84.79
110	167-7129●	89.25	84.79

13mm 2-Speed Percussion drill

New

Makita



Max. in steel	Hi: 8mm Lo: 13mm
Max. in wood	Hi: 25mm Lo: 40
Max. in masonry	Hi: 13mm Lo 20mm
Blows per minute	Hi: 0-5800bpm Lo: 0-2400bpm
No load speed	Hi: 0-2900rpm Lo: 0-1200rpm
Input wattage	720w
Net weight	2.3Kg

Standard Equipment: Side handle, depth stop

526710

Voltage	Mfrs. List No.	Order Code	Price Each	
			1+	3+
PERCUSSION DRILL 2 SPEED 110V	HP2050/1	167-6801	89.35	86.67
PERCUSSION DRILL 2 SPEED 240V	HP2050/2	167-6802	89.35	86.67

Impact Drills (Percussion over 700W)

D21815KS

DeWALT



850W two speed impact drill. Patented ball clutch for greater operator control of drill. Supplied with keyless chuck, depth stop, side handle and heavy duty carry case.

483738

Voltage	Order Code	Price Each
		1+
110V	135-2892	129.00

SDS Drill 3 Function Rotary Hammer Drill

New

Makita



Max. in concrete	24mm
Max. in steel	13mm
Max. in wood	32mm
Joules	2.7
Vibration m/sec2	RH=15.5 HO=12.5
Blows per minute	0-4500bpm
No load speed	0-1100rpm
Input wattage	780w
Net weight	2.6Kg

Standard Equipment: Side handle, depth stop.

526708

Voltage	Mfrs. List No.	Order Code	Price Each	
			1+	3+
SDS DRILL 3 FUNCTION 110V	HR2470/1	167-6806	131.91	127.95
SDS DRILL 3 FUNCTION 240V	HR2470/2	167-6807	131.91	127.95

Impact Drills

GSB 20-2RE

BOSCH



800W variable speed impact drill with reverse action. 2-speed mechanical gearbox. Impact stop for wood and metal drilling. Supplied with a side handle, depth stop and carrying case.

Model	GSB 20-2RE	Drilling Capacity Steel	13 mm
Input Power	800 W	Drilling Capacity Wood	40 mm
No Load Speed	0-650/0-2000 rpm	Drilling Capacity Concrete	20 mm
Blows / Minute	0-10400/0-32000 bpm	Weight	2.2 kg

479264

Voltage	Order Code	Price Each	
		1+	3+
230	135-8373	100.63	
110	135-8374	100.63	

Impact Drills

GSB 90-2E

BOSCH



1150W heavy duty spade grip drill ideally suited for either large diameter solid drilling or core drilling up to 90mm with diamond cores. High torque through the fully synchronised 2-speed gearbox, variable speed allows exactly the right drilling speed to be selected.

Model	GSB 90-2E	Drilling Capacity Steel	16 mm
Input Power	1150 W	Drilling Capacity Wood	35 mm
No Load Speed	0-700/0-2100 rpm	Drilling Capacity Concrete	32 mm
Blows / Minute	0-14000/0-42000 bpm	Weight	4.0 kg

479268

Voltage	Order Code	Price Each	
		1+	3+
230	135-8375	269.00	
110	135-8377	269.00	

Corded Drills - SDS

Rotary Hammer Drills

GBH 2-18RE

BOSCH



550W variable speed reverse action SDS-Plus rotary hammer drill. Supplied with auxiliary handle, depth stop and carrying case.

Model	GBH 2-18RE
Input Power	550 W
No Load Speed	0-850 rpm
Blows / Minute	0-4500 bpm
Impact Energy	1.7 J
Drilling Capacity Concrete	18 mm
Weight	2.0 kg

488970

Voltage	Order Code	Price Each	
		1+	3+
230	135-8391	89.99	
110	135-8389	64.79	

Hammer Drill 2Kg

BOSCH



Description: Features:- Superior drilling rate in the 2 kg hammer class- Exceptionally fast, tool-free changing between SDS-plus and quick-change chuck- Rotatable brush plate for equal power in forward and reverse operation- 50 mm spindle.

New

527194

Description	Mfrs. List No.	Order Code	1+	3+
550W 2KG SDS+ HAMMER 110V	GBH2181	167-7108●	94.49	89.77
550W 2KG SDS+ HAMMER 240V	GBH2182	167-7109●	94.49	89.77

Rotary Hammer Drill

GBH 2-26 DFR



800W variable speed reverse action hammer drill. Suitable for concrete drilling up to 26mm diameter and light chiselling applications. Supplied with SDS-Plus quick change chuck.

Model	GBH 2-26 DFR	Impact Energy	3 J
Input Power	800 W	Drilling Capacity Concrete	26 mm
No Load Speed	0-900 rpm	Weight	2.4 kg
Blows / Minute	0-4400 bpm		

479404

Voltage	Order Code	Price Each
230	135-8750	169.00
110	135-8749	178.84

Rotary Hammer Drills

GBH 2-26 DRE



800W variable speed reverse action hammer drill. Suitable for concrete drilling up to 26mm diameter and light chiselling applications.

Model	GBH 2-26 DRE	Impact Energy	3 J
Input Power	800 W	Drilling Capacity Concrete	26 mm
No Load Speed	0-900 rpm	Weight	2.7 kg
Blows / Minute	0-4400 bpm		

479407

Voltage	Order Code	Price Each
230	135-8748	129.00
110	135-8747	129.00

SDS Rotary Hammer Drill 4kg (with accessories)

Max. in concrete	32mm
Max. TCT core	90mm
No load speed	315-630rpm
Blows per Minute	1650-3300bpm
Joules	6.4Js
Wattage	850w
Net Weight	4.5kg

Standard Equipment: Side handle, depth stop, Bit grease, carry case.

S-Mak32 Includes:

- HR3210C
- 18 piece bit set
- 5 piece SDS + dominator bit set
- Keyless drill chuck
- Chuck adaptor
- Cold chisel
- Scaling chisel

526707

Voltage	Mfrs. List No.	Order Code	1+	3+
SDS DRILL 4KG 110V	S-MAK32C/1	167-6808	331.91	321.95
SDS DRILL 4KG 240V	S-MAK32C/2	167-6809	331.91	321.95

FREE global legislation support

RoHS, REACH, WEEE, EuP,
Batteries Directive - we've got it
covered at:
www.global-legislation.com

Rotary Hammer Drill - 5kg Kit

D25405K



32mm heavy duty SDS-Plus D handle combination hammer drill. Rotation stop for light chiselling applications, render and tile removal. Impact stop for drilling in wood, ceramic, steel and screwdriver applications. Electronic variable speed switch for total control. Supplied with 3 jaw quick change chuck, SDS-Plus bits, drilling accessories pack and carry case.

Model Number	D25405K
Input Power	900 W
No Load Speed	730 rpm
Blows/min	0-4100
Impact Energy	4.8 J
Drilling Capacity Concrete	32 mm
Drilling Capacity Masonry Cores	90 mm
Tool Holder	SDS-Plus
Weight	4.8 kg

484065

Voltage	Order Code	Price Each
230V	135-2905	330.00
110V	135-2906	330.00

Kits**4 Piece 10.8V Li-Ion Kit**


Model:108V Power

GSR 10.8VLIN

- Max torque: 7 Nm, Max torque (hard joint) 18 Nm
- Clutch setting: 10 + 1
- LED Light for greater visibility
- Locking magnetic 1/4" Universal bit holder
- Drilling up to 10mm in wood and 6mm in steel
- Bolts up to M6
- Robust metal clutch ring
- Weight: 800g

GDR 10.8VLIN

- Impact rate: 0-3000 ipm
- Max Torque: 100 Nm
- Optimised ventilation for effective heat management
- Double layer planetary gearbox
- Aluminium sealed internal components in gearbox prevents grease leakage
- Durashield housing - survives 2m drop onto concrete
- Integrated innovative 3-spot LED light
- Weight: 1kg

GW1 10.8VLIN

- 5 pivoting head positions
- Metal bit holder
- Click change bit holder and spindle lock
- Max torque Nm: 5 Nm
- Max screw diameter: 5 x 50 mm
- Max drilling in wood/steel: 10/8 mm
- Electronic clutch with 7 + 1 settings
- Weight: 1.1 kg

GLI 10.8VLIN

- Small, handy and lightweight
- Bright 1 Watt powered LED light
- Belt clip
- Soft-grip handle
- Battery runtime on one charge: 450 min/7.5 hours
- Dimensions: 160x50x60mm
- Weight 0.300g

Contents: 2 x 1.3Ah Li-Ion batteries, Charger tool case and holding bag

526900

Description	Order Code	Price Each
4 PIECE 10.8V KIT	167-7107●	209.00 198.55



Kits - continued

18V XRP TWIN PACK

Pack Contains Hammerdrill/Driver & Reciprocating Saw Combo Pack



Standard Equipment

- 18 Volt XRP Hammerdrill/driver
- 18 Volt XRP Reciprocating Saw
- 2 x 2.6Ah NiMH Batteries
- 1 x 30 Minute Charger
- 1 x Side handle
- DC925 Hammerdrill / Driver
- DC385 Reciprocating Saw

DeWALT

New

525245

Description	Mfrs. List No.	Order Code	1+	3+
28 Volt Combi Drill	DC910KL-GB	166-4836●	416.00	395.20
18V Volt Li-ion Nano Battery	DE9180-XJ	166-4844●	149.00	141.55
Multi Chemistry Charger	DE9135-GB	166-4845●	89.00	84.55

18V NANO 6PC KIT



KIT CONTAINS DC988 3 Speed Combi

- DC390 Circ Saw
- DC827 Impact Driver
- DC213 3 Mode SDS
- DC411 125mm Grinder
- DW919 Flexible Torch
- 2 x 2.0Ah Nano Li-Ion Batteries
- 40 Minute Charger

DeWALT

New

525246

Description	Mfrs. List No.	Order Code	1+	5+
18 Volt Nano 6pc Kit	DC6PAKLB-GB	166-4838●	649.00	616.55
Multi Chemistry Charger	DE9135-GB	166-4845●	89.00	84.55

Cordless Twin Pack 18V

New

Makita

Combi
Impact Driver
Charger
WeightBHP451Z
BDT140Z
DC18RA
7.6Kg

Standard Equipment: Fast charger, battery cartridges, case

526719

Voltage	Mfrs. List No.	Order Code	1+	3+
CORDESS TWIN PACK	LXT202	167-6789	323.40	313.69

Drills - Bench & Machine

Two Speed Production

fortrex

H=390
W=127
D=410

- Production quality PCB drilling machine
- Robust construction continuous use
- Drill head has internal spring balance and adjustable endstops
- Internal fan to assist in swarf removal

Speed 14000 or 18000
Throat clearance 150mm
Height under chuck 44mm
Chuck 4mm maximum
Power 100W
Voltage 240/250V ac
Weight 12kg

No plug supplied

FOR SUITABLE REPLACEMENT BULB SEE ORDER CODE 113-9428

204695

	Order Code	Price Each
PCB Drill	457-656	424.56
Motor Brushes (pair)	457-668	4.50

Bench Drilling Machine

CDP5DD



Bench drilling machine. Side mounted on/off switch. Ideal for home/workshop use. Depth gauge and chuck guard supplied. 230V.

Clarke
POWER PRODUCTS

494680

Description	Order Code	Price Each
CP5DD	145-5481	60.47

Bench Drilling Machine

CDP151B



Bench drilling machine. Features front mounted no volt release safety switch, emergency stop switch, safety cut on belt guard depth gauge, chuck and guard. 230V.

Model CDP151B
Drilling Capacity 13 mm
Spindle Taper 33JT
No. of Speeds 5
Spindle Speed 460 - 2480 rpm
Table Size (W x D) 198 x 193 mm
Table Tilt 90°
Motor 0.30 kW

Clarke
POWER PRODUCTS

494101

Description	Order Code	Price Each
CDP151B bench drill 230V	145-5476	117.73

Pedestal Drilling Machine

CDP501F



Pedestal drilling machine. Features frontmounted no volt release safety switch, emergency stop switch, safety cut out on belt guard, rack and pinion table lift, wet T slot table, depth gauge, work light, chuck and guard. 230V.

Clarke
POWER PRODUCTS

491464

Description	Order Code	Price Each
Pedestal Drill 230V	145-5478	534.82

Saws

10.8V Multi Cutter

BOSCH

New



Technical Data
Voltage 10.8V
Wattage 194W
No Load Speed 20000rpm
Max Work Angle 240°
Weight 1.1kg

Model: GOP 10.8V-LI

The new cordless multi-cutter with the cutting speed and removal rate of a corded tool. It can be used with confidence on soft/hard wood, particle boards, drywalls, tiles/ceramics, plastic, stone, masonry and metal to give you cordless freedom and flexibility for cutting, sanding, scraping, trimming, rasping, removing grout or adhesive and light grinding.

- Soft grip handle for comfort and also acts as heat insulator preventing heat penetration
- Close-edge sanding
- Strong motor for professional performance

- Ergonomic design with small grip circumference
- Fuel gauge on battery for charge control
- Tool holder with variable angle adjustment within 240°
- Variable speed control
- Tool dimensions: HxWxL: 95x45x280mm

Contents: 1 x sanding plate, 5 sanding sheets, 1 x plunge cut saw blade for wood and metal, 1 hex allen key, 2 x 1.3Ah Li-ion batteries, 1 x charger and carry case

527264

Order Code

Price Each

168-0499

1+	3+
145.00	137.00

Gop 10.8 V-Li Professional Accessories



BIM Segment saw blades wood & metal



HM-RIFF Segment Blade



BiM Plunge cut saw blades metal, & wood



HM-RIFF Delta Blade



HCS Rigid Scraper



BiM Plungecut Sawblade Wood & Metal



BiM Plunge cut saw blades hard-wood



BiM Plungecut Sawblade Metal



HCS Plungecut Sawblade wood



526834

	Mfrs. List No.	Order Code	Price Each	
			1+	5+
SEG S/BLADE WD&MET, 85MM	2608661636	167-7150	17.11	16.25
P/CUT S/BLADE WD&MET, 28X50MM	2608661644	167-7151	15.50	14.73
P/CUT S/BLADE H/WOOD, 32X40MM	2608661645	167-7152	15.50	14.73
P/CUT S/BLADE MET, 20X20MM	2608661640	167-7153	7.48	7.11
P/CUT S/BLADE MET, 10X20MM	2608661641	167-7154	7.48	7.11
SEGMENT BLADE, 85MM	2608661642	167-7155	21.39	20.32
DELTA BLADE, 78MM	2608661648	167-7156	22.46	21.34
HCS RIGID SCRAPER, 52X26MM	2608661646	167-7157	9.08	8.63
P/CUT S/BLADE WD&MET, 28X50MM	2608661629	167-7158	62.02	58.92
P/CUT S/BLADE MET, 20X20MM	2608661628	167-7161	33.69	32.01

Jigsaw

PST 800 PEL



620W 4 stage pendulum action jigsaw. Soft start and variable speed via separate dial wheel. Blower function keeps the saw line clear of chippings and visible during cuts. SDS keyless blade change. Double sided switch for left and right handed users. Detachable laser for highly visible line of cut. 230Volt.

Model	PST 800 PEL	Cutting Capacity Steel	6 mm
Input Power	620 W	Cutting Capacity Wood	80 mm
No Load Speed	500-3100 rpm	Weight	2.4 kg
Stroke Length	22 mm		

491100

Order Code
135-8689Price Each
1+
59.57

Jigsaws



Model Number
Input Power
No Load Strokes
Stroke Length
Cutting Capacity Steel
Cutting Capacity Wood
Cutting Capacity Aluminium
Weight

DW331K
701 W
800-3100 rpm
26 mm
10 mm
130 mm
20 mm
2.8 kg

DW331K

701W variable speed heavy duty soft grip top handle jigsaw. Features keyless blade change, tool free adjustable shoe, 45 degree bevel and blade clamp mechanism. 3 position orbital action control. Dust blower keeps line of cut clear of chips. Supplied with selection of blades, anti scratch cover, anti splinter insert, dust extraction adapter and heavy duty carry case.



526067

Voltage
230V
110VOrder Code
135-3004
135-3005Price Each
1+
124.00
124.00

Jigsaws

GST 75BE



650W variable speed orbital action jigsaw. Features SDS one handed keyless blade change, speed pre-selection dial, integrated dust extraction connection, blower on/off and soft grip for operator comfort. Supplied in a carry case.

Model	GST 75BE
Input Power	650 W
No Load Strokes	500-3100 rpm
Stroke Length	26 mm
Cutting Capacity Steel	10 mm
Cutting Capacity Wood	90 mm
Cutting Capacity Aluminium	20 mm
Weight	2.4 kg

489526

Voltage
230
110Order Code
135-8290
135-8405Price Each
1+
95.00
95.00

Jigsaws

GST 135BCE



720W variable speed orbital action jigsaw with lowest vibration level. Tool free self adjusting three point guiding system for angle exact cuts. Features airstream blower for keeping the cutting line clean of sawdust. SDS one hand keyless blade change.

Model	GST 135BCE
Input Power	720 W
No Load Strokes	500-2800 rpm
Stroke Length	26 mm
Cutting Capacity Steel	10 mm
Cutting Capacity Wood	135 mm
Cutting Capacity Aluminium	20 mm
Weight	2.7 kg

479426

Voltage
230V
110VOrder Code
135-8723
135-8724Price Each
139.00
139.00

Jigsaw

New



Max. in Steel	6mm
Max. in wood	65mm
Length of stroke	18mm
Strokes per minute	500-3100spm
Input Wattage	450w
Net Weight	1.9Kg

Standard Equipment: Blade, hex wrench



Saws - continued

Jigsaw - continued

526703

Voltage	Mfrs. List No.	Order Code	Price Each	
JIGSAW 110V	4329/1	167-6816	1+	3+
JIGSAW 240V	4329/2	167-6818	51.06	49.52
			51.06	49.52

Jigsaw - Cordless
GST 14.4V

14.4V cordless jigsaw. Features include 4-step pendulum action for high cutting performance. SDS quick easy blade change. Motor brake, air-blow function and soft grip for low vibration. Supplied with charger, 2 x 2.6Ah Ni MH battery packs, 3 x saw blades, splinter guard, allen key and carrying case.

Model	GST 14.4V
Voltage	14.4 V
No Load Speed	0-2100 rpm
Stroke Length	26 mm
Cutting Capacity Steel	10 mm
Cutting Capacity Wood	65 mm
Battery	2 x 2.6Ah Ni MH
Weight	2.9 kg

479299

Description	Order Code	Price Each
Jigsaw	135-8751	239.00
Replacement battery 2.6Ah Ni MH	135-8754	83.00

Jigsaw - Cordless
GST 18V

18V cordless jigsaw. Features include 4-step pendulum action for high cutting performance. SDS quick easy blade change and soft grip for low vibration. Supplied with charger, 2 x 2.6Ah Ni MH battery packs, 3 x saw blades, splinter guard, allen key and carrying case.

Model	GST 18V
Voltage	18 V
No Load Speed	0-2100 rpm
Stroke Length	26 mm
Cutting Capacity Steel	11 mm
Cutting Capacity Wood	68 mm
Battery	2 x 2.6Ah Ni MH
Weight	3.2 kg

481252

Description	Order Code	Price Each
Jigsaw	135-8768	279.00
Replacement battery 2.6Ah	135-8755	121.81

18V Sabre Saw - Cordless
GSA 18V

18V cordless sabre saw. Two stroke length 32 and 19mm for optimum cutting. SDS fitting for tool-free, quick blade change. Soft grip handles for comfort. Electronic speed acceleration switch with brake. Supplied with charger, 2 x 2.6 Ah Ni MH battery packs and carrying case.

Model	GSA 18V	Cutting Capacity Steel	225 mm
		Pipe	
Voltage	18 V	Cutting Capacity Wood	300 mm
No Load Speed	0-2300 rpm	Battery Capacity	2 x 2.6Ah Ni MH
Stroke Length	19-32 mm	Weight	3.5 kg

479516

Description	Order Code	Price Each
GSA 18V Sabre Saw	135-8770	279.00
Replacement battery 2.6Ah	135-8755	121.81

18 Volt Heavy Duty Cordless Reciprocating Saw



Standard Equipment

- 1 hour charger
- 2 batteries
- Wood and metal blade
- Heavy duty carrying case

New

- Powerful DEWALT fan cooled motor with replaceable brushes and variable speed delivers fast cutting action up to 3,000 strokes per minute and 28.6 mm stroke length
- High performance reciprocating mechanism and lightweight magnesium gearcase offer the user optimised power to weight ratio
- Variable speed trigger, lock-off switch and electronic motor brake for quick controlled cuts and enhanced work safety
- Lever-action keyless blade clamp for quick and easy blade changes
- Modular component design for trouble free servicing
- Rubber coated grip to reduce surface vibration and user fatigue

Voltage	18 V	Stroke Length	28.6 mm
Battery Capacity	2.6 NiMH Ah	Weight	3.70kg
Power Output	390 Watts	Length	435 mm
No Load Stroke Rate	0-3000spm	Height	188 mm

525247

Description	Mfrs. List No.	Order Code	Price Each	
18 Volt Recip Saw	DC385KB-GB	166-4841	1+	3+
18 Volt Li-ion Nano Battery	DE9180-XJ	166-4844	355.00	337.25
Multi Chemistry Charger	DE9135-GB	166-4845	149.00	141.55
			89.00	84.55

24V Sabre Saw - Cordless



GSA 24V



24V cordless sabre saw. Two stroke length 32 and 19mm for optimum cutting. SDS fitting for tool-free, quick blade change. Soft grip handles for comfort. Electronic speed acceleration switch with brake. Supplied with charger, 2 x 2.6 Ah Ni MH battery pack, 2 x blades and carrying case.

Model	GSA 24V	Cutting Capacity Steel	175/10 mm
		Pipe	
Voltage	24 V	Cutting Capacity Wood	230 mm
No Load Speed	0-2300 rpm	Battery Capacity	2 x 2.6Ah Ni MH
Stroke Length	19-32 mm	Weight	3.9 kg

479298

Description	Order Code	Price Each
GSA 24V Sabre Saw	135-8305	248.92
Replacement battery 2.6Ah	135-8304	179.74

Reciprocating Saw

New



Max. cut in pipe	90mm
Mac. cut in wood	90mm
Length of stroke	28mm
Strokes per minute	0-2800spm
Input Wattage	240v - 1010w 110v - 940v
Net Weight	3.2Kg

Standard Equipment: Chuck Key, side handle

526702

Voltage	Mfrs. List No.	Order Code	Price Each	
RECIPROCATING SAW 110V	JR3050T/1	167-6819	1+	3+
RECIPROCATING SAW 240V	JR3050T/2	167-6820	101.28	98.24
			101.28	98.24

1200 Watt Heavy Duty Reciprocating Saw



Standard Equipment

- 1 professional bi-metal blade
- Heavy duty carrying case

New

- 1200 Watt motor delivers increased power for heavy duty applications
- 0 - 2,600 SPM and 28 mm stroke length for fast and efficient cutting
- Keyless stainless steel blade change for quick and easy blade changes and increased reliability
- Keyless adjustable shoe easily adjusts the depth of cut and extends the blade life
- Variable speed trigger provides control and versatility

Power Input 1200 Watts
 Power Output 630 Watts
 No Load Stroke Rate 0-2600 spm
 Stroke Length 28 mm
 Max. Cutting Capacity (Wood) 300 mm
 Max. Cutting Capacity (Steel Sections & Pipes) 3.70kg
 Length 460 mm
 Height 60 mm

525248

Description	Mfrs. List No.	Order Code	1+	5+
240	DW310K-GB	166-4842●	159.00	151.05
Multi Chemistry Charger	DE9135-GB	166-4845●	89.00	84.55

12 Pc Reciprocating Saw Blade Set



- Mix of top selling blades
- Convenient and durable 'Flip Top' plastic case

Mfrs List No.	Description	Length	Pitch	Qty
DT2307	Demolition blade	228	4.2	1
DT2349	Wood blade	228	3.6-5.1	3
DT2359	Wood blade	152	3.6-5.1	2
DT2353	Metal blade	203	1.8	3
DT2361	Metal blade	152	1.8	3

525258

Description	Mfrs. List No.	Order Code	1+	5+
12Pc Recip Blade Set	DT2441-QZ	166-4849●	19.95	18.95

Bandsaws

DW 739



Model Number DW739
 Input Power 760 W
 Cutting Speed 330-800 m/m
 Maximum Cutting Width 310 mm
 Maximum Cutting Height 155 mm
 Table Adjustment 45°
 Weight 23 kg

155mm, variable speed bandsaw. Large infeed and outfeed tables to provide added material support. Parallel fence clamped on both sides for accurate cutting. Supplied with saw blade, safety key switch and parallel fence.

484644

Voltage	Order Code	Price Each
230V	135-3021	238.75

Nibblers

GNA 2.0



500W single hand nibbler with switch located on side of body.

Model GNA 2.0
 Input Power 500 W
 No Load Speed 1600 rpm
 Cutting Capacity Steel 2 mm
 Cutting Capacity Aluminium 2.5 mm
 Kerf Width 6 mm
 Weight 1.95 kg

489493

Voltage	Order Code	Price Each
230	135-8262	225.00
110	135-8263	179.74

Shears

GSC2.8



500W metal shear with top knob handle to aid accurate cutting.

Model number
 Input Power
 No Load Strokes per Minute
 Cutting Capacity Steel
 Cutting Capacity Aluminium
 Weight

479297

Voltage	Order Code	Price Each
230	135-8259	200.38
110	135-8260	200.38

Cut-Off Saws

Model Number	DW872	D28700
Input Power	2200 W	2200 W
No Load Speed	1300 rpm	3800 rpm
Wheel Size	355 x 25.4 mm	355 mm
Maximum Depth of Cut	119 mm	119 mm
Weight	22.5 kg	16 kg

DW872



2200W 355mm blade diameter chapsaw for metal cutting. Large tool-free pivoting fence for parallel and mitre cuts up to 45°. Retractable guard for increased visibility. Vertical clamping system for safety. Supplied with 70 tooth titanium carbide tipped blade, auxiliary clamp and prism clamp.

Voltage	Order Code	Price Each
230V	135-3025	319.00
110V	135-3026	319.00

D28700



2200W 355mm blade diameter abrasive chop saw. Features horizontal handle to help reduce operator fatigue, spindle lock for quick and easy wheel change and quick release clamp for less time in changing the work piece. Supplied with metal cutting disc.

484214

Voltage	Order Code	Price Each
230V	135-2932	159.00
110V	135-2934	159.00

Express checkout



With no need to re-enter your details, returning customers can now buy products even faster - order online today at www.farnell.co.uk



Saws - continued

Cut Off Saws
GCO 14.1

2400W 355mm blade diameter chopsaw for cutting steel and other metals. Features extra strong base plate, electronic soft start, retractable guard and automatic overload protection system.

Model	GCO 14.1
Input Power	2400W
No Load Speed	3900rpm
Wheel Size	355mm
Maximum Depth of Cut	125mm
Weight	18kg

479296

Voltage	Order Code	Price Each
230	135-8213	187.50
110	135-8214	187.50

Abrasive Cut-Off Saw

New



Wheel diameter	355mm
Hole diameter	25.4mm
Max. cutting capacity	Ø115mm
No load speed	3800rpm
Input Wattage	1650w
Net Weight	16.3Kg

Standard Equipment: Abrasive cut-off wheel (steel cutting), socket wrench

526704

Voltage	Mfrs. List No.	Order Code	1+	3+
METAL CHOP SAW 110V	2414NB/1	167-6814	171.91	166.75
METAL CHOP SAW 240V	2414NB/2	167-6815	171.91	166.75

Grinders

Mini Grinder
GWS6-100

100mm mini grinder with 670W motor accepts all standard grinding and cutting discs. The auxiliary handle supplied enables a firm grip at all times. Spindle lock gives fast disc changing.

Model	GWS6-100
Input Power	670 W
No Load Speed	11000 rpm
Weight	1.4 kg

479293

Voltage	Order Code	Price Each
230	135-8245	39.00
110	135-8246	39.00

Cordless Angle Grinder
GWS 14.4V

14.4V cordless 100mm disc diameter angle grinder. Supplied with ½ hour charger, 2 x 14.4V 2.6Ah Ni MH battery packs and grinding disc.

Model	GWS 14.4V
Voltage	14.4 V
No Load Speed	12500 rpm
Battery	2 x 2.6Ah Ni MH
Weight	1.5 kg

489038

Description	Order Code	1+	5+	10+
GWS 14.4V grinder	110-7116●	287.24	272.88	245.58
Replacement battery 2.6Ah	135-8754	83.00	--	--

115mm Angle Grinders
GWS 8-115

800W 115mm disc diameter angle grinder. Features tool-less guard adjustment automatically locks itself for protection. Direct motor cooling with special air ducting and ventilation vents on rear of tool.

Model	GWS 8-115	No Load Speed	11000 rpm
Input Power	800 W	Weight	1.55 kg

481457

Voltage	Order Code	Price Each
230V	135-8667	49.00
110V	135-8666	49.00

115mm Angle Grinder

New



Wheel size	115mm
Bore Size	22mm
Spindle Size	M14 x 2mm
No load speed	10000rpm
Input wattage	2000w
Input weight	4.7Kg

Standard Equipment: Wheel, wrench, side handle

526706

Voltage	Mfrs. List No.	Order Code	1+	3+
ANGLE GRINDER 115MM 110V	9554NB/1	167-6810	38.29	37.14
ANGLE GRINDER 115MM 240V	9554NB/2	167-6811	38.29	37.14

Angle Grinders - 230mm
GWS 21-230AVH

2100W 230mm disc diameter angle grinder supplied with anti-vibration side handle.

Model	GWS 21-230AVH
Input Power	2100 W
No Load Speed	6500 rpm
Weight	4.2 kg

489508

Voltage	Order Code	Price Each
230	135-8280	71.28
110	135-8281	179.74

230mm Angle Grinder

New



Wheel size	230mm
Bore Size	22mm
Spindle Size	M14 x 2mm
Wire cup brush	110mm
No load speed	6600rpm
Input wattage	2000w
Net weight	4.7Kg

Standard Equipment: Lock nut wrench, side handle, wheel guard

526705

Voltage	Mfrs. List No.	Order Code	1+	3+
ANGLE GRINDER 230MM 110V	GA9020KD/1	167-6812	93.61	90.80
ANGLE GRINDER 230MM 240V	GA9020KD/2	167-6813	93.61	90.80

Bench Grinder**CBG8RSC**

Heavy-duty 200mm bench grinder suitable for industrial/engineering use. Includes dust extraction facility, tool rests, eye shields, spark arrestors and wheel guards. Complete with one fine and one coarse grinding wheel. 230V.

491358

Description	Order Code	Price Each
CBG8RSC bench grinder 1ph	145-5480	62.62

Guard Grinder**DURATOOL**

122-0007 150 x 125mm

- Machine guard with toughened glass
- Frames are manufactured from glass reinforced fibre nylon
- Supplied with a support rod to enable them to be easily installed on the cowls of any machine
- Impact tested to the requirements of BS2092 grade 1

New

493734

Mfrs. List No.	Dimensions	Order Code	1+	5+	10+	20+
122-0007	125 x 150mm	151-8401	16.58	16.24	15.91	15.74

Die Grinders**GG5 7**

500W toolpost grinder with extension neck to facilitate clamping or used as extra hand support. Standard 8mm collet supplied. Suitable for grinding wheels up to 70mm diameter, rubber bonded polishing heads up to 50mm and vitrified points up to 45mm.

Model	GG5 7
Input Power	500 W
No Load Speed	7000 rpm
Weight	1.6 kg

479281

Voltage	Order Code	Price Each
230	135-8253	175.75
110	135-8254	162.57

Die Grinders**GG5 27**

500W one handed grinder for use in engineering, body shops and workshops. Supplied with standard 6mm collet. Suitable for grinding wheels up to 50mm diameter, rubber bonded polishing heads up to 20mm and vitrified points up to 26mm.

Model	GG5 27
Input Power	500 W
No Load Speed	27000 rpm
Weight	1.3 kg

479280

Voltage	Order Code	Price Each
230	135-8251	84.55
110	135-8252	70.39

Die Grinder, Paddle Switch**Makita**

Input Power
Collet capacity
Dimensions (L x W x H)
Net Weight

400w
6mm
285 x 74 x 74mm
0.68Kg

New

Standard Equipment: 2 x hex wrench 13.

526700

Voltage	Mfrs. List No.	Order Code	1+	3+
DIE GRINDER 110V	GD0600/1	167-6823	76.59	74.29
DIE GRINDER 240V	GD0600/2	167-6824	76.59	74.29

Sanders**Delta Sander****PSM 80 A**

80W handy palm sander. Micro Velco sanding sheets for fast and convenient sheet change. Integrated dust extraction with micro filter system which collects 80% of dust created. Supplied with 3 x sanding sheets and carry case. 230Volt.

Model	PSM 80 A	No Load Speed	20000 rpm	Weight	1.5 kg
Input Power	30080	Pad Size	94 mm		

491411

Order Code	Price Each
136-7731	1+ 28.97

Palm Orbital Sanders**GSS 140A**

180W lightweight palm orbital sander. Velcro-type sheets and paper abrasive sheets are easily attached using the automatic tensioning easy fit system. Fitted with microfilter dust system.

Model	GDA 140A
Input Power	280 W
No Load Speed	12000 rpm
Sanding Orbits	24000 rpm
Base Plate	113 x 105 mm
Weight	1.41 kg

489803

Voltage	Order Code	Price Each
230	135-8451	1+ 59.00

Palm Sander 1/4 Sheet**New****Makita****46**

Pad Size	112 x 102mm
Sheet Size	114 x 140mm
Orbit	1.5mm
Orbits per minute	114,000rpm
Input Wattage	200w
Net Weight	1.1Kg

Standard Equipment: Abrasive papers (pack of 6), dust bag, punch plate

526701

Voltage	Mfrs. List No.	Order Code	1+	3+
PALM SANDER 1/4 SHEET 110V	B04556/1	167-6821	45.95	44.57
PALM SANDER 1/4 SHEET 240V	B04556/2	167-6822	45.95	44.57

Orbital Disc Sander**D26453-GB**

280W variable speed palm grip sander. Dual-plane counter-balance fan reduces vibration and user fatigue. Dust-sealed switch. Supplied with sanding sheet, fabric dust bag with built-in extractor ports.

Model Number	D26453-GB
Input Power	280 W
No Load Speed	7000-12000 rpm
Base Plate Diameter	125 mm
Weight	1.6 kg

484131

Voltage	Order Code	Price Each
230V	135-2922	1+ 99.00



Sanders - continued

Orbital Disc Sanders

GEX 150AC



340W roughing sander with constant electronic speed control. Non-slip soft plastic surface with vibration damping properties. Integrated dust extraction. Supplied with 25 x sanding discs, polishing sponge, polishing bonnet and carrying case.

Model GEX 150AC
Input Power 340 W
No Load Speed 4500-12000 rpm
Base Plate Diameter 150 mm
Weight 2.1 kg

490238

Voltage	Order Code	Price Each
230	135-8386	1+ 135.00

Heat Guns

1500W Heat Gun



Technical Data
Wattage 1500W
Voltage 230V
Operating Temperature 375-495°C
Air Flow 280/480 l/min

Model: D00019

- Ideal for stripping paint, lifting vinyl tiles, defrosting pipes, bending plastic etc.
- Removes paint from all types of surfaces
- 2 temperature settings for varying tasks
- Hanging hook for easy storage
- Supplied with 4 various nozzles

435521/520564

Order Code	Price Each
136-7038	8.51

46

Hot Air Gun

PHG 500-2



An ideal tool for removing old paint, defrosting, drying and shaping plastic. User friendly pistol grip with lock-on switch for continuous use. Air flow rate 240/450 l/min. 230 Volt.

Model PHG 500-2
Input Power 1600 W
Heat Settings 300/500 °C

479308

Order Code	Price Each
135-8645	1+ 19.94

Hot Air Gun

PHG 600-3



Soft grip pistol handle hot air gun. Lock on switch for continuous use. Overload protection for operator safety. Air flow rate 250/300/500 l/min. 230 Volt.

Model PHG 600-3
Input Power 1800 W
Heat Settings 50/600 °C

479315

Order Code	Price Each
135-8646	1+ 27.99

GHG 660 LCD Heat Gun



Model: GHG 660LCD1 & LCD2

- Handles a range of jobs including stripping paint, soldering pipes, defrosting water pipes etc.
- Constant heat control protects against overheating
- Air inlet screens

Technical Data
Wattage 240V 2300W
Wattage 110V 1400W
Voltage 240V or 110V
Air Flow 250 - 550 l/min
Weight 0.9kg

526884

Voltage	Order Code	Price Each
230	167-7120●	1+ 88.00 3+ 83.60
110	167-7119●	88.00 83.60

Heat Gun



Input Power 110v - 1200w 240v - 1600w
Air Flow 350°/500°C
Heat Settings 2
Net Weight 0.68Kg

Standard Equipment: Reflector nozzle, Wide slot nozzle, glass protection nozzle

526699

Voltage	Mfrs. List No.	Order Code	Price Each
HEAT GUN 110V	HG650CK/1	167-6825	1+ 107.24 3+ 104.49
HEAT GUN 240V	HG650CK/2	167-6826	107.24 104.49

Heat Guns

DW340K



Variable temperature control and regulation. Removable front ring enables working in restricted places. Supplied with glass protection, spoon reflector, cone, fish tail surface nozzles and paint scraper.

Model Number DW340K
Input Power 2000 W
Heat Settings 50-600 °C

484591

Voltage	Order Code	Price Each
230V	135-3006	1+ 29.00

Heat Guns



Model: GHG 600CE1 & GHG600CE2

- Straight grip heat gun
- Heat setting: 100-600°C variable
- Airflow rate: 350-550 l/min
- Nozzle Diameter: 25mm

526897

Voltage	Order Code	Price Each
230	167-7118●	1+ 73.00 3+ 69.35
110	167-7117●	73.00 69.35