

Latest Products from...

Safety Helmets



See page 1684

Respirators




See page 1687

Ear Protection



See page 1681

Hand Protection



See page 1696

Contents

Page

Barriers	1703
Ear Protection	1680
Eye Protection	1685
First Aid	1700
Foot Protection	1698
Hand Protection	1695
Head Protection	1683
High Visibility Work-Wear	1691
Industrial Matting	1705
Janitorial	1719
Lock Outs	1702
Knee Protection	1693
Protective Workwear	1690
Respiratory Protection	1686
Safety Harnesses	1699
Signs	1711
Spill Management	1704
Wipes	1717

Noise At Work Regulations



The noise at work regulations, 1989, requires employers to provide suitable ear protection where noise levels can rise to between 85dB and 90dB. If noise levels rise above 90dB then ear protection must be supplied and worn.

Ear Protection

New Legislation

The Physical Agents (noise) Directive 2003/10/EC has now been brought out which is reducing the noise levels threshold at which hearing protection is required. This is coupled with the opportunity to make an assessment over a working week rather than a day, benefiting those who are exposed intermittently.

For time dependant noise levels 'A' weighted for an 8 hour day, hearing protection is now advised at 80dB(A) which is the lower action level. Hearing protection will be compulsory at 85dB(A), the upper Action Level. There is also a maximum exposure level being introduced meaning no worker may be exposed to more than 87dB(A) 8 hour equivalent.

The action levels for impact noise are also being amended. The lower action level for impact is 112pa peak level (equivalent to 135dB) and upper impact level is 140pa (137dB). The maximum exposure limit is 200pa (140dB)

The table below illustrates the changes being implemented in the next 3 years.

Science of Sound Waves

Sound waves occur when the air is subject to a disturbance e.g. the vibrations from your vocal chords or the pounding of a stamping press. The waves are then transmitted through the air and picked up by the fine hairs in your ear. These are set in motion by the sound waves and the higher the level of sound the more hairs flutter. Motion is converted into nerve impulses and passed to brain. If the hairs are repeatedly subjected to excess high sound they break off and the surviving hairs only manage to transfer a fraction of the information = impaired hearing. Noise is measured in decibels and an increase of 3 decibels doubles the noise level. Typical minimal noise levels next to operations where no steps have been taken to reduce the noise are:

Operation	Decibels
SDS Hammer drills	90 - 105
Grinding	85 - 100
Guillotine	95 - 100
Multi-spindle automatic turning	95 - 105
Circular sawing - metal	95 - 105
Pressing - blanking	95 - 110
Pressing - punch pressing	110 - 120
Riveting	100 - 110
Vibratory bowl feeder	90 - 100
General noise - fabrication shop	85 - 95

Actual noise levels could be much higher than illustrated

375477

Physical Agents (Noise) Directive 2003/10/EC

Hearing loss is the most common industrial injury and changes are being made to the exposure levels

	Old	New
Assessment period	8 hours	8 hours or 1 week
Lower action level	Over 85dB(A)	Over 80dB(A), 112pa
Upper action level	Over 90dB(A), 200pa	At 85dB(A), 140pa
Maximum exposure level	-	87 dB(A), 200pa
Audiometry	-	at 85dB(A), 140pa
Audiometry	-	Over 80dB(A) if at risk

Help us to help the environment



This catalogue has been printed on paper certified from a sustainable source.

Please recycle after use.

Easy To Use

375481



The use of a roll down foam plug is the ideal choice in many applications as they can be used easily with other PPE products. They are easy to fit and comfortable to wear providing excellent noise protection.

Easy to use

Follow these simple instructions to ensure the best attenuation levels from earplugs. Hands and plugs should be clean prior to use.

1. Hold the plug between thumb and fingers. Slowly roll and compress the plug into a very thin, crease-free cylinder. (Do not worry about damaging the plug - it is designed to be tightly compressed).

Earplugs



Earplugs

One Touch E.A.R. Soft Blasts and Dispenser



Easy to use with a simple twist motion that dispenses one plug at a time. Built in catch plate prevents wastage. The refill fits directly onto the dispenser and the opaque bottle gives a clear indication of when a replacement is required.

485895


Description	Order Code	1+	5+	10+	25+
Ear plug dispenser	137-3069	29.11	28.23	27.39	26.57
Ear plug refill (500 in pack)	137-3071	65.42	63.46	61.54	59.70

Over 480,000 products online



Earplugs

Classic



Constructed from a soft energy absorbing polymer foam. The closed cell structure of the foam allows the plug to expand gradually and so conform exactly to the size and shape of virtually any ear canal. Conforms to EN 352-2:1993. CE marked. SNR 28 dB

One touch classic foam and dispenser

Easy to dispense classic ear plugs with one touch Robust dispenser. Easy to use with a simple twist motion that dispenses one plug at a time. Built-in catch plate prevents wastage. The refills fit directly onto the dispenser and the transparent bottle gives a clear indication of when a replacement is required.

Attenuation Data				Attenuation Data			
Frequency Hz	Mean attenuation (dB)	Standard deviation (dB)	Assumed protection (dB)	Frequency Hz	Mean attenuation (dB)	Standard deviation (dB)	Assumed protection (dB)
63	22.3	5.4	16.9	2000	34.1	3.1	30.9
125	23.3	5.3	18.1	4000	41.6	3.5	38.1
250	24.6	3.6	20.9	8000	40.4	6.4	34.0
500	26.9	5.4	21.5	H 30dB	M24dB	L22dB	SNR 28dB
1000	27.4	4.8	22.6				

485887

Description	Pack Qty (Pairs)	Order Code	1+	5+	10+	25+
One touch dispenser		137-3069	29.11	28.23	27.39	26.57
500 pairs classic refill	500	137-3070	74.46	72.22	70.04	67.95

Earplugs

E.A.RSoft FX



High Protection with 39 dB SNR. Designed to provide the ultimate in protection and comfort. Smooth tapered finish makes fitting easier and helps form a soft and comfortable fit every time. Conforms to EN 352-2. SNR 39 dB

Attenuation Data (uncorded)			
Frequency Hz	Mean Attenuation (dB)	Standard Deviation (dB)	Assumed Protection (dB)
63	34.6	5.7	28.9
125	37.5	6.0	31.5
250	38.5	5.4	33.1
500	40.4	5.0	35.4
1000	38.6	4.2	34.4
2000	39.6	2.5	37.1
4000	48.9	3.8	45.1
8000	47.8	3.9	43.9
H39dB	M39dB	L34dB, SNR39dB	SNR39dB

485880

200 Pairs Per Box					
Description	Order Code	1+	5+	10+	25+
Uncorded	137-3064	40.77	39.54	38.36	37.20
Corded	137-3065	53.97	52.37	50.79	49.27

Earplugs

E.A.RSoft Yellow Neons



Constructed from a slow expanding environmentally friendly polyurethane foam. Developed to produce an evenly distributed pressure, giving flexibility, a good seal and optimum comfort. Conforms to EN 352-2 1993. CE marked. SNR 36dB

Attenuation Data			
Frequency (Hz)	Mean Attenuation (dB)	Standard Deviation (dB)	Assumed Protection (dB)
63	30.8	6.5	24.3
125	36.1	6.7	29.4
500	39.2	4.7	34.5
1000	39.5	3.9	35.6
2000	35.8	4.9	30.9
3150	42.2	4.2	38.0
4000	42.1	3.1	39.0
6300	46.1	4.4	41.7
8000	46.1	3.3	42.8
H 34dB	M 34dB	L 31dB	SNR 36dB

485954

Price Per Box					
Pairs Per Box	Order Code	1+	5+	10+	25+
250	137-3100	30.19	29.27	28.39	27.53

Earplugs

E.A.RSoft Yellow Neon Blasts



Constructed from a slow expanding environmentally friendly polyurethane foam with added colour for improved visibility when inspecting hearing protection is being worn. Developed to produce an evenly distributed pressure, giving flexibility, a good seal and optimum comfort. Conforms to EN 352-2 1993. CE marked. SNR 36dB

Attenuation Data			
Frequency (Hz)	Mean Attenuation (dB)	Standard Deviation (dB)	Assumed Protection (dB)
63	30.8	6.5	24.3
125	36.1	6.7	29.4
500	39.2	4.7	34.5
1000	39.5	3.9	35.6
2000	35.8	4.9	30.9
3150	42.2	4.2	38.0
4000	42.1	3.1	39.0
6300	46.1	4.4	41.7
8000	46.1	3.3	42.8
H 34dB	M 34dB	L 31dB	SNR 36dB

485958

Price Per Box					
Pairs Per Box	Order Code	1+	5+	10+	25+
250	137-3101	29.89	29.00	28.13	27.29

Earplugs

LS-500 Dispenser



Constructed from highly visible anodised aluminium. Designed to be wall mounted. Dispenses earplugs with a simple turn of the handle.

493976

Price Per Box			
Type	Box Qty	Order Code	1+
Max	500 pairs	327-504	55.50
Laser-lite	500 Pairs	325-346	51.40
Dispenser	-	327-598	74.75

Banded Earplugs

Banded Earplugs



Flexicap



Hinged headband designed to fit in multiple positions, behind neck, over the head and under the chin. Easily stored around the neck when not in use. The pods features are the soft smooth semi-aural E.A.R pods which seal the ear canal entrance without the need for insertion, providing greater wearer comfort. SNR 23dB

Attenuation Data (under the chin)			
Frequency Hz	Mean Attenuation (dB)	Standard Deviation (dB)	Assumed Protection (dB)
63	26.1	5.2	20.8
125	22.8	6.0	16.8
250	20.1	5.0	15.1
500	18.6	3.3	15.3
1000	22.0	3.4	18.6
2000	32.7	4.1	28.6
4000	36.5	4.3	32.2
8000	37.0	8.3	28.7
H 26dB	M 19dB	L 17dB	SNR 23dB

485959

Price Each					
Description	Order Code	1+	5+	10+	25+
Flexicap	137-3102	3.25	3.15	3.06	2.97

Banded Earplugs

Semi-Aural Hearing Protector



A comfortable, economic alternative to earmuffs and ear plugs. This innovative new semi-aural hearing protector follows leading brand music headphone designs to provide you with a sleek, stylish, ergonomic and cool way to protect your hearing. Unique band style, that sits over the ear and behind the head, reduces noise transmission through the band. Specially designed to wear with, but not interfere with other PPE.



Banded Earplugs - continued

Banded Earplugs - continued

Semi-Aural Hearing Protector - continued

Patent-pending anti-twist socket reduces movement of the band when fitted holding the band securely in place preventing any slippage. Ideal for people moving in and out of noisy situations.

When not required the E.A.R. band can be stored comfortably around the neck.

Carefully designed to keep the pods well clear of work surfaces etc. if taken off in the working environment.

Attenuation Data				
Frequency (Hz)	63	125	250	500
Mean Attenuation (dB)	20.5	19.4	16.0	16.5
Standard Deviation (dB)	4.2	5.4	4.1	4.2
Assumed Protection (dB)	16.3	14.0	11.9	12.3

Attenuation Data				
Frequency (Hz)	1000	2000	4000	8000
Mean Attenuation (dB)	20.9	31.4	35.3	36.0
Standard Deviation (dB)	2.5	4.3	3.6	4.0
Assumed Protection (dB)	18.4	27.1	31.7	32.0

SNR = 21, H = 25, M = 17, L = 14

485962

Order Code	Price Each			
	1+	5+	10+	25+
137-3104	2.78	2.70	2.62	2.54

Ear Defenders

Ear Defenders

Model 5000 Ear Muffs



Lightweight general purpose ear muff. Easily adjustable but retains position with its innovative twist and lock mechanism. The twin mounted cups provide excellent adjustability and evenly distributed pressure which is enhanced by the broad, deep soft cushions for an excellent seal EN352-1. SNR 28dB.

Attenuation Data				
Frequency	Mean Attenuation	Standard Deviation	Assumed Protection	
Hz	(dB)	(dB)	(dB)	
63	12.6	4.5	8.1	
125	10.7	3.3	7.4	
250	13.1	2.7	10.4	
500	22.4	2.5	19.9	
1000	31.7	4.2	27.5	
2000	31.4	3.6	27.8	
4000	31.5	3.5	28.0	
8000	30.1	5.2	24.0	

H28dB M 21dB L 13dB SNR 24dB

485884

Description	Order Code	Price Each			
		1+	5+	10+	25+
5000	137-3066	4.79	4.66	4.50	4.37
5000L with headband cushion	137-3068	5.71	5.54	5.36	5.20

Ear Defender
Optime II

Developed for demanding noise-hazard environments and muffles even extremely low frequencies. Sealing rings are filled with a unique combination of liquid and foam. Provides a comfortable snug fit even during long term use. Suitable choice for industrial noise, construction machinery, airports and agricultural use. CE marked. EN 352. SNR 31dB

Attenuation Data (headband)				
Frequency	Mean Attenuation	Standard Deviation	Assumed Protection	
Hz	(dB)	(dB)	(dB)	
63	-	-	-	
125	14.6	1.6	13.0	
250	20.2	2.5	17.7	
500	32.5	2.3	30.2	
1000	39.3	2.1	37.2	
2000	36.4	2.4	34.0	
4000	34.4	4.0	30.4	
8000	40.2	2.3	37.9	

H34 dB M29 dB L20 dB SNR31 dB

485907

Description	SNR (dB)	Order Code	Price Each			
			1+	5+	10+	25+
Headband	31	137-3082	11.99	11.63	11.28	10.95
Neckband	31	137-3083	12.43	12.05	11.69	11.34
Folding headband	31	137-3084	15.14	14.68	14.25	13.81

Ear Defender
Optime III

Developed for use in extremely noisy environments. The protection is based on new technology with a double casing that minimises resonance in the holder casing. CE marked. EN352. SNR 35dB

Attenuation Data (headband)				
Frequency	Mean Attenuation	Standard Deviation	Assumed Protection	
Hz	(dB)	(dB)	(dB)	
63	-	-	-	
125	17.4	2.1	15.3	
250	24.7	2.6	22.1	
500	34.7	2.0	32.7	
1000	41.4	2.1	39.3	
2000	39.3	1.5	37.8	
4000	47.5	4.5	43.0	
8000	42.6	2.6	40.00	

H40 dB M32 dB L23 dB SNR35 dB

485913

Description	SNR (dB)	Order Code	Price Each			
			1+	5+	10+	25+
Headband	35	137-3086	14.41	13.98	13.57	13.16
Neckband	35	137-3087	14.88	14.44	14.01	13.59

Optime Hygiene Kit



Comprising two dampening pads and two sealing cushions. Recommended replacement interval twice a year.

491412

To Fit Model	Order Code	Price Each			
		1+	5+	10+	25+
Optime II	137-3073	4.55	4.41	4.29	4.16
Optime III	137-3074	5.46	5.31	5.15	5.00

Ear Defenders
Classic

1375541

1375542

Designed with comfort in mind for those requiring hearing protection for extended periods. Close fitting wire headband for comfort, adjustability and low risk of entanglement on machinery. Twin point mounted cups for even pressure distribution, self adjusting cups for a perfect fit. Large cup for high noise levels. Soft foam cushions for all day comfort. Durable Acrylonitrile Butadiene Styrene (ABS) cups.

- Classic® GP suitable for sawmills, forestry equipment and compressed air equipment. H=35, M=24, L=15, SNR=27dB
- Classic® Extreme suitable for airports, excavation equipment, generators and high frequency welding. H=36, M=27, L=18, SNR=30dB.

491681

Model	Order Code	Price Each			
		1+	5+	10+	25+
Classic® GP	137-5541	8.06	7.66	7.28	6.90
Classic® Extreme	137-5542	10.36	9.85	9.36	8.89

Ear Defenders

Economuff



- A lightweight and robust ear defender providing cost effective protection.
- Durable high impact styrene foam filled cups.
- Black nylon headband.
- H=30 M=20 L=12 SNR=23.

491653

Order Code	Price Each			
	1+	5+	10+	25+
137-5540	2.63	2.51	2.39	2.26

Ear Defenders

J Muff



- The original class leading ear defender range.
- General purpose, suitable for light industrial duty and outdoor construction applications.
- Soft foam cushions for all day comfort.
- Durable Acrylonitrile Butadiene Styrene (ABS) cups.
- Lightweight and robust design.
- Packed in display bags.
- Conforms to EN 352-1. H=28dB M=21dB L=13dB SNR=24dB.

491650

Colour	Order Code	Price Each			
		1+	5+	10+	25+
Blue	137-5536	3.40	3.23	3.08	2.91
White	137-5537	3.40	3.23	3.08	2.91
Yellow	137-5538	3.40	3.23	3.08	2.91
Orange	137-5539	3.40	3.23	3.08	2.91

Helmet Mounted Ear Defenders

Surefit™ Contour Helmet Mounted Ear Defenders



Redesigned for added long term comfort and increased protection. Easy to attach and detach with spring loaded arms that give an excellent fit to the ear. When not in use the arms allow the cups to stand off clearly from the head. Conforms to SNR 28.

488673

Colour	Order Code	Price Each			
		1+	5+	10+	25+
Black	149-9094	9.52	9.25	8.96	8.69
Blue	149-9095	9.52	9.25	8.96	8.69

Safety Helmets

Safety Helmets

375562

Health and Safety Executive (HSE) require that safety helmets must be worn in all areas unless there is no risk of injury to the head by falling objects. The employer must provide, maintain and replace (when necessary) suitable protection, ensure employees wear head protection and publicise the rules regarding the wearing of head protection. The employee must wear the head protection provided in accordance with the rules/directions, take reasonable care of the protection provided and report any defect or loss immediately. EN397 standard.

Bump Cap

Bourton Bump Cap



Lightweight polyethylene shell with polyethylene or terylene harness. The polyethylene harnessed Bourton is ideal for use in the food processing industry as it is very easy to clean. The Bourton Bump cap conforms to EN 812.

488648

Colour	Order Code	Price Each			
		1+	5+	10+	25+
White	149-9088	4.46	4.32	4.19	4.07
Yellow	149-9089	4.46	4.32	4.19	4.07

Safety Helmets

MK7 Safety Helmets

Vented with Standard Peak



The MK7 helmet has been designed with comfort, performance and style in mind and incorporates the most innovative features seen yet on a safety helmet. The helmet is ventilated and comes fitted with Sureslide Retractspec and Easyjust™ harness adjustment system. Conforms to EN 397.

488656

Colour	Order Code	Price Each			
		1+	5+	10+	25+
White	149-9090	11.07	10.74	10.41	10.11

42

Safety Helmets

European Style



Continental style flat-fronted helmet with closeable ventilation points providing greater comfort in warmer weather. Constructed from UV stabilised high density polythene with leatherette sweatband and 6 point suspension harness. Accepts Clitite accessories. CE marked. EN397

475372

Colour	Order code	Price Each			
		1+	5+	10+	25+
White	137-5646	5.43	5.17	4.91	4.67
Blue	137-5649	5.33	5.07	4.82	4.57

Safety Helmets

Executive



Industrial safety helmet to EN397, one piece shell constructed in high impact HDPE and incorporating an adjustable webbing harness for extra comfort to fit head sizes 52 - 61cm. Low back strap ensures a firm fit under all conditions. CE marked.

486269

Colour	Order Code	Price Each			
		1+	5+	10+	25+
White	137-5603	8.30	7.88	7.49	7.11



Safety Helmets - continued

Safety Helmet

A29

NORTH



High density polyethylene shell with removable sweatband and 4 point terylene suspension comfort harness. Adjustable 52 - 60cm using pinlock. Lateral 30mm slots for insertion of other PPE equipment. EN397

485860

Colour	Order Code	Price Each			
		1+	+	+	+
White	137-1876	3.78	--	--	--
Yellow	137-1877	3.78	--	--	--
Blue	137-1878	3.78	--	--	--

Safety Helmets

A59

NORTH



High density polyethylene shell with removable sweatband and 4 point plastic suspension harness. Adjustable using pinlock from 52 - 60cm. Lateral 30mm slots for insertion of other PPE equipment. EN397

485580

Colour	Order Code	Price Each			
		1+	+	+	+
White	137-1821	2.84	--	--	--
Yellow	137-1874	2.84	--	--	--
Blue	137-1875	2.84	--	--	--
Green	137-1879	2.84	--	--	--

Safety Spectacles

Tactile Safety Spectacles

T2400

NORTH

New



1555619



1555620



1555621

Square shaped lightweight (22g) spectacle designed with a face-fitting base 8 curve monolens. The straight astronaut temples are equipped with soft pads to ensure a comfortable, anti-slip fit. The lenses are protected with North's anti-scratch, anti-uv, anti-static 3A coating. The T2400 series is available with either a clear (EN166 1F), blue mirror smoke (EN172 UV5-3, 1 N 1F) or in-outdoor (EN170 UV2-1, 1 N 1F) lens.

501122

Lens Colour	Order Code	Price Each			
		1+	5+	10+	25+
Clear	155-5619	3.12	2.96	2.81	2.67
Blue Mirror Smoke	155-5620	3.96	3.76	3.57	3.40
In-Outdoor	155-5621	3.96	3.76	3.57	3.40

Spectacles

Duralite

PELTOR



Twin lens safety glasses with comfortable soft nose fitting and adjustable temples. The optical grade Polycarbonate lens is hard coated for strength and durability, while side shields provide lateral protection to EN166. Class 1.

485964

Order Code	Price Each			
	1+	5+	10+	25+
137-3105	3.64	3.53	3.43	3.32

Safety Spectacles

Elys Sport

PELTOR



Modern sports style wraparound spectacle offers lightweight, comfortable protection. An integral browguard improves protection and sleek modern temples give a comfortable fit. CE marked. EN 166 1-F.

485942

Order Code	Price Each			
	1+	5+	10+	25+
137-3090	2.74	2.66	2.59	2.50

Safety Spectacles

Aquarius

JSP
OXFORD, ENGLAND

- Conforms to EN166 1 F.
- Latest sports style.
- Ultra lightweight.
- Soft nose bridge and side arms make this spectacle very comfortable.
- Blue frame.
- Choice of 3 lens colours.

491585

Lens colour	Order Code	Price Each			
		1+	5+	10+	25+
Clear	137-5464	2.48	2.36	2.24	2.13

Safety Spectacles

Cyber

JSP
OXFORD, ENGLAND

Conforms to: EN166 1 F. Scratch Resistant and Anti Mist Lens. Wraparound single piece lens. Soft nose bridge. Duo-flex side arms. Soft grip pads to hold the spectacle comfortably on your head. Blue frame. Clear lens.

493725

Order Code	Price Each	
	1+	3.18
162-2765		

Spectacles

Tour Guard Visitors Spectacles

PELTOR



Large lens size allows this visitors spectacle to be worn over most prescription spectacles. Manufactured to EN 166 1-F.

485878

Order Code	Price Each			
	1+	5+	10+	25+
137-3063	1.56	1.51	1.46	1.42

Safety Spectacles

Martcare Wraparound

JSP
OXFORD, ENGLAND

A wrap around sports style eyeshield for wide vision and complete protection. One piece lens with integral moulded nose piece for added comfort. Sideshields and adjustable arms. Conforms to EN166.1.F.

491693

Order Code	Price Each			
	1+	5+	10+	25+
137-5548	2.18	2.08	1.97	1.88

Stealth 7000 Safety Spectacles

The Stealth 7000 spectacles have a contour design and the flexibility of the frame gives a good versatile fit onto both smaller and larger faces. The spectacles come with anti-mist, scratch resistant UV400 lenses. They are extremely light (only 26g) and comfortable. Conforms to EN 166.1.F.



488675

Lens Colour	Order Code	Price Each			
		1+	5+	10+	25+
Clear	149-9096	2.65	2.56	2.49	2.42
Smoke	149-9097	1.90	1.85	1.77	1.72
Yellow	149-9102	1.90	1.85	1.77	1.72

Safety Spectacle**Lightning Plus**

New generation safety spectacles with face fitting curve 9 base polycarbonate lens and soft nose piece for maximum comfort. Equipped with straight sport temples and soft temple tips. Engineered to adapt the RX prescription insert. The lenses are protected with North's exclusive 4A coating: anti-mist, anti-scratch, anti-uv, anti-static. Available in clear, smoke, amber or in-outdoor lens. EN166, EN166 1F, EN170 UN 2-1,2 1F (clear & amber), EN172 5-3,1 1F (smoke).

485427

Lens Colour	Order Code	Price Each			
		1+	+	+	+
Clear	137-1720	5.91	--	--	--
Smoke	137-1722	6.50	--	--	--
Amber	137-1723	6.50	--	--	--
In/Outside	137-1724	6.50	--	--	--

Safety Spectacles**Illusion**

A low profile shape uni-lens spectacle. Extremely light weight and comfortable to wear. The lenses are protected with North's exclusive 3A coating: anti-scratch, anti-uv, anti-static. Available in clear, smoke or amber lens. EN166 F, EN166 1F, EN172 5-3,1 1F.

485436

Lens Colour	Order Code	Price Each			
		1+	+	+	+
Clear	137-1725	1.40	--	--	--

Safety Spectacle**Velocity**

The latest design in dual lens technology. This black safety spectacle provides excellent coverage due to the high curve polycarbonate lens. The lenses are protected with North's exclusive 4A coating: anti-mist, anti-scratch, anti-uv, anti-static. Available in clear, smoke, amber, green IR3 or green IR5. EN166 F, EN166 1F, EN 170 UV 2-1,2 1F, EN172 5-2,5 1F, EN169 IR3 1F, EN 169 IR5 1F.

485439

Lens Colour	Order Code	Price Each			
		1+	+	+	+
Clear	137-1728	5.09	--	--	--
Smoke	137-1729	5.09	--	--	--
Amber	137-1730	5.09	--	--	--

Safety Spectacles**Duraguard**

Traditional styled twin lens, nylon framed spectacles. CE marked. EN 166 1-F.

485944

Order code	Price Each			
	1+	5+	10+	25+
137-3091	2.66	2.59	2.50	2.43

Goggles**Goggles****Jupiter IV Comfort Plus**

An optically curved polycarbonate lens goggle designed to protect the eyes from dust, liquid droplets and molten metal. Four point ventilation. Large box design fits over spectacles. Wide contoured face seal. Moulded filter screens. Shatterproof/anti-scratch lens.

488149

Order Code	Price Each			
	1+	5+	10+	25+
137-5468	5.12	4.86	4.62	4.38

Deluxe Anti-Mist Safety Goggle

Close fitting, ski type goggle with an anti mist lens. The goggle offers protection against dust, liquid and molten metal. Conforms to EN 166.1B.3.4.9.

488692

Lens Colour	Order Code	Price Each			
		1+	5+	10+	25+
Clear	149-9103	7.39	7.18	6.95	6.75

Goggles**Lexa Splash**

Low profile design is virtually invisible to wearers and extends the viewing area. The soft housing gently hugs the face. Combined hard and anti-mist lens coating. CE marked. EN 166-A 349B.

485940

Size	Order Code	Price Each			
		1+	5+	10+	25+
L	137-3103	9.15	8.87	8.60	8.35

Safety Goggle**Venus DV**

A range of goggles with a wide vision area, made from soft PVC. Contoured PVC body, Polycarbonate Lens. Direct vent goggle. Conforms to EN166.1.B.

491704

Order Code	Price Each			
	1+	5+	10+	25+
137-5550	1.72	1.64	1.56	1.49



Goggles - continued

Safety Goggle
Martcare DV

A compact and lightweight goggle. Tough Polycarbonate lens offers high resistance to impact from flying particles. Vented body. Cost effective. PVC frame. Polycarbonate lens. Conforms to EN 166.1.B.

491697

Order Code	Price Each			
	1+	5+	10+	25+
137-5549	1.05	0.99	0.94	0.90

Spectacle Accessories

Spectacle Accessories

SCA1 Adjustable Length Sports Spectacle Cord



Universal fitting sports style spectacle cord. Fits to the ends of the spectacle arms by elasticated holders. The cord length may be adjusted using the integral slider for the fit required.

488122

Order Code	Price Each			
	1+	5+	10+	25+
137-5467	2.06	1.96	1.87	1.76

42

9990 Lens Cleaning Station

uvex



Attractive, user friendly cleaning station. Complete unit comes with 4 boxes of 450 non-abrasive high absorbing tissues and a 500ml bottle of lens cleaning solution which is specially designed for anti-fog and scratch-resistant coatings. Also included are a mirror, mounting screws and double sided stickers for wall mounting. Dimensions: (h x w x d) 30 x 45 x 8cm.

493720

Description	Order Code	Price Each		
Cleaning station	112-0632	1+		29.07
Replacement cleaning tissues (450)	112-0634		2.40	
Replacement cleaning fluid (500ml)	112-0635		2.91	

Face Shields

Face Shields - Yellow Browguards
Acetate

A yellow browguard with the the option of different screen types for different uses.



8"/20cm aluminium edged acetate visor for protection against liquid or chemical splash. Conforms to EN 166.1.F.3.

491840

Description	Order Code	Price Each			
		1+	5+	10+	25+
Browguard with acetate visor.	137-5614	13.89	13.19	12.54	11.91
Spare screen.	137-5602	8.22	7.80	7.41	7.04

Welding Helmets



Welding Helmet

Orion OSE Blue Magic



Orion OSE darkens automatically either to a preselected shade level or to the appropriate shade determined by the glare with a +/- 1 manual shade level adjustment. Controls on the outside of the shell make adjustments fast and easy without removing the mask.

493949

Order Code	Price Each	
	1+	
101-1255	205.82	

Respiratory Hazards

Respiratory Facepiece Fit Testing

375694

The selection of the correct respirator for the job is essential. COSHH states that Respiratory Protective Equipment (RPE) must:

- be capable of adequately controlling exposure
- be suitable for the purpose
- bear the CE mark

A respirator is a device which can reduce exposure and be used in atmospheres above the Occupational Exposure Limit (WEL).

COSHH requires that a full and sufficient risk assessment be undertaken where individuals are exposed to hazardous substances. If exposure can not be adequately controlled by prevention or control measures COSHH states that RPE may be used in addition to these control measures.

Checking that a respirator, with a tight fitting facepiece, provides an adequate seal to the wearer's face has long been considered best practice as part of a general Respiratory Protective Equipment (RPE) programme. Fit testing has been a mandatory requirement under the UK Asbestos Regulations and now with the introduction of the Control of Substances Hazardous to Health Regulations 2002 (COSHH) and the supporting Approved Codes of Practice, fit testing is an industry wide mandatory requirement. Respirators with tight fitting facepieces include disposable respirators, half masks and full face masks, including those that form part of a powered or airfed respirator.

WHEN TO FIT TEST

Fit testing should be carried out:

- On all wearers of Respiratory Protective Equipment (RPE) with tight fitting facepieces where fit testing has previously not been performed
- During initial selection of RPE

Fit testing should be repeated at appropriate times such as:

- If the RPE wearer significantly loses or gains weight, has major dental work or sustains a major facial injury
- If a different size or model of RPE is specified
- If specified by the company policy eg. repeated with annual health surveillance check. Fit testing is in addition to the requirement to perform a pre-use fit check or airflow check.

Disposable Respirators

Disposable Respiratory Mask

Martcare Unvalved - FFP2




Moulded disposable mask. Protects against FFP2 fine dusts, fibres, aqueous mists and oil based mists.

491780

Pack Qty	Order Code	Price Per Pack			
		1+	5+	10+	25+
20	137-5552	13.15	12.50	11.87	11.28

Disposable Respiratory Mask Martcare Valved - FFP2



Moulded disposable mask. Protects against FFP2 fine dusts, fibres, aqueous mists and oil based mists. This mask has an exhalation valve.

491784

Pack Qty	Order Code	Price Per Pack			
		1+	5+	10+	25+
10	137-5553	8.76	8.33	7.90	7.51

Disposable Respiratory Mask Unvalved - FFP1



Moulded disposable mask. Protects against FFP1 dusts, fumes, aqueous mists and oil based mists.

491786

Pack Qty	Order Code	Price Per Pack			
		1+	5+	10+	25+
20	137-5554	11.41	10.83	10.29	9.78

Disposable Respiratory Mask Martcare Unvalved - FFP1



Moulded disposable mask. Protects against FFP1 dusts, fumes, aqueous mists and oil based mists.

491769

Pack Qty	Order Code	Price Per Pack			
		1+	5+	10+	25+
20	137-5551	10.96	10.40	9.89	9.39

Valved

Respirator

8835 Valved - Cup shape



Lightweight, comfortable respirator which carries the highest filtering half-mask performance rating of FFP3. It can be used in most industrial applications where high level protection against solids and water or oil based mists is required. It has adjustable straps and nose area 3M Cool Flow valve, face seal ring and low breathing resistance. CE marked. Standard EN149:2001 FFP3D. Assigned protection factor 20 x WEL for particulates. Box of 5.

491251

Order Code	Price Each
156-9364	1+ 35.04

P3 Respirators

9332 Valved Foldable



Valved dust/mist/fume respirator in a 3-panel design for greater comfort, easy communication and improved wearer acceptance. For use in most industrial applications against solids and water and oil based mists requiring FFP3 protection. CE marked. Standard EN149:2001 FFP3. Assigned protection factor 20 x WEL for particulates. Box of 10.

493939

Order Code	Price Each
156-9380	1+ 53.81

9320 Valved Respirators



3-panel design for increased comfort and convenience for a less claustrophobic, cooler feel. For use against fine dusts and water and oil based mists found in construction, industrial and many solid chemical handling applications requiring FFP2 protection. CE marked. Standard EN149:2001 FFP2. Assigned protection factor 10 x WEL for particulates. Box of 20.

494062

Order Code	Price Each
156-9378	1+ 36.32

9914 Valved And Nuisance Odour



Cool flow valve for improved wearer comfort. Layer of activated charcoal to remove odours. CE marked. EN149:2001 FFP1. Assigned protection factor 4 x WEL. Below WEL acid gases. Box of 10.

494762

Order Code	Price Each
156-9391	1+ 49.79

P2 Respirators- Foldable

9322 Valved



Dust/mist respirator in 3 panel design. Features the 3M Cool Flow valve for a less claustrophobic cooler feel. For use in hot and humid conditions where FFP2 protection is required. CE marked. Standard EN149:2001 FFP2. Assigned protection factor 10 x WEL for particulates. Box of 10.

494724

Order Code	Price Each
156-9379	1+ 24.14



Valved - continued

Respirators

9312 Valved



3-panel design that gives increased comfort and convenience for a less claustrophobic cooler feel. Features the 3M Cool Flow valve. For use in a wide variety of hot and humid industrial applications requiring FFP1 protection. CE marked. Standard EN149:2001 FFP1. Assigned protection factor 4 x WEL for particulates. Box of 10.

3M

494642

Order Code	Price Each
156-9377	1+ 16.23

Specialist Respirator

9925 Welding Respirator



For use against fine dusts, it is particularly suited for welding applications. It features an adjustable nose area, adjustable straps, exhalation valve and heavy duty construction. A built-in layer of charcoal filters odours as well as ozone which can be generated during high energy welding operations such as MIG and TIG. CE marked. Standard EN149:2001 FFP2. Assigned protection factor 10 x WEL for particulates. AFP 10 x OEL for ozone. Box of 10.

3M

492924

Order Code	Price Each
325-107	1+ 40.25

Unvalved

P2 Respirators- Cup Shape

8810 Unvalved



Designed for use against fine dusts and mists found in construction, industrial and many solid chemical handling applications. This FFP2 respirator features stapled elastic straps and an adjustable cushioned nose area. CE marked. Standard EN149:2001 FFP2. Assigned protection factor 10 x WEL for particulates. Box of 20.

3M

495266

Order Code	Price Each
325-104	1+ 29.68

P1 Specialist Respirators

9915 Unvalved And Nuisance Acid Gas



Contains a specially treated layer of charcoal which removes the sharp discomfort of nuisance levels of acid gases and organic vapours. It can be used in areas such as power plants and aluminium production. CE marked. Standard EN149:2001 FFP1. Assigned protection factor 4 x WEL for particulates. Below WEL for hydrogen fluoride, sulphur dioxide and organic vapours. Box of 20.

3M

495242

Order Code	Price Each
325-103	1+ 60.88

Half Masks & Filters

Half Masks

6000 Series Low Maintenance Half Mask



The 6000 series half mask is very light, easy to use and requires little maintenance. It is designed for workforces who are exposed to gases, vapours, fine particulates or any combination of these. Conforms to EN 140 and are CE marked. It can also be fitted to a supplied air device, the 3M Airline S-200

3M

493784

Model	Order Code	Price Each
6100 (S)	156-9368	1+ 13.27
6200 (M)	156-9369	13.27
6300 (L)	156-9370	13.27

Filters For Half And Full Face Masks

3M



The 2000 and 5000 series particulate filters can provide comfortable protection against solid particulates, non volatile aerosols and nuisance level odours or acid gases. The 6000 series filters protect against a wide range of gas/vapour hazards.

Both 2000 and 6000 filters fit directly on the facepiece using bayonet connectors.

For gas only protection select 6000 series filters.

For particulate only protection select 2000 series filters.

For combined gas and particulate protection select 6000 series filters and 5000 series filters and connect together with the 501 retainer.

Particulates

Supplied in packs of two cartridges CE marked to EN143.

493347

Filter	Hazard	Order Code	Price Each
5911 P1	Particulates (fine dusts and mists)	156-9394	1+ 2.11
5925 P2	Particulates (fine dusts and mists)	156-9392	4.44
5935 P3	Particulates (fine dusts and mists)	156-9393	4.98
2125 P2	Particulates (fine dusts and mists)	156-9400	4.86
2135 P3	Particulates (fine dusts and mists)	156-9376	5.77
2128 P2	Particulates and nuisance levels of organic vapours and acid gases	156-9383	5.87
2138 P3	Particulates and nuisance levels of organic vapours and acid gases	156-9390	7.30

Gas/Vapours

Supplied in packs of two cartridges. CE marked.

Filter	Standard Hazard
6051 A1	EN141 Organic vapours
6055 A2	EN141 Organic vapours
6054 K1	EN141 Ammonia
6057 ABE1	EN141 Organic and inorganic vapours and acid gases
6059 ABEK1	EN141 Organic and inorganic vapours, acid gases and ammonia
6075 A1 & formaldehyde vapour	EN141 Organic vapours and formaldehyde
6096 HgP3	EN141 Mercury and particulates
6098* AXP3*For full face masks only	EN371 Organic vapours (boiling below 65 C) and particulates
6099*ABEK2P3*For full face masks only	EN141 Organic and inorganic vapours, acid gases, ammonia and particulates

Filter	Order Code	Price Each
6051 A1	156-9371	1+ 7.16
6055 A2	156-9373	8.79
6054 K1	156-9372	8.79
6059 ABEK1	156-9384	9.07
6075 A1 & formaldehyde vapour	156-9382	9.09
6098* AXP3*For full face masks only	156-9385	60.70
6099*ABEK2P3*For full face masks only	156-9386	21.36

Gas/vapours And Particulates Combined

Combine any 6000 gas and vapour filter with any of the 5000 particulate filters using the 501 retainer.

Respirators

4000 Series Gas/Vapour And Particulate Respirators



Range of integral construction respirators designed for effective and comfortable protection against many gases, vapours and particulate hazards found throughout industry.

Features include:

- One piece carbon filter elements with built-in P2 or P3 filters with low breathing resistance.
- A soft, low profile facepiece for added comfort and peripheral vision.
- Efficient parabolic valve to reduce heat and moisture build-up and provide easier breathing.
- An adjustable head cradle assembly and easy to fasten neck strap.

Product Number	Standard	Type	Use
4251	EN405	FFA1P2D	Use Organic vapours to 10 x WEL or 1000ppm whichever is lower. Particulates up to 10 x WEL h
4255	EN405	FFA2P3D	Organic vapours up to 10 x WEL or 5000ppm whichever is lower. Particulates up to 20 x WEL h
4277	EN405	FFABE1P3D	Organic vapours, inorganic and acid gases up to 10 x WEL or 1000ppm whichever is lower. Particulates up to 10 x WEL h
4279	EN405	FFABE1P3D	Organic vapours, inorganic, acid gases and ammonia up to 10 x WEL or 1000ppm whichever is lower. Particulates up to 20 x WEL.

490946

Product Number	Order Code	Price Each
		1+
4251	156-9365	16.22
4255	156-9366	19.50
4277	156-9367	21.27
4279	156-9381	23.07

Maximask 2000



A premium half mask offering protection and comfort. A unique extra wide sealing surface offers unparalleled comfort and fit. Available in durable thermo-plastic rubber. The mask is supplied without filters to allow purchaser to select the filter or range of filters required for a particular application.

Order Code	1+	5+	10+	25+
149-9104	9.46	9.18	8.91	8.64

Maximask 2000 Filters



A range of replacement filters with unique Maximask 2000 fitting. Filters perform to EN 143 and EN 14387.

488697

Filter Description	Order Code	1+	5+	10+	25+
JSP A1 Organic vapour cartridge - hanging bag	149-9106	2.65	2.56	2.49	2.42
JSP B1 In-organic vapour cartridge - hanging bag	149-9107	4.63	4.49	4.36	4.23
JSP K1 Ammonia cartridge - hanging bag	149-9108	3.73	3.62	3.52	3.41
JSP ABEK1 Combination cartridge - hanging bag	149-9109	4.48	4.34	4.21	4.09
JSP P2 Dust cartridge - hanging bag	149-9110	2.44	2.37	2.29	2.22
JSP P3 Dust cartridge - hanging bag	149-9111	3.76	3.65	3.55	3.44
JSP P2 Pre filter pack (2 covers & 2 filters) - hanging bag	149-9112	2.41	2.34	2.26	2.19

Half Masks

5500



TPE elastomeric face piece with unique cradle head strap and yoke assembly. EN 140. CE marked.

Uses N7500 Class 1 filters, pre-filters and pre-filter holders.

485855

Size	Order Code	1+	+	+	+
Medium	137-1859	11.86	--	--	--
Large	137-1860	11.86	--	--	--

Half Masks

7700



Silicone elastomeric face piece that is supersoft and hypoallergenic. Contoured revert seal offers a wide sealing surface which will not cause discomfort. Adjustable head harness with no loose straps after adjustment. To EN 140. CE marked.

Uses N7500 Class 1 filters, pre-filters and pre-filter holders.

485858

Size	Order Code	1+	+	+	+
Medium	137-1863	18.39	--	--	--
Large	137-1864	18.39	--	--	--

Half and Full Face Masks Filters

N7500 Filters Class 1




Constructed from plastic bodies with a unique internal thread connection. 6 year shelf life.

485838

Filter	Hazard	Pack Qty	Order Code	1+	+	+
A1	Organic gas and vapour filter.	6	137-1852	13.06	--	--
ABE1	Organic/inorganic gas and vapour, acid gas and sulphur dioxide filter.	6	137-1855	11.57	--	--
ABEK1	Organic/inorganic gas and vapour, acid gas and sulphur dioxide and ammonia filter.	4	137-1868	13.23	--	--
A1P3	Organic gas and vapour, toxic dust, mist and fume filter.	2	137-1869	14.82	--	--
ABE1P3	Organic/inorganic gas and vapour, acid gas and sulphur dioxide, toxic dust and mist filter.	2	137-1870	12.60	--	--
K1P3	Ammonia, toxic dust, mist and fume filter.	2	137-1871	13.63	--	--
ABEK1P3	Organic/inorganic gas and vapour, acid gas and sulphur dioxide, ammonia, toxic dust, mist and fume filter.	2	137-1872	12.20	--	--

Filters For Class 2 Half and Full Face Masks

Din Thread Class 2



Lightweight coated aluminium cartridges with 40mm DIN thread.



Half Masks & Filters - continued

Filters For Class 2 Half and Full Face Masks - continued

Din Thread Class 2 - continued

485751

Filter	Hazard	Pack Qty	Order Code	1+	+	+	+
P3	Particulates	4	137-1834	5.86	--	--	--
A2	Organic vapours	4	137-1835	5.76	--	--	--
ABEK 2	Inorganic vapours	4	137-1837	9.36	--	--	--
AB2	Organic and inorganic vapours	4	137-1838	7.94	--	--	--
A2P3	Organic vapours and particulates	4	137-1839	9.36	--	--	--
A2B2E2-K1P3	Organic/inorganic vapours, particulates and ammonia	4	137-1840	11.62	--	--	--
A2B2P3	Organic/inorganic vapours and particulates	4	137-1841	10.57	--	--	--

6000 Series Low Maintenance Full Face Mask



Reusable lightweight full face mask with twin bayonet fittings for a quick positive and safe lock. Flexible system with a wide range of particulate filters, gas/vapour filters or supplied-air mode with the 3M S-200. Economical, low maintenance, well balanced, easy to use silicone facepiece. Wide field of vision with a scratch and chemical resistant polycarbonate lens. Uses 6000/2000/5000 series filters. CE marked to EN136 (Class 1) and EN166B. Uses filters and filter retainers.

494359

Size	Order Code	Price Each
Medium	156-9388	82.70
Large	156-9389	82.70

Powered Air System

42

Full Face Mask
5400 Class 2

Face piece made of soft pliable, hypo-allergenic elastomer material with high chemical resistance. Wide sealing edge for comfort and excellent fit. Lightweight, easy to use with 4 strap harness assembly. Use DIN thread class 2 filters.

375770

Order Code	Price Each
324-912	63.15

Powered Air System

Compact Air - Organic / Inorganic



Positive pressure, battery powered breathing system. Offers the ultimate in protection against toxic dusts and gases. Compact and lightweight with 3 Din-threaded filter entrances. Complete with belt, turbo unit, air hose, rechargeable battery, battery charger, airflow indicator and user instructions

485836

Description	Order Code	1+	5+	10+	25+
Compact air unit - DIN	137-1842	394.82	--	--	--
Compact air unit bayonet coupling	137-1843	355.27	344.61	334.27	324.25
Replacement battery	137-1844	100.49	--	--	--
Battery charger	137-1849	74.70	--	--	--
Sealing ring, set of 10	137-1845	36.63	35.53	34.46	33.43
0.8m hose - DIN	137-1846	30.15	29.24	28.37	27.52
0.8 hose - bayonet	137-1847	30.15	29.24	28.37	27.52

Compact Air Filters

Powered Air System



Lightweight coated aluminium cartridges with 40mm DIN thread.

Order Code	Filter	Hazard
137-1834	P3	Particulates
137-1839	A2P3	Organic vapours and particulates
137-1841	A2B2P3	Organic/inorganic vapours and particulates
137-1840	A2B2E2K1P3	Organic/inorganic vapours, particulates and ammonia

494054

Pack Qty	Order Code	Price Each
4	137-1834	5.86
4	137-1839	9.36
4	137-1841	10.57
4	137-1840	11.62

Protective Workwear

Lab Coats

Kimtech Science A15 Lab Coat



Suitable for laboratories, electronics industries and food services/processing. Parts of the body protection against light chemical splashes. Functional design, Silicone free and anti-static fabric EN 1149-1 for critical areas.

493280

Size	Order Code	Price Each
Small	155-9022	8.16
Medium	155-9024	8.16
Large	155-9025	8.16

Overalls
C806

Manufactured from 305g/m² (9oz) 3/1 drill strong hard wearing cotton with excellent absorption properties. Lancashire finished, it is sanforised and pre-shrunk. Fully conforms to BS 1771 1984. Concealed stud front. Mitred pocket with stud fastening flap. 2 lower mitred patch pockets with slanted access. Access slits to undergarments. Colour: navy.

Regular: Fits Up To 5ft11in

Size	Order Code	Price Each
M	320-599	19.32
L	320-601	19.32
XL	320-603	19.32

Tall: Fits Up To 6ft2in

493710

Size	Order Code	Price Each
M	325-019	21.68
L	320-618	20.65
XL	320-620	20.65
XXL	320-621	26.02

Disposable Workwear

CPE Overshoes



CPE shoe covering with elasticated top.

493882

Colour	Size (in)	Order Code	Price Each
White	14	326-049	2.96
Blue	14	155-2609	3.44
Red	14	326-053	3.70

Type 5/6 Disposable Coverall Suit



This suit offers a lightweight, tear resistant, cost efficient barrier to dust and particles. It also offers a limited splash and spray barrier.

Type 5: requires the garment to be dust/particle tight with dust/particle tight connections.

Type 6: requires the garment to give limited protection against splashes and particles.

488811

Size	Order Code	1+	5+	10+	25+
L	149-9140	4.53	4.39	4.25	4.13
XL	149-9141	4.53	4.39	4.25	4.13
XXL	149-9143	4.53	4.39	4.25	4.13

Candour Hazardous Suit



Type 5 and 6 for noxious dust and splash. Breathable, very comfortable to wear. Anti-static, meets EN1149-1. 2 way zip for convenience. Knitted cuffs for comfort and wearability. Fire retardant. CE marked. Colour: white.

494285

Size	Order Code	Price Each
M	996-7990	3.34
L	996-8008	3.22
XL	996-8016	3.18
XXL	996-8024	3.22

A20 Hooded Coverall



Suitable for asbestos related work, handling powders, general maintenance, construction utilities and contract cleaning. Protection against powder, fibres and chemical splash. Durable SMS fabric keeps out 99% of particles larger than 1 micron.

493138

Colour	White	Grey	Price Each
Size	Order Code	Order Code	
Small	155-9026	-	4.26
Medium	155-9027	155-9032	4.26
Large	155-9028	155-9033	4.26
X-Large	155-9029	155-9034	4.58
XX-Large	155-9030	155-9036	4.40
XXX-Large	155-9031	155-9037	4.40

Disposable Coverall Suit



Single use disposable coverall suit that gives light protection from dirt and grease. 100% polypropylene.

488809

Size	Order Code	1+	5+	10+	25+
L	149-9136	2.14	2.08	2.02	1.96
XL	149-9137	2.14	2.08	2.02	1.96
XXL	149-9138	2.14	2.08	2.02	1.96

Nylon Waterproof Apron



The waterproof apron is resistant to fats, oils, and dilute chemicals. Ideal for the food industry.

488832

Order Code	1+	5+	10+	25+
149-9168	5.85	5.68	5.52	5.34

High Visibility Workwear

Be seen and be safe. Visibility during the day, in the twilight and in the dark. During the day because of the fluorescent background material and at night when the reflective bands stripes reflect vehicle headlights.

High visibility garments must now meet the requirements of the new European Standard EN 471 which is divided into three classes according to the level of visibility required to protect the wearer.

CLASS 3 - garments must have at least 0.8m² of background material and 0.2m² of reflective material.



2 bands and braces




1 band and braces

Over 480,000 products online



High Visibility Workwear - continued



CLASS 2 - garments must have at least 0.5m² of background material and 0.13m² of reflective material.

CLASS 1 - garments must have at least 0.14m² of background material and 0.1m² of reflective material.

Orange garments meet the Rail Industry specification for Hi-Visibility.

All items are CE marked.

403091

2 + 1 = 3

If you wear a Class 2 jacket with Class 1 trousers you meet the requirements of Class 3

Attention: do you work on local authority roads?

The New Roads and Streets Work Act 1991, safety at Street Works and Road Works has been updated and came into effect 1st February 2002

The rules to comply are:

- High visibility clothing conforming to BS EN 471:1994 - class 2 or 3 must be worn at all times, the minimum areas of visible material required to conform is detailed above.
- If you work on dual carriageway roads with speed limits of 50mph or above - Class 3 jackets with full length sleeves must be worn.

Hi-Vis 4 in 1 Jacket



This high-vision jacket system combines an outer coat and reversible inner jacket with detachable sleeves. Conforms to EN 471, Class 3.3.

488814

Size	Order Code	Price Each			
		1+	5+	10+	25+
S	149-9144	41.90	40.65	39.42	38.24
M	149-9145	41.90	40.65	39.42	38.24
L	149-9146	41.90	40.65	39.42	38.24
XL	149-9147	41.90	40.65	39.42	38.24

Hi-Vis Motorway Jacket



PU coated jacket with heavyweight nylon quilting. Complete with storm cuffs, concealed hood and taped seams. Conforms to EN 471, Class 3.1.

488816

Size	Order Code	Price Each			
		1+	5+	10+	25+
S	149-9149	17.17	16.66	16.15	15.67
M	149-9150	17.17	16.66	16.15	15.67
L	149-9151	17.17	16.66	16.15	15.67
XL	149-9152	17.17	16.66	16.15	15.67

Hi-Vis Two Tone Oxford Parka



This two tone style jacket offers a simple design with proven effectiveness. It features taped seams, two way zip, concealed hood and quilt lined studded storm flap. Conforms to EN 471, Class 3.1.

488819

Size	Order Code	Price Each			
		1+	5+	10+	25+
S	149-9155	20.32	19.71	19.12	18.54
M	149-9156	20.32	19.71	19.12	18.54
L	149-9157	20.32	19.71	19.12	18.54
XL	149-9158	20.32	19.71	19.12	18.54

Hi-Vis Trousers



The Hi-Vis trousers are equipped with high frequency welded seams, an elasticated waist and adjustable ankles. Conforms to EN 471, Class 1.

488822

Size	Order Code	Price Each			
		1+	5+	10+	25+
M	149-9160	13.61	13.20	12.81	12.42
L	149-9161	13.61	13.20	12.81	12.42
XL	149-9162	13.61	13.20	12.81	12.42

Safety Waistcoats

RB800 Yellow



Waistcoat is made from 100% polyester with one 50mm reflective bands and braces. CE Marked.

490925

Size	Order Code	Price Each
		1+
M	162-2853	1.30
L	162-2854	1.30
XL	162-2855	1.30
XXL	322-674	3.15

Safety Waistcoats

RB802 Yellow



Waistcoat is made from 100% polyester with two 50mm reflective bands and braces. CE marked.

491061

Size	Order Code	Price Each
		1+
M	394-6149	7.56
L	394-6150	5.54
XL	394-6162	5.54
XXL	395-9351	5.13



High Visibility LED Torches

See page 1003

Waistcoats RB500 Orange



Waistcoat is made from 100% polyester. One 50mm reflective band with reflective braces. CE marked.

494704

Size	Order Code	Price Each
		1+
M	321-879	8.39
L	321-880	6.30
XL	321-881	8.39
XXL	321-882	9.90

Waistcoat RB502 Orange



Waistcoat is made from 100% polyester. Two 50mm reflective bands with reflective braces. CE marked.

492968

Size	Order Code	Price Each
		1+
M	162-2851	1.30
L	162-2852	1.30
XL	155-3761	1.80
XXL	321-886	4.35

Knee Protection

Foam Rubber Knee Pads



A lightweight moulded knee pad with a ribbed kneeling surface and adjustable strap for added comfort.

488825

	1+	5+	10+	25+
Order Code 149-9163	5.39	5.24	5.08	4.92

Gel / Rubber Knee Pads



A robust gel / rubber knee pad which has been designed to last. Offering increased comfort with its elastic strap, hook and loop closure.

488826

	1+	5+	10+	25+
Order Code 149-9164	14.25	13.82	13.41	13.01

Coming soon



Register your interest for items that are 'Coming Soon' at www.farnell.co.uk and we'll email you to let you know that they're in stock.

FREE global legislation support



RoHS, REACH, WEEE, EuP, Batteries Directive - we've got it covered at:
www.global-legislation.com



Selecting A Glove

376058



SELECTING A GLOVE

Our hands are an amazing structure that are constantly helping us complete tasks and to communicate with others. Without them we wouldn't be able to do many things that we take for granted so we must protect them. Protect against cuts, chemicals, extreme temperatures and long term effects such as dermatitis. Under the PPE regulations if gloves carry the CE mark they must fall into one of the following categories:

Simple design (category 1)

For the areas of "minimal risk" where the effects of not wearing a glove are superficial or easily reversible.

Intermediate design (category 2)

For areas of "specific risk" either mechanical, chemical or both.

Complex design (category 3)

For areas with a "definite risk" where the effects of not having protection could cause serious or irreversible harm.

Simple designed gloves do not carry any markings. Intermediate and complex designed gloves are tested against specific hazards and marked accordingly.

EN388	"Protective gloves against mechanical risks"		Performance level				
			1	2	3	4	5
EN388	i) Abrasion resistance level (0-4)	in number of cycles	>100	>500	>2000	>8000	-
	ii) Blade cut resistance level (0-5)	index	>1.2	>2.5	>5.0	>10.0	>20.0
	iii) Tear resistance level (0-4)	in newtons	>10	>25	>50	>75	-
	iv) Puncture resistance level (0-4)	in newtons	>20	>60	>100	>150	-
Static electricity-clause 6.6							

EN407	"Protective gloves against thermal risks" (heat and/or fire)		1	2	3	4
EN407	Heat and fire hazard	flame persistence				-
		->15 seconds at	100°C	250°C	350°C	500°C
	i) Burning behaviour level (0-4)	heat transmission	>4"	>7"	>10"	>18"
	ii) Contact heat level (0-4)	heat transmission	>5"	>15	>25	>35
	iii) Convection heat level (0-3)	number of drops needed to obtain a rise in temperature of 40°C	>5	>15	>25	>35
	iv) Radiation heat level (0-4)	mass (weight) of iron in fusion needed for molten metal to cause a superficial wound	>30	>60	>120	>200
	v) Small splash molten metal (0-4)					
vi) Large quantity molten metal (0-4)						

EN374	"Protective gloves against chemicals and micro-organisms"
	Chemical hazard - part 3 (374-3)
EN374	Micro organism hazard - part 2 (374-2)

EN511	"Protective gloves against cold"		1	2	3	4
EN511	Protection from cold	thermal insulation in m ² , °C/W	>0.10	>0.15	>0.22	>0.30
	i) Convective cold (0-4)	thermal resistance in m ² , °C/W	>0.025	>0.050	>0.100	>0.150
	ii) Contact cold (0-4)					
iii) Water permeability (0-4)						

EN374	"Mechanical vibration and shock"

EN 60903
"Gloves and mitts of insulating material for live line working"

General Handling Gloves

Canadian Rigger Glove



A general purpose split leather glove with safety cuff and knuckle protection suitable for most general handling tasks.



488837

Size	Order Code	Price Per Pair			
		1+	5+	10+	25+
10	149-9172	0.52	0.50	0.49	0.47

Safety Gloves

Light Task Black



Seamless nylon liner provides excellent fit and comfort. Coated in black polyurethane to give good grip and dexterity. Especially used for applications where small objects are handled. EN420, EN388 (4131).



485863

Size	Order Code	1+	Price Per Pair		
			+	+	+
7	137-1880	1.36	--	--	--
10	137-1883	1.36	--	--	--

Safety Gloves

Dots-Grip



Reversible string knit cotton glove with knit wrist. Black PVC dots on both sides. Economical, light and comfortable, excellent grip.



485566

Size	Order Code	1+	Price Per Pair		
			+	+	+
8	137-1808	0.34	--	--	--
10	137-1809	0.34	--	--	--

Kevlar Gloves

Kevlar Gloves

Fireblade 20



Medium weight 7 gauge 100% Kevlar® glove. The ambidextrous, seamless construction eliminates irritation from seams. Ideal for use in automotive, glazing and manufacturing. CE marked. Intermediate Design.

Heat resistant up to 100°C.

Two sided polka dot grip pattern. Reinforced thumb crotch protects an area which frequently suffers high wear.

FB20

Size	Order Code	1+	Price Per Pair		
			5+	10+	25+
M	137-6412	5.19	5.02	4.87	4.73
L	137-6413	5.19	5.02	4.87	4.73

488345

Kevlar Gloves

Fireblade 10



Lightweight 13 gauge 100% Kevlar® glove. Protects against nuisance cuts. Also suitable for use as a liner glove. Ideal for use in the paper industry and assembly of white goods. CE marked. Intermediate Design

FB10

Seamless and ambidextrous. Heat resistant up to 100°C.

Size	Order Code	1+	Price Per Pair		
			5+	10+	25+
M	137-6409	4.06	3.95	3.80	3.70
L	137-6411	4.05	3.94	3.80	3.69

FB10PD1

One sided polka dot grip pattern for added grip.

Size	Order Code	1+	Price Per Pair		
			5+	10+	25+
M	137-6344	4.74	4.60	4.46	4.32

488317

Kevlar Gloves

PGK10



Based around a 10 gauge 100% Kevlar® liner. Natural rubber latex coating affords good grip, high abrasion and tear resistance. Crinkle finish offers good grip in wet and dry environments. Fully coated thumb to protect the most vulnerable part of the hand. Open back style for user comfort. Ideal for construction and automotive industries. CE Intermediate Design.

488372

Size	Order Code	1+	Price Per Pair		
			5+	10+	25+
M	137-6352	8.00	7.76	7.52	7.30
L	137-6353	8.00	7.76	7.52	7.30

Gloves

Kevlar Knitted Sleeve




Seamless knitted double ply 100% Kevlar sleeves with thumbhole to protect the forearm against cut injuries. 25cm (10") long. EN420, EN388. Intermediate design. Mechanical properties 134X.

485498

Size	Order Code	1+	Price Per Pair		
			+	+	+
10"	137-1742	5.52	--	--	--
18"	137-1744	9.08	--	--	--



Kevlar Gloves - continued

Kevlar Gloves
FS Series Sleeves

Double layered, 15 gauge 100% Kevlar® sleeve. Thumb hole to hold sleeve in position. Unique stay-up band ensure sleeves remain in place. Heat resistant up to 100°C. Provides cut and heat protection to arms. Ideal for use in automotive, glazing and metal handling industries. CE marked. Intermediate Design.

488366

Style	Length (cm)	Order Code	1+	5+	10+	25+
FS14	35	137-6417	7.72	7.47	7.26	7.05
FS18	45	137-6418	10.82	10.49	10.19	9.87
FS22	55	137-6419	13.46	13.06	12.66	12.29

Latex Gloves

Latex Gloves
Emperor

ME101

ME102

ME104

ME106



4121

Unlined black latex gloves to BS1651. CE marked. Complex design.

ME101

Medium weight, wrist length gloves.

Size	Order Code	1+	5+	10+	25+
8.5	137-6397	3.55	3.44	3.33	3.23

ME102

Heavy weight, wrist length gloves.

Size	Order Code	1+	5+	10+	25+
8.5	137-6398	4.22	4.10	3.99	3.84
9.5	137-6399	4.22	4.10	3.99	3.84

ME104

Medium weight, elbow gloves.

Size	Order Code	1+	5+	10+	25+
7.5	137-6400	5.64	5.47	5.31	5.16
8.5	137-6401	5.64	5.47	5.31	5.16
9.5	137-6402	5.64	5.47	5.31	5.16

ME106

Light weight, full length gauntlets.

488327

Size	Order Code	1+	5+	10+	25+
8.5	137-6403	7.96	7.74	7.49	7.28
9.5	137-6404	6.22	6.04	5.85	5.68

Latex Gloves
Suretouch V70N

Vinyl disposable gloves that fit either hand. Tear resistant beading for easy pull-on. CE marked.

488353

Size	Order Code	1+	5+	10+	25+
S	137-6374	10.39	10.09	9.78	9.49
M	137-6375	10.39	10.09	9.78	9.49
L	137-6376	10.39	10.09	9.78	9.49
XL	137-6377	10.39	10.09	9.78	9.49

Latex Gloves
Tripletec G44R

2010

Triple dip latex glove coated with Nitrile for longer life. Long cuff and flock lined for protection and comfort. Good grip, sensitivity and beaded cuff for easy donning and tear resistance. Resistance to oils, fats, chemicals and detergents. CE marked. Complex design.

488343

Size	Order Code	1+	5+	10+	25+
S	137-6379	1.78	1.73	1.68	1.63
M	137-6381	1.78	1.73	1.68	1.63
L	137-6382	1.78	1.73	1.68	1.63

Rubber Gloves

Rubber Gloves
Supergrip G04Y

2110

Natural rubber glove, beaded cuff for tear resistance and easy pull-on. Raised pattern palms and fingers for excellent wet grip. Flock lined for comfort. High resistance to water based chemicals. CE marked. Complex design.

488341

Size	Order Code	1+	5+	10+	25+
S	137-6383	2.17	2.11	2.04	1.98
M	137-6384	2.17	2.11	2.04	1.98
L	137-6385	2.17	2.11	2.04	1.98
XL	137-6386	2.17	2.11	2.04	1.98

Rubber Gloves
Black Heavyweight G17K

2110

Tough general purpose industrial glove with beaded cuff for tear resistance and easy pull-on. High resistance to water based chemicals. CE marked. Complex design.

488359

Size	Order Code	1+	5+	10+	25+
M	137-6365	2.17	2.11	2.04	1.98
L	137-6367	1.70	1.65	1.59	1.54
XL	137-6368	2.17	2.11	2.04	1.98

Nitrile Gloves

Nitrile Gloves
NT10B

Strong lightweight nitrile disposable gloves. Good puncture resistance. Comfortable to wear. Ambidextrous. Ideal for laboratory, pharmaceutical and food preparation industries. CE marked. Box of 100.

488362

Type	Size	Order Code	Price Per Pair			
			1+	5+	10+	25+
Powdered	Medium	137-6356	10.63	10.31	10.00	9.71
Powdered	Large	137-6357	10.63	10.31	10.00	9.71
Powder free	Medium	137-6358	11.34	10.99	10.66	10.34
Powder free	Large	137-6359	11.69	11.35	11.00	10.67

Nitrile Gloves**Nitrosolve Z51G**

Tough chemical resistant glove, with long elbow length cuff for extra protection. Effective resistance to most aliphatic solvents, oils, fats and greases. High abrasion and puncture resistance. Flock lined for comfort and extended use. CE marked. Complex design.

488355

Size	Order Code	Price Per Pair			
		1+	5+	10+	25+
M	137-6426	3.26	3.17	3.08	2.98
L	137-6373	3.66	3.56	3.45	3.34
XL	137-6427	3.66	3.56	3.45	3.34

Nitrile Gloves**Blue Nitrile G25B**

Nitrile formula, flock lined glove for comfort. Open cuff allows ventilation to keep hands cool. Resistant to many solvents and oil based chemicals. CE marked. Complex design.

488357


Size	Order Code	Price Per Pair			
		1+	5+	10+	25+
M	137-6370	2.45	2.38	2.30	2.24
L	137-6371	2.45	2.38	2.30	2.24
XL	137-6372	2.45	2.38	2.30	2.24

Supported Nitrile Gloves**Nitrotough N210**

Support glove with a thin coating of Nitrile for improved dexterity. Ideal for a wide range of industrial tasks and use in the engineering environment. 100% cotton interlock lining. Palm coated. CE marked. Intermediate design.

488325

Size	Order Code	Price Per Pair			
		1+	5+	10+	25+
S	137-6405	1.87	1.81	1.75	1.70
M	137-6406	1.87	1.81	1.75	1.70
L	137-6407	1.87	1.81	1.75	1.70

Vinyl Gloves**Vinyl Gloves****Vinyl Task****NORTH**

Lightly powdered vinyl examination gloves with a smooth finish. Thickness 0.15mm = 6 thou (0.0060 inches). Length 9 inches (23cm). Roll cuff. 100 gloves per box.

485546

Pack Size - 100	Size	Order Code	Price Per Pack			
			1+	5+	10+	25+
	S	137-1772	2.87	--	--	--
	M	137-1773	2.87	--	--	--
	L	137-1774	2.87	--	--	--
	XL	137-1775	2.87	--	--	--

PVC Gloves**PVC Knitwrist Glove**

The knitwrist glove is coated with PVC and offers resistance to oil and most chemicals. Conforms to EN 388 and EN 420.



488835

Size	Order Code	Price Per Pair			
		1+	5+	10+	25+
10	149-9170	0.56	0.54	0.52	0.50

Welding Gloves**Welders Gauntlet**

The welders gauntlet is made from heavy duty split leather with a one piece back for extra strength. The rear seams are fully welded for added strength. Conforms to EN 388, EN 420 and EN 12477.



488836

Size	Order Code	Price Per Pair			
		1+	5+	10+	25+
10	149-9171	2.75	2.67	2.60	2.54

Hot & Cold Handling Gloves**Gloves****Durotask Sub Zero**

Seamless special brushed synthetic liner for good insulation as well as good comfort, fit and especially good finger dexterity. Palm coating made of rough latex for good grip in wet applications. All round glove for various applications in cold environments. EN420, EN388 (2241), EN511(X1X).

NORTH

485506

Size	Order Code	Price Per Pair			
		1+	5+	10+	25+
8	137-1746	2.47	--	--	--
9	137-1747	2.47	--	--	--
10	137-1748	2.47	--	--	--

Heat Resistant Gloves**Strongotherm Terry Brown**

Nylon, polyester, cotton mix terry glove. Provides heat protection up to 250°C, depending on contact time. A good economical all round ambidextrous glove. For use in general purpose applications when handling hot and sharp objects. EN420. EN388 (434X).

NORTH

485473

Size	Order Code	Price Each			
		1+	5+	10+	25+
10	137-1737	1.95	--	--	--



Hot & Cold Handling Gloves - continued

Cold Handling Gloves

Thermal



Constructed using Dupont's thermastic fibres for warmth. Soft and non-chafing with fast wicking action for improved dryness. Ideal for use in food and fishing industries, construction, food retailing and general outdoor work. Universal size. CE marked. Simple design.

KT1

White. Can be used as a thermal liner or on its own.

KT2

Blue. Can be used as a thermal liner or on its own.

KT2D

Blue with blue polka dot palm.

488330

Description	Order Code	Price Per Pair			
		1+	5+	10+	25+
KT1	137-6396	3.20	3.11	3.01	2.93
KT2	137-6424	3.25	3.16	3.07	2.97
KT2D	137-6425	3.55	3.44	3.33	3.23

Foot Protection

Foot Protection

443365

There are many different types of footwear available and ensuring that all employees wear the correct foot protection can be a difficult task. To help you in your selection please read the following notes but first you need to carry out a risk assessment so you know what hazards and dangers to protect against.

Risk Assessment

The best form of protection is to remove the risk but if this can not be feasibly carried out then protection must take place. Assessing the risk must involve defining the job or work area, recognising the risk and identifying the correct method of reducing the risk by removing, controlling or providing suitable safety footwear. Protective features are:



Impact resistant toe caps



Penetration resistant steel mid-soles



Heat resistant sole



Slip resistant sole



Anti-static sole



Acid resistant sole



Chemical and solvent resistant sole



Oil resistant sole



Water resistant

490690



This symbol shows that a shoe / boot conforms to the basic safety protection of the European Standards for Footwear certificate, CE EN345-1. This means the toe caps on the footwear are tested to 200 joules.

Kencot Safety Trainers



- Black trainer shoe
- Double density PU sole, steel toe cap and midsole
- Anti-Static
- Heat Resistant to 180°C
- Available in sizes 6-12
- Conforms to EN 345 S1P

488869



Size	Order Code	Price Each			
		1+	5+	10+	25+
6	149-9179	18.51	17.96	17.42	16.89
7	150-1280	18.51	17.96	17.42	16.89
8	150-1281	18.51	17.96	17.42	16.89
9	150-1282	18.51	17.96	17.42	16.89
10	150-1283	18.51	17.96	17.42	16.89
11	150-1284	18.51	17.96	17.42	16.89
12	150-1285	18.51	17.96	17.42	16.89

Foscot Training Style Safety Shoes



- Stylish suede / fabric black and grey safety hiker trainer
- TPU sole, steel toe cap and midsole
- Anti-Static
- Heat Resistant to 180°C
- Available in sizes 6-12
- Conforms to EN 345 S1P

488856

Size	Order Code	Price Each			
		1+	5+	10+	25+
6	149-9176	27.40	26.58	25.78	25.01
7	150-1267	27.40	26.58	25.78	25.01
8	150-1268	27.40	26.58	25.78	25.01
9	150-1269	27.40	26.58	25.78	25.01
10	150-1270	27.40	26.58	25.78	25.01
11	150-1271	27.40	26.58	25.78	25.01
12	150-1272	27.40	26.58	25.78	25.01

PU Rubber Shoe
6900 Shoe

- EN345-1
- 200 joule toecap protection
- Black quality leather uppers
- Water resistant leather
- Removable sock
- PU rubber outsole
- Heel absorption



to 300°C

488650

Size	Order Code	Price Each			
		1+	5+	10+	25+
6	142-0944	61.53	59.68	57.90	56.15
7	142-0945	61.53	59.68	57.90	56.15
8	142-0946	61.53	59.68	57.90	56.15
9	142-0947	61.53	59.68	57.90	56.15
10	142-0948	61.53	59.68	57.90	56.15
11	142-0949	61.53	59.68	57.90	56.15
12	142-0950	61.53	59.68	57.90	56.15

Bampton Training Style Safety Boots



- Stylish suede / fabric brown and sienna safety hiker trainer
- TPU sole, steel toe cap and midsole
- Anti-Static
- Heat Resistant to 180°C
- Available in sizes 6-12
- Conforms to EN 345 S1P

488864

Size	Order Code	Price Each			
		1+	5+	10+	25+
6	149-9177	27.81	26.98	26.17	25.39
7	150-1273	27.81	26.98	26.17	25.39
8	150-1274	27.81	26.98	26.17	25.39
9	150-1275	27.81	26.98	26.17	25.39
10	150-1277	27.81	26.98	26.17	25.39
11	150-1278	27.81	26.98	26.17	25.39
12	150-1279	27.81	26.98	26.17	25.39

Air Wair Shoe
1925 Shoe

- EN345-1
- 200 joule toecap protection
- Black quality leather uppers
- Goodyear welted Airwair sole
- Yellow Z welt stitching





to 80°C

488623

Size	Order Code	Price Each			
		1+	5+	10+	25+
3	142-0964	51.98	50.42	48.90	47.43
4	142-0965	51.98	50.42	48.90	47.43
5	142-0966	51.98	50.42	48.90	47.43
6	142-0909	51.98	50.42	48.90	47.43
7	142-0910	51.98	50.42	48.90	47.43
8	142-0911	51.98	50.42	48.90	47.43
9	142-0912	51.98	50.42	48.90	47.43
10	142-0913	51.98	50.42	48.90	47.43
11	142-0915	51.98	50.42	48.90	47.43
12	142-0916	51.98	50.42	48.90	47.43

Air Wair Brogues

6733 Shoe



- Full leather upper brogue shoe
- Genuine air wair sole
- 200 joule toecap
- Goodyear welted
- Anti-slip soles
- EN345-1 CE marked



488659

Size	Order Code	Price Each			
		1+	5+	10+	25+
6	142-0952	54.50	52.87	51.28	49.74
7	142-0953	54.50	52.87	51.28	49.74
8	142-0954	54.50	52.87	51.28	49.74
9	142-0955	54.50	52.87	51.28	49.74
10	142-0957	54.50	52.87	51.28	49.74
11	142-0958	54.50	52.87	51.28	49.74
12	142-0959	54.50	52.87	51.28	49.74

Air Wair Boot

6629 Boot



- EN345-1
- 200 joule toecap protection
- Brown quality leather uppers
- Goodyear welted Airwair sole
- Yellow Z welt stitching



to 80°C

488636

Size	Order Code	Price Each			
		1+	5+	10+	25+
6	142-0917	62.99	61.11	59.26	57.49
7	142-0918	62.99	61.11	59.26	57.49
8	142-0919	62.99	61.11	59.26	57.49
9	142-0920	62.99	61.11	59.26	57.49
10	142-0921	62.99	61.11	59.26	57.49
11	142-0922	62.99	61.11	59.26	57.49
12	142-0923	62.99	61.11	59.26	57.49

Air Wair Boot

6630 Boot



- EN345-1
- 200 joule toecap protection
- Black quality leather uppers
- Goodyear welted Airwair sole
- Yellow Z welt stitching



to 80°C

488645

Size	Order Code	Price Each			
		1+	5+	10+	25+
6	142-0924	58.53	56.78	55.06	53.42
7	142-0927	58.53	56.78	55.06	53.42
8	142-0941	58.53	56.78	55.06	53.42
9	142-0942	58.53	56.78	55.06	53.42
10	142-0928	58.53	56.78	55.06	53.42
11	142-0929	58.53	56.78	55.06	53.42
12	142-0930	58.53	56.78	55.06	53.42

Air Wair Boot**6601 Boot**

- EN345-1
- 200 joule toecap protection
- Black quality leather uppers
- Goodyear welted Airwair sole
- Yellow Z welt stitching



to 80°C

488570

Size	Order Code	Price Each			
		1+	5+	10+	25+
3	142-0960	53.39	51.78	50.23	48.72
4	142-0961	53.39	51.78	50.23	48.72
5	142-0962	53.39	51.78	50.23	48.72
6	142-0937	53.39	51.78	50.23	48.72
7	142-0939	53.39	51.78	50.23	48.72
8	142-0904	53.39	51.78	50.23	48.72
9	142-0905	53.39	51.78	50.23	48.72
10	142-0906	53.39	51.78	50.23	48.72
11	142-0907	53.39	51.78	50.23	48.72
12	142-0908	53.39	51.78	50.23	48.72

Safety Harnesses

42

Fall Arrest Kit

Starter

NORTH

Lightweight FP700/1D harness with rear D-ring. Retractable lifeline, stainless steel grip and carrying bag.

485564

Order Code	Price Each			
	1+	+	+	+
137-1831	142.18	--	--	--

Harnesses

FP 702/3D

NORTH

General purpose harness for fall arrest, descent, vertical safety wire/rail systems. Has sliding dorsal D-ring and 2 sternal D-rings. The flat bar buckles are easy to use and fail safe. The shoulder straps and the height of the chest strap are adjustable.

485584

Order Code	Price Each			
	1+	+	+	+
137-1823	51.12	--	--	--



Safety Harnesses - continued

Harnesses

FP 745/5D

NORTH



Heavy duty general purpose harness for fall arrest, control descent, rescue and work positioning with lumbar support. With dorsal D-ring, sternal loops and padded belt with lateral D-rings.

485598

Order Code	1+	+	+	+
137-1827	88.10	--	--	--

Lanyard and Karabiner

NORTH



2 metre rope lanyard with shock absorber and karabiner.

485650

Order code	1+	+	+	+
137-1828	33.90	--	--	--

Duraflex Harness

MILLER
by SPERIAN

2 point Duraflex harness; rear and front anchorage.

494286

Order Code	Price Each
323-941	1+ 68.24

Duraflex Harness

MILLER
by SPERIAN

Titan Harness



Lightweight, durable polyamide webbing for all day comfort and dependability. Fully adjustable designs so one size fits all. Sub-pelvic strap keeps the wearer upright. Sliding back D-ring for a comfortable fit. Robust 45mm chest strap with metal buckle. Also available are harness shoulder pads which protect the harness shoulder webbing straps from wear and especially useful for scaffolders/construction workers who carry items (eg scaffold poles) over the shoulder.

495041

Description	Order Code	Price Each
1 point	101-1109	23.26
2 point	101-1111	30.20

Fall Arrest Block

MI20

MILLER
by SPERIAN

Lightweight inertia fall arrestor. Enables 2-5m of movement from the anchor point. Integral shock absorber to reduce the impact of a fall.

493923

Order Code
323-961Price Each
77.80

Lanyard

Titan Position Lanyard

MILLER
by SPERIAN

Titan Work positioning lanyard with 2 karabiners.

417780

Length
(metres)
2Order Code
101-1118Price Each
1+
37.77

Screwgate Karabiner

18mm

MILLER
by SPERIAN

18mm screwgate Karabiner - galvanised. Supplied in packs of 10.

491449

Order Code
323-975Price Each
1+
45.50

First Aid

Statutory First Aid Kit

DURATOOL

1-10 persons



Contains: 1 first aid guidance leaflet, 20 sterile washproof plasters, 2 sterile eye pads with bandage, 4 triangular bandages, 6 safety pins, 8 sterile dressings with pad (assorted), 10 moist wipes, 1 pair latex gloves.

491146

Description	Order Code	Price Each
1-10 Persons Kit	137-6441	1+ 29.99
1-10 Refill	137-6487	15.00

Statutory First Aid Kits

DURATOOL

Deluxe Kits - Multi Purpose First Aid



Shatterproof ABS cases with no metal parts. Come with hinged lids and wall fixing brackets. Clear perspex content dividers with rubber dust and moisture seals.

	1-10 persons
First aid guidance leaflet	1
Sterile washproof plasters	20
Sterile eye pads with bandage	2
Triangular bandages	4
Safety pins	6
Sterile dressings with pad (assorted)	8
Moist wipes	10
Latex gloves (pair)	1

489501

Description	Order Code	1+	5+	10+	25+
1-10 persons kit	137-6443	61.27	59.43	57.65	55.92

Industrial First Aid Kits**Industrial Kits - Comprehensive First Aid****DURATOOL**

Comprehensively stocked shatterproof ABS cases with no metal parts. Come with hinged lids and quick release wall fixing brackets. Clear perspex content dividers with rubber dust and moisture seals. high risk industrial kits for hazardous workplaces.

	1-20 persons
First aid guidance leaflet	1
Sterile washproof plasters	120
Sterile eye pads with bandage	4
Triangular bandages	6
Safety pins	12
Sterile dressings with pad (medium)	9
Sterile dressings with pad (large)	3
Moist wipes	40
Sterile skin closure	8
Fingerstalls	12
Dressing scissors	1
One-way resuscitator	2
Sterile eyewash pods (20ml)	10
Wound dressings (8 x 6 cm)	8
Wound dressings (12 x 8 cm)	4
Disposable gloves (pair)	12
Emergency foil blanket	1
Plastic apron	2
Antiseptic wipes	2
Clinical waste bags	2

489343

Description	Order Code	1+	5+	10+	25+
1-20 persons kit	137-6514	138.91	134.75	130.71	126.79
1-20 refill	137-6507	78.86	76.49	74.19	71.97

Specialist Kits**DURATOOL****First Response Kit - Immediate First Aid**

Water resistant nylon bag with double zip closure and an adjustable shoulder strap. Space for blanket and elastic straps to secure contents.

First aid guidance leaflet	1pc	Eye wash bottle (150ml)	2 pcs
Emergency foil blanket	1pc	Dressing scissors	1 pc
Microporous tape	1pc	Safety pins	12 pcs
CoolJel sachets	3 pcs	Clothing cutters	1 pc
Sterile eye pad with bandage	4 pcs	Moist wipes	10 pcs
Self seal waste bags	6 pcs	Instant cold pack	1 pc
Life aid resuscitator	2 pcs	Sterile dressing with pad (medium)	9 pcs
Eye wash pods (20ml)	5 pcs	Sterile dressing with pad (large)	3 pcs
Triangular bandages	6 pcs	Sterile washproof plasters	20 pcs
Altex disposable gloves (pair)	2 pcs	Sterile fabric plasters	20 pcs

489359

Description	Order Code	1+	5+	10+	25+
First response kit	137-6455	96.41	93.51	90.71	87.98

Burns Care**CoolJel - Topical Cooling Gel**

CoolJel cools and comforts the burnt area. It is used to minimise burn progression and maximise healing time. For use on minor burns.

489392

**Eyewash Cabinet - Complete Eye Care****DURATOOL**

Robust, portable and multi purpose cabinet with dust and moisture seal and quick release wall bracket.

489410

Description	Order Code	1+	5+	10+	25+
Eyewash cabinet	137-6474	29.36	28.48	27.62	26.81

Mezzo Eye Wash Dispenser

WALLACE CAMERON GROUP



The Mezzo Eyewash dispenser offers full compliance with additional recommended HSE items. Translucent front for at a glance stock control. Compartmentalised interior for easy product access and visibility. One clip easy opening c/w integral wall bracket. L270 x D102 x H290mm

- ACOP 3(36) Where mains tap water is not readily available for eye irrigation, at least 1 litre of sterile water or normal saline (0.9%) in sealed, disposable containers should be provided. Once the seal has been broken, the containers should not be kept for re-use. The container should not be used after the expiry date.

489330

Description	Order Code	Price Each
Mezzo eye wash	121-779	22.72
500ml eyewash bottle	162-3644	2.45

Wall Fed Eye/Face Wash

Mains fed unit suitable for irrigation of eyes, face and body. Suitable for treating unconscious or disabled operatives. Supplied on a 1.5m heavy duty flexible hose, the eyewash is operated by a simple trigger. The nozzle has a dust cover and can be easily removed for cleaning. Supplied with mounting bracket and self adhesive safety sign.

489366

Order Code	Price Each
329-394	105.17

First Aid Sundries**DURATOOL****Scissors and Cutters - Stainless Steel**

Clothing cutters and dressing scissors made from stainless steel.

First Aid - continued

First Aid Sundries - continued

Scissors and Cutters - Stainless Steel - continued

489435

Description	Order Code	1+	5+	10+	25+
Clothing cutters	137-6481	6.09	5.90	5.72	5.55
Blunt, sharp scissors	137-6483	2.73	2.64	2.56	2.49

Biohazard Disposal

Sharps Disposal - Incineration Boxes

DURATOOL



Strong secure plastic boxes for the disposal of contaminated sharp objects such as needles, blades and glass, which are non-toxic when incinerated. All boxes carry the British Standards Institute kite mark and the United Nations symbol. Contains: 1 sharps box.

489424

Description	Order Code	1+	5+	10+	25+
Sharps disposal box 4 litre	137-6478	4.17	4.05	3.92	3.81
Sharps disposal box 7 litre	137-6479	5.77	5.60	5.43	5.27
Sharps needle collector 60ml	137-6480	2.44	2.37	2.31	2.22

Lock Outs

Safety Hasp

BRADY.



Makes sure all machinery stays locked out until every individual working on the repairs or inspection is finished. Constructed of case-hardened plated steel which resists tampering and prevents rusting. Each person puts a lock on the hasp, but the hasp cannot be removed until all lockouts have been removed-preventing accidents. Insulated with a red vinyl coating. Holds up to 6 padlocks.

488552

Size	Order Code	1+	5+	10+	25+
38mm Hasp	137-3157	82.66	80.18	77.76	75.43

Hasp

Economy

BRADY.



Ideal for use on fuse or switch boxes. Sturdy steel construction with 25mm hasp and 6x 16mm holes. Use up to 6 padlocks at any one time.

486095

Order Code	1+	5+	10+
326-1025	5.52	5.37	5.26

Stubby Hasp

Stubby

BRADY.



Holds up to 6 locks at a time. Allows for the locking out of small switch boxes to large control units and levers without having to carry different sized hasps. Two hasp sizes, one measures 32x44mm, the other 19mm diameter. Made of heavy duty steel.

486122

Order Code	1+	5+	10+
326-1062	9.28	8.99	8.81

Cable Lockout

Adjustable Gate Valve Lockout

BRADY.



Can lock out multiple valves. Lighter and easier to use than chains.

488522

Description	Order Code	1+	5+	10+	25+
System and 1.8m cable	137-3135	29.86	28.98	28.10	27.26
Extra 3m cable	137-3136	14.24	13.81	13.39	13.00

Plugout

BRADY.



Accepts a wide range of electrical plugs. High impact plastic provides strength and security. Ensures the locking out of any plug during the maintenance and servicing of a machine. Holds up to 4 padlocks for maximum safety against accidental re-energising. Manufactured from high-impact UV stabilised polymer.


488556

Order Code	1+	5+	10+	25+
137-3165	22.03	21.36	20.73	20.11

Lockout Storage

Lockout Stations

BRADY.



Highly visible stations make locks, tags, and lockouts easy to find. Padlocks, clasps and tags supplied separately.

488524

Description	Size (cm)	Order Code	1+	5+	10+	25+
Four lock station	20.3 x 30.4	137-3153	112.12	108.76	105.49	102.33
Ten lock out station	48.2 x 30.4	137-3154	90.16	87.46	84.83	82.29
Department station	48.2 x 60.9	137-3155	175.30	170.03	164.94	159.98

Colour Coded Padlocks

kasp SECURITY



Health and Safety regulations regarding the isolation of industrial power supplies demand colour coded padlocks be used in conjunction with a lock-off hasp. Kasp padlocks, available in 6 colours, enable different departments or maintenance teams to operate autonomously, fulfilling Health & Safety obligations.

- Plastic coated body - maximum resistance against corrosion
- Brass shackle - anti-spark & added resistance against corrosion
- Available with different keys or keys alike (same colour only)

40mm	20mm	20mm	Shackle 6.4mm
------	------	------	---------------

460772.456698

Different Keys	Order Code	1+	5+	10+	25+
Black	132-2732	5.45	5.30	5.10	4.90
Blue	132-2733	5.45	5.30	5.10	4.90
Green	132-2735	5.45	5.30	5.10	4.90
Orange	132-2736	5.45	5.30	5.10	4.90
Red	132-2737	5.45	5.30	5.10	4.90
Yellow	132-2738	5.45	5.30	5.10	4.90
Keys Alike (For same colour)					
Black	145-3533	5.98	5.32	5.09	4.92
Blue	145-3534	5.98	5.32	5.09	4.92
Green	145-3535	5.98	5.32	5.09	4.92
Orange	145-3536	5.98	5.32	5.09	4.92
Red	145-3537	5.69	5.07	4.85	4.68
Yellow	145-3538	5.98	5.32	5.09	4.92

Cones

Traffic Cones

Roadhog



One-piece cone moulded from recycled PVC. Cost effective and durable budget cones, which are ideal for contractors. Roadhog is fitted with BS873: Part 6 Des 2 Sleeve. Robust and popular one-piece design. Distinctive base with raised ribs. Compression moulded from 100% Recycled highly durable PVC. 45cm/18" manufactured with hollowed top. Self-weighted for reliability and stability. The Roadhog range can be embossed with contractors details. Square base for easy alignment. Impregnated colour fast painting process for resistance to weathering. 75cm/30" manufactured with handgrip to aid placement. Fits with cone signs on page 0000.

486861

Size	Order Code	1+	5+	10+	25+
75 cm	137-5492	6.86	6.53	6.19	5.88

Traffic Management Cones

45cm / 18"



A standard one piece cone complete with a Des 2 sleeve. Comes in packs of 5.

488891

Height	Pack Qty	Order Code	1+	5+	10+	25+
45 cm / 18"	5	149-9190	18.14	17.60	17.07	16.55

Traffic Cones

Sand Weighed



Moulded in top quality polyethylene. High visibility cone with white reflectorised sleeve and sand weighted base. Meeting the 1975 traffic sign regulations. Des 2.

487475

Size	Order Code	1+	5+	10+	25+
(in) 18	137-5572	4.03	3.82	3.63	3.45
(in) 21	137-5573	6.98	6.64	6.31	6.00
(in) 24	137-5574	7.51	7.14	6.79	6.45


Over 480,000 products online



Barriers

Barriers

Post & Chain Demarcation Barrier



Post for post and chain demarcation barrier. Easily pushes into either standard or heavy duty base. Chain connector cap fitted. Available in 4 colours.

Colour	Order Code	1+	5+	10+	25+
Red / white	137-5509	5.52	5.23	4.97	4.73
Yellow	137-5510	4.13	3.94	3.72	3.54
Black / yellow	137-5511	5.52	5.23	4.97	4.73

Chain

Chain for post and chain demarcation barrier. Available in 6 colours. Supplied in 25m lengths. Available in 6mm diameter or 8mm diameter.

Diameter (mm)	Colour	Order Code	1+	5+	10+	25+
6	Red/White	137-5472	31.55	29.97	28.49	27.06
6	Black/Yellow	137-5498	31.55	29.97	28.49	27.06
8	Red/White	137-5473	42.32	40.21	38.19	36.29
8	Black/Yellow	137-5503	42.32	40.21	38.19	36.29

Standard Base

Base for post and chain demarcation barrier. Ideal for internal use.

Order Code	1+	5+	10+	25+
137-5475	4.48	4.25	4.05	3.84

Heavy Duty Base

Base for post and chain demarcation barrier. Heavy duty 3kg weight base. Excellent where additional stability is required.

Order Code	1+	5+	10+	25+
137-5476	6.04	5.74	5.43	5.18

Connector Links

Ideal for connecting 6 or 8mm chain together. White 6mm/8mm . Pack 10.

488698

Order Code	1+	5+	10+	25+
137-5474	4.54	4.32	4.10	3.91

Barrier

Steel Expanding Barrier



Lightweight, steel, expanding barrier, easy to use and transport, flexible width, ideal for fencing off a variety of areas. The expanding barrier is a metal barrier perfect for use to restrict the entry of vehicles into areas such as warehouses or exhibition centres. Flexible expanding barrier, easy to use, in either Red/White or Yellow/Black, of concertina design. Maximum expanded width 2.25m. Minimum closed width 25cm with 39cm depth. Height 1.22m. Easily portable at only 7.5kgs in weight

488695

Colour	Order Code	1+	5+	10+	25+
Yellow / Black	137-5512	105.36	100.09	95.09	90.33

700 products added online every week




See our pick of the hottest products and latest technologies in 'What's New?' at www.farnell.co.uk



Markers

Caution Tape



JSP offers a wide range of caution tapes: hazard, underground warning, lane marking and insulation tapes to suit a wide variety of applications. The underground, zebra and hazard tapes are extruded from Polyethylene. The range of adhesive, insulation, lane marking and zebra tapes are manufactured from PVC with a high grab adhesive backing for excellent adhesion.

491636

Colour	Description	Size (m x cm)	Order Code	Price Each	
				1+	5+
Blue	Insulation tape	33 x 1.9	137-5481	0.85	0.81
White	Insulation tape	33 x 1.9	137-5523	0.85	0.81
Yellow	Insulation tape	33 x 1.9	137-5524	0.85	0.81
Black	Insulation tape	33 x 1.9	137-5525	0.85	0.81
Green	Insulation tape	33 x 1.9	137-5526	0.85	0.81
Red	Insulation tape	33 x 1.9	137-5527	0.85	0.81
Green/Yellow	Insulation tape	33 x 1.9	137-5528	0.85	0.81
Red/White	Zebra tape	50 x 7	137-5482	2.03	1.93
Red/White	Zebra tape	100 x 7	137-5483	3.18	3.02
Red/White	Zebra tape	500 x 7	137-5485	5.47	5.19
Black/Yellow	Zebra tape	500 x 7	137-5486	6.38	6.06
Black/Yellow	Zebra tape SA	33 x 5	137-5487	4.45	4.22



Oil Absorbent Roll

48cm x 44m




The oil roll will float on water to remove hydrocarbons from the surface. Required length can be selected from the roll to suit applications. Particularly useful outdoors if it's raining.

488785

Size of Roll	Order Code	Price Each			
		1+	5+	10+	25+
48cm x 44m	149-9131	40.62	39.39	38.21	37.07

Maintenance Absorbent Pads



Handy sized pads suitable for many workshop leaks, drips and splashes.

488783

Pack Qty	Order Code	Price Per Pack			
		1+	5+	10+	25+
100	149-9128	51.95	50.39	48.88	47.42

Chemical Absorbent Pads



These heavyweight absorbent pads and sheets are made from meltblown polypropylene. Economical yet effective, these sheets are conveniently packaged for ease of use and quick response to clean up spillages.

488788

Pack Qty	Order Code	Price Per Pack			
		1+	5+	10+	25+
25	149-9135	14.32	13.90	13.48	13.07

Absorbent Oil Sock



The oil socks are a clean effective method of absorbing oil leaks around machinery. Supplied in standard 1.2m length.


488718

Pack Qty	Order Code	Price Per Pack			
		1+	5+	10+	25+
25	149-9122	50.34	48.83	47.37	45.95



Tapes

Lane Marking Tape



P.V.C lane marking tape ideal for demarcation.

486868

Colour	Size	Order Code	Price Each			
			1+	5+	10+	25+
White	33m X 5cm	137-5488	3.97	3.75	3.58	3.40
Yellow	33m X 5cm	137-5531	3.97	3.75	3.58	3.40

Safe Steps

Treads



Black, general purpose, self adhesive anti-slip treads. Hard wearing, resistant to water and oil. Ideally suited to stairs and walkways. Tread size 150 x 600mm.



493731

Pack Quantity	Order Code	Price Each	
		1+	5+
10	310-942	53.17	

Line Marking Paint



Permanent line marking paint in 750ml cans. 7 colour options available.



488896

Technical information at your fingertips



Over **352,000** technical datasheets available online.

Visit www.farnell.co.uk and look for the **Tech Info** heading in your search results.

Chemical Spill Kit - 15 litres

The kit is suitable for small chemical spills and is often found in laboratories. Chemical sorbents are suitable for all but the most aggressive chemicals. Seek manufacturers advice if unsure of compatibility. The kit comprises instruction sheet, pads, socks, disposable bags and ties all contained in a zip up, clear plastic bag.



488724

Size	Order Code	1+	5+	10+	25+
15 litres	149-9127	18.99	18.42	17.88	17.33

General Purpose Spill Kit - 70 litres

This kit is suitable for many workshop spills up to 70 litres. Comprising of instruction sheet, pads, socks, disposable bags and ties.



488803

Size	Order Code	1+	5+	10+	25+
70 litres	149-9132	59.06	57.30	55.57	53.91

Oil Spill Kit - 70 litres

This kit is suitable for oil spills up to 70 litres. Comprising instruction kit, pads, socks, disposable bags and ties and a roll of caution tape all held in a 75 litre container.



488804

Size	Order Code	1+	5+	10+	25+
70 litres	149-9133	57.04	55.33	53.68	52.07

Chemical Spill Kit - 70 litres

This kit is suitable for spills up to 70 litres. Comprising instruction kit, pads, socks, disposable bags and ties, and a roll of caution tape all held in a 75 litre container.



488805

Size	Order Code	1+	5+	10+	25+
70 litres	149-9134	64.23	62.30	60.43	58.62

General Purpose Absorbents

Designed to absorb most industrial fluids excluding acids and alkalis. Colour coded grey.

Loose product, ideal for covering large areas. Less dusty and more absorbent than clay or sawdust. Non-irritant, non-flammable and non-corrosive. 110 litre bag of fine absorbent granules. Typical absorbency per bag, 35 litres.



494228

Order Code	Price Each
325-895	1+ 24.53

Industrial Matting**OrthoMat® Safety Anti-Fatigue**

Features all the benefits of OrthoMat® Anti-Fatigue but with bright yellow borders to increase safety awareness. Charcoal with yellow borders.



493543


Size (m)	Order Code	Price Each
0.9 x 1.5	708-5084	1+ 63.08

First Step Contamination Control Mat

Used in high tech clean room operations. Adhesive surface captures dirt and dust particles from foot and equipment traffic. Easy to use peel-away sheets provide a fresh surface area immediately. Protective anti-microbial feature prevents bacteria growth. Supplied in packs of 8 x 30.

493355

Colour	Size (in)	Order Code	Price Each
White	18 x 46	121-851	1+ 219.45

Electrostatic Discharge Mats**Coba-Switch**

Ideal for dry environments open switchboards, high voltage equipment locations. Designed specifically for use in front of open switchboards and high voltage equipment. Provides safety for operatives against electrical shocks. Fine fluted surface has slip-resistance benefits. 6mm thick tested to 11,000 volts for 450 volt rated working. 9.5mm thick tested to 15,000 volts for 650 volt rated working (conforms to BS921/1976). Black only.



493145

Coba-Switch 9.5mm	Order Code	1+	Price Each	4+
Size				
0.9 x 10m	152-4432	138.43		134.28
1.2 x 10m	152-4435	184.40		178.86

Statutory & Information Notices

376712

It is an employers duty to inform employees of all relevant regulations, choose from a wide selection of notices to suit a variety of workplace environments. 1377131 - Provision & Use of Work Equipment Regulations now combines the following:- Power Presses, Abrasive Wheels, Woodworking Machines and Horizontal Milling Machines. All notices are encapsulated to resist water, dirt and grime.

Statutory & Information Notice**Provision & Use Of Work Equipment**

488806

Size (mm)	Order Code	1+	5+	10+	25+
415 x 615	137-7131	12.35	11.98	11.62	11.28



Statutory & Information Notices - continued

Statutory & Information Notice

Electricity At Work Regulations



488800

Size (mm)	Order Code	1+	5+	10+	25+
738 x 488	137-7132	10.66	10.34	10.03	9.73

Statutory & Information Notice

Abrasive Wheels - Dangers & Precautions



488798

Size (mm)	Order Code	1+	5+	10+	25+
609 x 418	137-7133	12.35	11.98	11.62	11.28

42

Statutory & Information Notice

Treatment For Asphyxia Including Electric Shock



488795

Size (mm)	Order Code	1+	5+	10+	25+
607 x 380	137-7134	10.39	10.08	9.78	9.48

Statutory & Information Notice

Health & Safety Law



488793

Size (mm)	Order Code	1+	5+	10+	25+
595 x 425	137-7135	11.44	11.08	10.76	10.43

Statutory & Information Notices

Additional Notices

488812

Description	Size (mm)	Order Code	1+	5+	10+	25+
COSHH Regulations Notice	603 x 429	137-9524	17.03	16.52	16.02	15.34
COSHH Employee's Obligations Notice	423 x 306	137-9526	10.66	10.34	10.02	9.59
Health & Safety (Display Screens) Regulations 1992 Notice	297 x 420	137-9527	9.62	9.34	9.05	8.66
General Register for Factories Booklet	210 x 297	137-9528	8.58	8.33	8.06	7.73
The Highly Flammable Liquids & Liquefied Petroleum Gases Regulations 1972 Notice	762 x 508	137-9529	22.61	21.92	21.25	20.34
Manual Handling Operations Regulations 1992 Notice	297 x 420	137-9530	9.62	9.34	9.05	8.66
Management of Health & Safety Regulations 1992 Notice	415 x 610	137-9531	12.35	11.98	11.61	11.11
Noise at Work Regulations 1989 Notice	297 x 420	137-9532	9.62	9.34	9.05	8.66
Danger from Gassing & Chemical Burns Notice	508 x 318	137-9534	12.35	11.98	11.61	11.11
Danger Inflation of Tyres & Removal of Wheels Notice	610 x 533	137-9536	16.56	16.07	15.57	14.90
Workplace Health, Safety & Welfare Regulations 1992 Notice	440 x 615	137-9538	12.35	11.98	11.61	11.11

First Aid Posters

First Aid Posters

Safety & Prevention



Protect your employees and avoid costly accidents.

User-friendly text and clear instructions show employees how to prevent accidents and injury whilst maintaining a healthy working environment. Durable laminated construction with full colour instructions.

488716

Description	Size (cm)	Order Code	1+	5+	10+	25+
Office safety guide	59 x 42	137-6525	15.32	14.86	14.41	13.97
Health & safety for computer operators	59 x 42	137-6437	13.28	12.88	12.50	12.13
Stress management	59 x 42	137-6438	13.28	12.88	12.50	12.13
Safe manual handling	59 x 42	137-6526	15.32	14.86	14.41	13.97
Fire safety	59 x 42	137-6528	15.32	14.86	14.41	13.97
First response for common ailments	59 x 42	137-6530	15.32	14.86	14.41	13.97

First Aid Posters

First Aid & Treatment/Guidance



Clear step by step instructions for dealing with the most common workplace emergencies. Fully updated for 2005. Ideal for first aiders and non first aiders alike. All titles include the very latest resuscitation protocols. Durable laminated construction with full colour illustrations.

488786

Description	Size (cm)	Order Code	Price Each			
			1+	5+	10+	25+
Workplace first aid	59 x 42	137-6505	14.11	13.68	13.27	12.87
Electric shock treatment	59 x 42	137-6502	14.38	13.95	13.54	13.13
First aid for eyes	59 x 42	137-6503	14.11	13.68	13.27	12.87
First aid for burns	59 x 42	137-6504	15.37	14.91	14.46	14.04
Health & safety at work	42 x 59	137-6520	15.07	14.62	14.17	13.74
Chemical spills	42 x 59	137-6439	13.28	12.88	12.50	12.13
First aid for external bleeding	42 x 59	137-6440	13.28	12.88	12.50	12.13
Construction sites	42 x 59	137-6527	15.32	14.86	14.41	13.97
Sharps disposal & needlestick injuries	42 x 59	137-6529	15.32	14.86	14.41	13.97

First Aid Signs

Types of Safety Signs

495201

Safe Condition

A square or rectangle with a white border offering information about safe conditions within a designated area. Additional text for clarity may be included. 'Text only' signs no longer comply, they must contain a symbol.



Fire Fighting

A red square or rectangle encompassing a white symbol indicates the whereabouts of fire fighting equipment.



Mandatory Action

A blue circle encompassing a white symbol demands that this particular action MUST be carried out within a designated area.



Prohibition

A red circle with a red diagonal line through a white background and the black symbol within, indicates that this particular act is prohibited within a designated area.



Hazard Identification

A yellow triangle with a black border with a black symbol within, indicates that there are potential hazards within a designated area.



Supplementary Information

Additional text for clarity may be included.

Safety Signs

All safe condition safety sign designs are guaranteed to comply with the relevant UK & EC legislation.

- Background colour shall be green

The symbol or text shall be white

- The shape of the sign shall be oblong or square to accommodate the text or symbol
- Green shall cover at least 50% of the area of the safety sign
- Available in self adhesive vinyl and semi-rigid plastic SAV = Self-adhesive Vinyl. RP = 1.5mm Rigid Plastic

495205

Eye Wash Sign



495206

Size (mm)	Material	Order Code	Price Each
250 x 200	SAV	114-166	3.35

First Aid Sign



495222

Size (mm)	Material	Order Code	Price Each
250 x 200	SAV	155-3688	4.59


First Aid Station Sign



495223

Size (mm)	Material	Order Code	Price Each
250 x 200	SAV	114-172	3.85
250 x 200	RP	114-967	4.55


First Aiders Sign



495224

Size (mm)	Material	Order Code	Price Each
327 x 240	RP	128-4445	34.55

'Your Nearest First Aiders Are' Sign



495225

Size (mm)	Material	Order Code	Price Each
327 x 240	RP	128-4449	32.28

Photo Luminescent Signs

Photo Luminescent Signs

376759

- Helps eliminate the consequences and inherent risk of power failure and blackout caused when lightning sources are obscured by smoke.
- Visual communications compete with one another - in any emergency a photoluminescent safety message will stand out from other less important information.
- These signs provide 3-4 times the luminance performance when compared to P.S.P.A Class A materials.
- They also comply with the recommendations of the British Standard Document BSA5499- Part 4: 2000. It recommends the use of the internationally recognised graphical symbol for escape routes, which meet the requirements of the Health & Safety (Safety Signs and Signals) Regulations 1996 (SI No. 341). It also recommends the use of upper and lower case lettering - visually impaired people read and understand



Photo Luminescent Signs - continued

Photo Luminescent Signs - continued

- words with an initial upper-case letter more clearly.
- Fire Exit Signs can be used as single sided-hanging signs - simply drill two holes in the top border of the chosen sign.
- Fire Extinguisher Identification Signs contain graphical symbols from EN 3-5: 1996, with instructions on which fires the extinguisher is safe to use and which is not.
- SAV = Self Adhesive Vinyl, RP = 1.5mm rigid plastic

Fire Exit Sign (Arrow Left)



495262

Size (mm)	Material	Order Code	Price Each
120 x 340	SAV	323-045	9.83
120 x 340	RP	323-046	12.80
150 x 400	SAV	323-047	17.10
200 x 450	SAV	323-042	20.59

Fire Exit Sign (Arrow Right)



495263

Size (mm)	Material	Order Code	Price Each
120 x 340	SAV	323-028	11.25
200 x 450	SAV	323-026	22.05

Fire Exit Sign (Arrow Down)



495264

Size (mm)	Material	Order Code	1+	5+	10+	25+
120 x 340	RP	137-7163	13.26	12.86	12.47	12.10
150 x 400	SAV	137-9658	17.75	17.21	16.68	15.99
150 x 400	RP	137-9659	21.96	21.31	20.66	19.76
200 x 450	SAV	137-9656	22.86	22.19	21.50	20.58
200 x 450	RP	137-9657	27.69	26.87	26.02	24.91

Fire Exit Sign



495274

Size (mm)	Material	Order Code	1+	5+	10+	25+
120 x 340	SAV	137-7165	10.85	10.54	10.20	9.92
120 x 340	RP	137-9660	13.26	12.86	12.45	11.93
150 x 400	RP	137-9661	21.96	21.31	20.66	19.76

Fire Exit Signs

Fire Exit Sign (Arrow Up)



489281

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 450	SAV	137-9398	3.84	3.72	3.62	3.46
150 x 450	RP	137-9540	4.69	4.55	4.40	4.22
250 x 850	SAV	137-9399	4.69	4.55	4.40	4.22
250 x 850	RP	137-9541	7.39	7.16	6.95	6.66

Fire Exit Sign (Arrow Down)



489285

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 450	SAV	137-9400	3.97	3.85	3.73	3.58
150 x 450	RP	137-7144	4.69	4.55	4.41	4.28
250 x 850	SAV	137-9401	4.69	4.55	4.40	4.22
250 x 850	RP	137-9542	7.16	6.95	6.74	6.44

Fire Exit Sign (Arrow Left)



489293

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 450	SAV	137-9404	3.84	3.72	3.62	3.46
150 x 450	RP	137-9545	6.57	6.39	6.22	6.06

Fire Exit Sign (Arrow Right)



489288

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 450	SAV	137-9402	3.84	3.72	3.62	3.46
150 x 450	RP	137-9543	4.69	4.55	4.40	4.22

'Fire Exit Keep Clear' Sign



495313

Size (mm)	Material	Order Code	Price Each
150 x 450	RP	128-4418	10.04
150 x 450	SAV	162-2827	7.95

Fire & Emergency Signs


Fire Assembly Point Sign



488596

Size (mm)	Material	Order Code	1+	5+	10+	25+
250 x 350	SAV	137-9406	4.16	4.04	3.90	3.74
250 x 350	RP	137-7145	5.34	5.19	5.04	4.87

Fire Assembly Point Sign



489270

Size (mm)	Material	Order Code	1+	5+	10+	25+
250 x 350	SAV	137-9407	4.16	4.04	3.90	3.74
250 x 350	RP	137-9547	5.34	5.19	5.03	4.80

'Fire Exit Keep Clear' Sign



488555

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 600	SAV	137-7114	4.69	4.55	4.41	4.28
300 x 600	RP	137-9554	6.77	6.55	6.36	6.09

Fire Exit Sign (Arrow Up)



495333

Size (mm)	Material	Order Code	Price Each
150 x 300	RP	114-951	3.30

Fire Exit Sign (Arrow Down)



490768

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 300	SAV	137-9414	1.57	1.52	1.47	1.42

Fire Exit Sign (Arrow Left)



490773

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 300	SAV	137-9415	1.57	1.52	1.47	1.42

Fire Exit Sign (Arrow Right)



495457

Size (mm)	Material	Order Code	Price Each
150 x 300	RP	114-954	2.53

Fire Alarm Symbol Sign



495462

Size (mm)	Material	Order Code	Price Each
100 x 100	RP	128-4468	6.50
100 x 100	SAV	128-4469	4.11
200 x 200	RP	128-4470	9.25

Fire Action Sign



489042

Size (mm)	Material	Order Code	1+	5+	10+	25+
250 x 200	RP	137-9631	4.50	4.37	4.22	4.04
300 x 250	SAV	137-9498	3.78	3.67	3.56	3.39

Fire Action Multi Message Sign



495464

Size (mm)	Material	Order Code	Price Each
230 x 172	RP	128-4473	8.22
230 x 172	SAV	155-2540	8.33

Push Bar to Open Sign



495465

Size (mm)	Material	Order Code	Price Each
75 x 600	RP	128-4545	10.75

'Pull' Sign



495466

Size (mm)	Material	Order Code	Price Each
150 x 37	RP	128-4547	4.05
150 x 37	SAV	128-4548	2.42

Help us to help the environment



This catalogue has been printed on paper certified from a sustainable source.

Please recycle after use.

Fire & Emergency Signs - continued

'Push' Sign



495467

Size (mm)	Material	Order Code	Price Each			
150 x 37	RP	128-4549	1+	5+	10+	25+
150 x 37	SAV	128-4550	1.29	1.26	1.22	1.16

Fire Equipment Signs

'Fire Alarm Call Point' Sign



489256

Size (mm)	Material	Order Code	1+	5+	10+	25+
250 x 250	SAV	137-9439	3.84	3.72	3.62	3.46
250 x 250	RP	137-9579	4.69	4.55	4.40	4.22

Fire Point Sign



495497

Size (mm)	Material	Order Code	Price Each			
250 x 250	SAV	114-213	1+	5+	10+	25+
250 x 250	RP	115-008	3.95	4.85		

Fire Extinguisher Sign



488967

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 250	SAV	137-9441	3.78	3.67	3.56	3.39
300 x 250	RP	137-9581	4.50	4.37	4.22	4.04

Fire Extinguisher Sign



490779

Size (mm)	Material	Order Code	1+	5+	10+	25+
100 x 200	SAV	137-9442	1.29	1.26	1.22	1.16

Fire Alarm Sign



490785

Size (mm)	Material	Order Code	1+	5+	10+	25+
100 x 200	RP	137-9583	1.57	1.52	1.47	1.42

Mandatory Fire Signs

'Automatic Fire Door Keep Clear' Sign



488525

Size (mm)	Material	Order Code	1+	5+	10+	25+
100 x 100	SAV	137-9477	0.80	0.76	0.74	0.70

'Fire Door Keep Shut' Sign



488646

Size (mm)	Material	Order Code	1+	5+	10+	25+
100 x 100	SAV	137-7126	0.80	0.76	0.74	0.71
100 x 100	RP	137-7156	3.20	3.11	3.02	2.94

'Fire Escape Keep Clear' Sign



488667

Size (mm)	Material	Order Code	1+	5+	10+	25+
100 x 100	SAV	137-9487	0.80	0.76	0.74	0.70
200 x 200	SAV	137-9488	3.01	2.91	2.82	2.71
200 x 200	RP	137-9622	3.20	3.11	3.02	2.88

'Keep Clear Fire Escape' Sign



488668

Size (mm)	Material	Order Code	Price Each			
			1+	5+	10+	25+
250 x 200	SAV	137-9489	3.78	3.67	3.56	3.39
300 x 250	SAV	137-9490	3.78	3.67	3.56	3.39
300 x 250	RP	137-9624	4.50	4.37	4.22	4.04

'Keep This Area Clear Of All Obstructions' Sign



488854

Size (mm)	Material	Order Code	Price Each			
			1+	5+	10+	25+
300 x 250	SAV	137-9491	3.78	3.67	3.56	3.39
300 x 250	RP	137-9625	4.50	4.37	4.22	4.04

'Keep Fire Exit Clear and Free of Rubbish' Sign



495550

Size (mm)	Material	Order Code	Price Each	
			1+	25+
200 x 150	SAV	128-4432	3.86	
400 x 300	RP	128-4433	17.10	

General Signs

'Emergency Stop Push Button' Sign



489248

Size (mm)	Material	Order Code	Price Each			
			1+	5+	10+	25+
75 x 50	SAV	137-9416	3.06	2.97	2.88	2.75
250 x 200	SAV	137-9417	3.72	3.62	3.50	3.34

General Mandatory Signs

Hand Washing Sign



488784

Size (mm)	Material	Order Code	Price Each			
			1+	5+	10+	25+
150 x 125	SAV	137-9492	2.59	2.51	2.44	2.33
150 x 125	RP	137-9626	3.52	3.40	3.29	3.17

Lift Correctly Sign



488850

Size (mm)	Material	Order Code	Price Each			
			1+	5+	10+	25+
150 x 125	SAV	137-9503	2.59	2.51	2.44	2.33
150 x 125	RP	137-9635	3.52	3.40	3.29	3.17
300 x 250	SAV	137-9504	3.78	3.67	3.56	3.39
300 x 250	RP	137-9636	4.42	4.30	4.16	3.99

'Guards Must Be In Position Before Starting' Sign



489034

Size (mm)	Material	Order Code	Price Each			
			1+	5+	10+	25+
75 x 50 (10)	SAV	137-9500	3.12	3.03	2.94	2.81
175 x 125	SAV	137-9502	3.12	3.03	2.94	2.81

'Keep Locked' Sign



495798

Size (mm)	Material	Order Code	Price Each	
			1+	25+
200 x 150	RP	128-4481	7.40	
200 x 150	SAV	128-4482	4.04	

'Wear Masks' Sign



495804

Size (mm)	Material	Order Code	Price Each	
			1+	25+
250 x 150	RP	128-4498	10.75	
250 x 150	SAV	128-4499	6.43	

'Wear Visor' Sign



General Mandatory Signs - continued

'Wear Visor' Sign - continued

495805

Size (mm)	Material	Order Code	Price Each
200 x 150	SAV	128-4507	4.04

Mandatory Personal Protection Signs

376844

'Head Protection Must Be Worn' Sign



495812

Size (mm)	Material	Order Code	Price Each
150 x 125	RP	115-108	3.17
300 x 250	RP	115-109	3.87

Eye Protection Sign



488709

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 125	SAV	137-9510	2.59	2.51	2.44	2.33
150 x 125	RP	137-9643	3.52	3.40	3.29	3.17
300 x 250	SAV	137-9511	3.72	3.62	3.50	3.34
300 x 250	RP	137-9644	4.50	4.37	4.22	4.04

'Eye Protection Must Be Worn' Sign



488787

Size (mm)	Material	Order Code	Price Each
150 x 125	SAV	137-7129	2.59
150 x 125	RP	137-9645	3.46
300 x 250	SAV	137-9512	3.72
300 x 250	RP	137-7159	4.57

'Hearing Protection Must Be Worn' Sign



488712

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 125	SAV	137-9508	2.59	2.51	2.44	2.33
150 x 125	RP	137-9640	3.52	3.40	3.29	3.17
300 x 250	SAV	137-9509	3.72	3.62	3.50	3.34
300 x 250	RP	137-9642	4.50	4.37	4.22	4.04

'Ear Protectors Must Be Worn In This Area' Sign



489024

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 125	SAV	137-9507	2.59	2.51	2.44	2.33
150 x 125	RP	137-9638	3.52	3.40	3.29	3.17
300 x 250	SAV	137-7128	3.72	3.62	3.51	3.39
300 x 250	RP	137-9639	4.52	4.38	4.23	4.05

'Hand Protection Must Be Worn In This Area' Sign



488935

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 125	SAV	137-9514	2.59	2.51	2.44	2.33
150 x 125	RP	137-9646	3.52	3.40	3.29	3.17

'Hand Protection Must Be Worn' Sign



488938

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 125	SAV	137-9516	2.59	2.51	2.44	2.33
150 x 125	RP	137-9648	3.52	3.40	3.29	3.17

'Foot Protection Must Be Worn' Sign



488950

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 125	SAV	137-9520	2.59	2.51	2.44	2.33
150 x 125	RP	137-9652	3.52	3.40	3.29	3.17
300 x 250	SAV	137-9521	3.78	3.67	3.56	3.39
300 x 250	RP	137-9654	4.50	4.37	4.22	4.04

'High Visibility Clothing Must Be Worn In This Area' Sign



488955

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 250	SAV	137-9522	3.78	3.67	3.56	3.39
300 x 250	RP	137-9655	4.50	4.37	4.22	4.04

Prohibition Signs

Instruct staff and visitors that certain behaviour and actions are prohibited. The Health and Safety (safety signs and signals) Regulations 1996 details that Prohibition Signs must be displayed to prohibit dangerous behaviour, access to certain areas and types of behaviour. Prohibition Signs must have a black pictogram encircled by a red band and then dissected by a red diagonal bar, the red will form 35% of the sign.

SAV = self adhesive vinyl

RP = 1.5mm rigid plastic

498303

'Do Not Use Mobile Phones' Sign



495838

Size (mm)	Material	Order Code	Price Each
250 x 200	RP	115-024	4.55

'Turn Off All Mobile Phones' Sign



495839

Size (mm)	Material	Order Code	Price Each
250 x 200	SAV	114-230	3.40
250 x 200	RP	115-025	4.55

'No Parking' Sign



495848

Size (mm)	Material	Order Code	Price Each
250 x 350	SAV	114-233	3.58
250 x 350	RP	115-028	4.60

'No Admittance Authorised Personnel Only' Sign



488700

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 250	RP	137-7153	4.42	4.30	4.16	4.04

'No Entry' Sign



490793

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 250	RP	137-9457	3.78	3.67	3.56	3.39
300 x 250	SAV	137-9596	4.42	4.30	4.16	3.99

'Unauthorised Persons Prohibited Beyond This Point' Sign



488702

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 250	RP	137-7154	4.42	4.30	4.16	4.04

'No Pedestrians' Sign



495899

Size (mm)	Material	Order Code	Price Each
300 x 250	SAV	114-244	3.90
300 x 250	RP	115-039	3.99

'No Access' Sign



495900

Size (mm)	Material	Order Code	Price Each
300 x 250	RP	115-038	3.81

Hazard Signs

Hazard Signs

376883

All warning safety sign designs are guaranteed to comply with the relevant UK & EC legislation:

- Background colour shall be yellow
- Triangular band shall be black
- The symbol or text shall be black and placed centrally on the background
- Yellow shall cover at least 50% of the area of the safety sign
- Available in self adhesive and semi-rigid plastic

SAV = self adhesive vinyl

RP = 1.5mm rigid plastic

'Caution Fragile Roof' Sign



488824

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 250	SAV	137-9421	3.72	3.62	3.50	3.34
300 x 250	RP	137-9563	4.42	4.30	4.16	3.99
600 x 450	RP	137-9564	11.57	11.22	10.88	10.41

'Caution Mind Your Head' Sign



Hazard Signs - continued

'Caution Mind Your Head' Sign - continued

488585

Size (mm)	Material	Order Code	1+	5+	10+	25+
250 x 200	SAV	137-9424	3.78	3.67	3.56	3.39
250 x 200	RP	137-9565	4.42	4.30	4.16	3.99
300 x 250	SAV	137-9425	3.78	3.67	3.56	3.39
300 x 250	RP	137-9566	4.42	4.30	4.16	3.99

'Danger Drop' Sign



488579

Size (mm)	Material	Order Code	1+	5+	10+	25+
175 x 125	SAV	137-9426	3.12	3.03	2.94	2.81
175 x 125	RP	137-9567	4.50	4.37	4.22	4.04
300 x 250	RP	137-9568	4.50	4.37	4.22	4.04

'Caution Mind The Step' Sign



488562

Size (mm)	Material	Order Code	1+	5+	10+	25+
175 x 125	SAV	137-9428	3.12	3.03	2.94	2.81
175 x 125	RP	137-9569	4.50	4.37	4.22	4.04
300 x 250	SAV	137-9429	3.78	3.67	3.56	3.39
300 x 250	RP	137-9570	4.42	4.30	4.16	3.99

'Danger Slippery Surface' Sign



495905

Size (mm)	Material	Order Code	Price Each
175 x 125	SAV	114-185	3.50
175 x 125	RP	114-980	4.05
300 x 250	SAV	114-186	3.25

'Caution Fork Lift Trucks' Sign



488565

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 125	SAV	137-9430	2.59	2.51	2.44	2.33
150 x 125	RP	137-9571	3.52	3.40	3.29	3.17
300 x 250	SAV	137-9431	3.78	3.67	3.56	3.39
300 x 250	RP	137-9572	4.42	4.30	4.16	4.04

'Danger Fork Lift Trucks' Sign



488601

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 350	SAV	137-9432	3.78	3.67	3.56	3.39
350 x 250	RP	137-7147	4.42	4.30	4.16	4.04

'Danger Very Hot Water' Sign



*Supplied on sheet with ten stickers.

488558

Size (mm)	Material	Order Code	1+	5+	10+	25+
75 x 50 (10)*	SAV	137-7116	3.12	3.03	2.95	2.85
175 x 125	SAV	137-9433	3.12	3.03	2.94	2.81
175 x 125	RP	137-9572	4.42	4.30	4.16	3.99

'Danger Hot' Sign



488621

Size (mm)	Material	Order Code	1+	5+	10+	25+
150 x 125	SAV	137-9437	2.59	2.51	2.44	2.33
150 x 125	RP	137-9575	3.52	3.40	3.29	3.17
300 x 250	SAV	137-9438	3.84	3.72	3.62	3.46
300 x 250	RP	137-9576	4.50	4.37	4.22	4.04

'Danger Automatic Machinery Liable To Start Without Warning' Sign



488641

Size (mm)	Material	Order Code	1+	5+	10+	25+
175 x 125	SAV	137-7122	3.12	3.03	2.95	2.85
175 x 125	RP	137-9577	4.50	4.37	4.22	4.04
300 x 250	SAV	137-7123	3.78	3.67	3.56	3.44
300 x 250	RP	137-9578	4.50	4.37	4.22	4.04

'Caution Risk Of Electric Shock' Sign



488620

Size (mm)	Material	Order Code	1+	5+	10+	25+
75 x 50 (10)	SAV	137-7117	7.75	7.54	7.34	7.15
175 x 125	SAV	137-7118	3.12	3.03	2.95	2.85
175 x 125	RP	137-7148	4.50	4.37	4.23	4.10
350 x 250	SAV	137-9435	4.16	4.04	3.90	3.74
350 x 250	RP	137-9573	5.28	5.13	4.95	4.75

'Caution High Voltage' Sign



488630

Size (mm)	Material	Order Code	1+	5+	10+	25+
75 x 50 (10)	SAV	137-7119	3.12	3.03	2.95	2.85
175 x 125	SAV	137-7120	3.12	3.03	2.95	2.85
175 x 125	RP	137-7149	4.50	4.37	4.23	4.10
350 x 250	SAV	137-9436	4.16	4.04	3.90	3.74
350 x 250	RP	137-7150	5.28	5.13	4.95	4.80

'Danger of Death' Sign



488696

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 250	SAV	137-7121	3.78	3.67	3.56	3.44
300 x 250	RP	137-7151	4.50	4.37	4.23	4.10

'Warning Petroleum Mixture' Sign



495964

Size (mm)	Material	Order Code	Price Each
450 x 630	RP	128-4511	26.67

'Warning Flammable Liquid' Sign



495966

Size (mm)	Material	Order code	Price Each
450 x 630	RP	128-4513	26.67

Technical information at your fingertips



Over **352,000** technical datasheets available online.

Visit www.farnell.co.uk and look for the **Tech Info** heading in your search results.

'Danger High Voltage, No Unauthorised Access' Sign



495967

Size (mm)	Material	Order Code	Price Each
300 x 450	RP	128-4520	16.44
300 x 450	SAV	128-4521	10.27

'Caution Disabled Access Ramp' Sign



495969

Size (mm)	Material	Order Code	Price Each
400 x 300	RP	128-4436	17.10
400 x 300	SAV	128-4437	10.07

'Warning Dangerous Chemicals' Sign



495971

Size (mm)	Material	Order Code	Price Each
200 x 150	RP	128-4535	6.45
200 x 150	SAV	128-4536	3.86

'Danger 240 Volts' Sign



495972

Size (mm)	Material	Order Code	Price Each
200 x 150	RP	128-4524	6.45
200 x 150	SAV	128-4525	4.04

'Danger Live Busbars' Sign



495973

Size (mm)	Material	Order Code	Price Each
200 x 150	SAV	128-4527	4.04



Hazard Signs - continued

'Danger Live Wires' Sign



495997

Size (mm)	Material	Order Code	Price Each
200 x 150	RP	128-4528	6.45
200 x 150	SAV	128-4529	3.86

'Danger Main Switch' Sign



495998

Size (mm)	Material	Order Code	Price Each
200 x 150	RP	128-4530	6.45

'Emergency Stop' Sign



495999

Size (mm)	Material	Order Code	Price Each
200 x 150	RP	128-4552	6.45
200 x 150	SAV	128-4553	4.04

Security Notices

CCTV Security Notices

Style Nos. SEC327-SEC330 require you to add your personalised information

A = The person or organisation responsible for the scheme and its purpose

B = Contact details

Choose a standard sign

- Place in a prominent position and deter potential criminal activity
- Inform of widespread security surveillance
- If you use dummy CCTV cameras, adding these signs could strengthen your message by persuading would-be intruders that a genuine CCTV system is in operation
- Choose from 3 quality materials:
- Self-adhesive vinyl - ideal for indoor use (SAV)
- 1.5mm rigid plastic - suitable for use indoors and out, fixings required (RP)
- Vandal-resistant - ideal for areas prone to vandalism, fixings required (VR)

376897

'This Organisation Operates a 24Hr CCTV Scheme' Notice



496020

Size (mm)	Material	Order Code	Price Each
300 x 400	SAV	110-106	9.29
300 x 400	RP	110-107	14.88

'This Car Park Is Monitored By CCTV Surveillance' Notice



496021

Size (mm)	Material	Order Code	Price Each
300 x 400	RP	110-122	14.93

'Video Surveillance Is In Use On These Premises' Notice



488553

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 400	SAV	137-9397	10.79	10.47	10.15	9.72
300 x 400	RP	137-7113	7.54	7.31	7.09	6.88

No Smoking Signs

No Smoking Signs

All prohibition safety sign designs comply with the relevant UK and EC legislation:

- Background colour shall be white
- Circular bar and crossbar shall be red
- The symbol shall be black and placed centrally on the background and shall not obliterate the crossbar
- Red shall cover at least 35% of the area of the safety sign

SAV = self adhesive vinyl

RP = 1.5mm rigid plastic

376870

No Smoking Sign



489081

Size (mm)	Material	Order Code	1+	5+	10+	25+
175 x 125	SAV	137-7125	3.12	3.03	2.95	2.85
175 x 125	RP	137-9600	4.50	4.37	4.22	4.04

No Smoking Sign



488662

Size (mm)	Material	Order Code	1+	5+	10+	25+
50 x 50 (10)	SAV	137-9469	9.69	9.41	9.11	8.72
125 x 125	SAV	137-9470	0.98	0.96	0.92	0.89
125 x 125	RP	137-9606	3.52	3.40	3.29	3.17
250 x 250	RP	137-9607	4.83	4.69	4.55	4.35

'No Smoking, No Drinking Or Eating' Sign



488550

Size (mm)	Material	Order Code	1+	5+	10+	25+
300 x 300	SAV	137-9473	4.16	4.04	3.90	3.74
300 x 300	RP	137-9608	5.28	5.13	4.95	4.75

Wipes

Industrial Cloth Wipers



Cotton A1 (MXC) Cloth Wiper

Quality cotton based materials. All absorbent. Superb low cost, high value general purpose wiping cloths. Weight 10kg.

Order Code	Price Each
342-721	10.60

Industrial Wipers

Highly absorbent, soft, high bulk wipers. Weight 10kg.

Order Code	Price Each
342-722	13.26

T-Shirt

Best value soft wipers, suitable for polishing. High number of cloths per kilo, representing low cost in use. Ideal for general - purpose use, as well as printing and auto trades. Weight 10kg.

Order code	Price Each
342-723	16.65

No.1 White Cloth Wiper

Low linting, absorbent cloths ideal for use with solvents and on surfaces which must remain colour free. All cotton based materials. Weight 10kg.

Order Code	Price Each
340-630	16.72

White Sheeting Cloth Wiper

Inherently the best wiping cloth available. Very low linting/smearing; 100% cotton cloths. Ideal for use on stainless steel and glass. Strong, pliable, absorbent and durable.

491824

Description	Order Code	Price Each
4kg dispenser box	340-639	15.50
10kg compressed bag	342-727	37.89

Folded Hand Towels

Kleenex Supersoft - 6761



3 ply highly absorbent AIRFLEX* fabric that gives outstanding performance and efficient drying for customer delight. Self presenting towels reduce waste and consumption and are more hygienic. Extra soft providing ultimate care to skin. Tearproof even when wet. AIRFLEX* highly absorbent fabric provides volume & textile structure offering comfort and softness.

494846

Description	Ply	Colour	Sheets Per Sleeve	Sleeves Per Case	Order Code	Price Each
6761	3	White	88	30	155-9041	71.11

Centre Feed Paper Wipers

Wypall L30 Wipers



The centrefeed dispensing system is ideal for use in clean and dirty manufacturing. Strong fast absorbing wipers for general purpose use.

494570

Description	Colour	Ply	Sheet Size (mm)	Sheets Per Roll	Rolls Per Case	Order Code	Price Each
7302	Blue	2	206 x 380	300	6	155-9052	62.43
7303	White	2	206 x 380	300	6	155-9053	43.67

Rolls



Highly absorbent, hard wearing rolls in dispensing box.

494511

Size	Absorption Capacity Per Roll	Order Code	Price Each
50cm x 90m	145 litres	329-582	1+ 106.85

Wiper Dispenser

Mobile Roll Dispenser - 6155



Large roll dispenser with bin bag for WYPALL* Wipers and Cloths. Mobile roll-system with bin for mobility, versatility, and a clean environment.

491135

Description	Order Code	Price Each
Dispenser	709-3597	1+ 57.27

Paper Wipers

L10 Wipers - 7140



Large roll system offers high capacity and controlled usage. Wipers are guaranteed to clean up. High capacity and low cost-in-use. 8 out of 10 users prefer it and up to 15% less wipers are used.

494075

Description	Colour	Sheet Size (mm)	Sheets Per Roll	Order Code	Price Per Roll
7140	Blue	235 x 380	1500	155-9021	15.37

Coming soon



Register your interest for items that are 'Coming Soon' at www.farnell.co.uk and we'll email you to let you know that they're in stock.

Wipes - continued

Cloth Wipers

Wypall X60 Wipers



Large roll system offers high capacity and controlled usage. Versatile and durable for economical wiping. These are our most conformable and flexible re-usable cloths ideal when precision and absorbency are required. Recommended for dealing with difficult corners or surfaces.



49381

Description	Colour	Sheet Size (mm)	Sheets Per Roll	Rolls Per Case	Order Code	Price Each 1+
Wypall X60	White	380 x 410	750	1	155-9051	76.62

Wypall L40 Wipers



Bulky wipers with excellent absorption capacity and wet strength. Ideal for cleaning up larger spillages and suitable for most surfaces. Large roll system offers high capacity and controlled usage.



492979

Description	Colour	Ply	Sheet Size (mm)	Sheets Per Roll	Order Code	Price Per Roll
Wypall L40	Blue	3	235 x 380	750	155-9038	32.86

42

Large Roll Paper Wipers

Wypall L30 Wipers - 7301



Large roll system offers high capacity and controlled usage. Strong fast absorbing wipers for general purpose use.

493116

Description	Colour	Ply	Sheet Size (mm)	Sheets Per Roll	Order Code	Price Each 1+
Wypall L30	Blue	2	330 x 380	500	155-9020	19.81

Wypall L10 Paper Wipers

7132 & 7133



The centrefeed dispensing system is ideal for use in clean and dirty manufacturing. Wipers for frequent light wiping and small spillages. 8 out of 10 users prefer it and up to 15% less wipers are used.

493146

Description	Colour	Sheet Size (mm)	Sheets Per Roll	Rolls Per Case	Order Code	Price Per Case
Wypall L10	Blue	206 x 380	600	6	155-9054	28.57
Wypall L10	White	206 x 380	600	6	155-9055	28.69

Folded Cloth Wipers

Wypall X60 Brag Box - 6035



The Patented BRAG* Box, is a portable dispensing system with large capacity. Easy to handle and store. Strong fast absorbing wipers for general purpose use.

493353

Description	Colour	Ply	Sheet Size (mm)	Sheets Per Box	Boxes Per Case	Order Code	Price Each 1+
Wypall X60	White	1	310 x 420	200	1	155-9050	34.14

Small Roll Paper Wipers

Wypall L20 Wipers - 7285



Traditionally one of the most popular ranges with applications across all segments from manufacturing to healthcare. Wipers for the removal of lighter soiling from surfaces.

493733

Description	Colour	Ply	Sheet Size (mm)	Sheets Per Roll	Rolls Per Case	Order Code	Price Each 1+
Wypall L20	Blue	1	240 x 460	115	24	155-9057	73.14

Specialist Wipers

Kimtech Science Delicate Task Wipers Pop-Up Box



Low linting ideal for delicate task wiping. Designed for use within laboratories for the cleaning and wiping of delicate surfaces such as lenses, slides and scientific instruments. Made from 100% virgin fibre, giving more absorbency and a softer feel. Ideal for wiping up small spills, cleaning pipette.

493844

Description	Colour	Ply	Sheet Size (mm)	Sheets Per Box	Boxes Per Case	Order Code	Price Each 1+
Kimtech Science	White	2	200 x 210	100	33	155-9043	58.08
Kimtech Science	White	2	200 x 210	200	36	155-9042	104.85

Specialist Wipers

Kimtech Science Precision Wipers Pop-Up Box



Pop up box is ideal for bench and portable dispensing. Designed for use within laboratories for the cleaning and wiping of delicate surfaces such as lenses, slides and scientific instruments. Made from 100% virgin fibre, giving more absorbency and a softer feel. Ideal for wiping up small spills, cleaning pipette. Designed for use within laboratories for the cleaning and wiping of delicate surfaces such as lenses, slides and scientific instruments. Made from 100% virgin fibre, giving more absorbency and a softer feel. Ideal for wiping up small spills, cleaning pipette.

492554

Description	Colour	Ply	Sheet Size (mm)	Sheets Per Box	Boxes Per Case	Order Code	Price Each 1+
Kimtech Science	White	1	300 x 300	196	15	155-9044	85.93
Kimtech Science	White	1	114 x 213	280	30	155-9045	92.04

Toilet Tissue Rolls**Hostess Mini Jumbo**

Jumbo toilet tissue rolls, high capacity, cost effective. Offering user-friendly performance for the busier washroom.

493921

Description	Colour	Core (cm)	Sheet Size (mm)	Sheets Per Roll	Rolls Per Case	Order Code	Price Each 1+
8614	White	7.8	94 x 200	1000	12	155-9046	24.46
8615	White	6	94 x 200	1000	12	155-9048	30.91

Cloth Wipers**Wypall X70 Brag Box - 8383**

The Patented BRAG* Box, is a portable dispensing system with large capacity. High performing and fast absorbing. They are ultra absorbent and durable for quickly and efficiently wiping away oil, grease, grime and solvents. Ideal for keeping tools and machinery clean.

494202

Description	Colour	Sheet Size (mm)	Sheets Per Box	Order Code	Price Per Box
8383	White	310 x 420	150	155-9039	38.42

Wypall X60 Pop-Up Box - 8376

Pop up box is ideal for bench and portable dispensing. Versatile and durable for economical wiping. These are our most conformable and flexible re-usable cloths ideal when precision and absorbency are required. Recommended for dealing with difficult corners or surfaces.

492873

Description	Colour	Ply	Sheet Size (mm)	Sheets Per Box	Order Code	Price Each 1+
8376	White	1	231 x 426	126	155-9049	11.59

Colour Coded Microfibre Cloths

Microfibre cloths can be used wet for cleaning, or dry for polishing. There is no need to use chemicals. They should not be used with bleach. 80% polyester, 20% polyamide. Size: 40cm x 40cm.

Affordable

Absorbs dirt and dust with ease. Washable up to 95°C. Can be washed 200 times.

Heavy-Duty

Non-stretch tightly woven material. Highly absorbent. Ideal for mopping up spills. Washable up to 95°C. Can be washed 350 times.

492359

Description	Colour	Pack Qty	Order Code	Price Each 1+
Affordable	Blue	10	101-2546	8.78
Affordable	Green	10	101-2547	9.55
Heavy-duty	Yellow	10	101-2554	14.85

Hand Cleansers**Hand Cleaning Dispensers****Hand Cleaning Dispensers - 2 & 4 Litres**

2 and 4 litre sealed cartridge dispensers for hand cleansers. Informative and educational - eye catching, colour coded designs encourage correct usage and compliance. Easy-to-use - large push button can be hand or elbow operated. Quick installation - can be easily and securely fixed to any wall using self-adhesive pads or screws provided. Economical - measured doses ensure only the required amount of product is dispensed for maximum cost efficiency. Easy maintenance - non drip, non-clog dispensing mechanism requires minimum maintenance. Hygienic - ultra sonically sealed cartridges to prevent cross contamination. Unique locking systems - deter unauthorised entry and prevent pilferage.

Maxipor Dispenser - 2 Litres

Specially designed for heavy traffic washrooms. 2 litre dispenser for hand cleansers. Please note this dispenser is for use with the Maxipor cartridge and cannot be used within the Skin Safety Centre.

485996

Description	Size (litres)	Order Code	1+	6+	12+	24+
Hand cleaner dispenser	2	714-2006	9.61	9.33	9.02	8.77
Hand cleaner dispenser	4	714-2018	14.02	13.60	13.19	12.81
Maxipor hand cleaner dispenser	2	137-0621	38.37	37.21	36.11	34.75

Hand Cleansers**Pure**

An extremely pleasant golden gel soap for removing light to medium soilings from hands, and all over body. Based on real coconut oil, Deb Pure leaves the skin feeling really smooth and lightly scented. Please note 5 litre container is for use with Deblon, Maxiflo and Portia bulk fill dispensers on page 0000.

485998

Description	Size (litre)	Order Code	1+	6+	12+	24+
2000 cartridge	2	714-2043	8.50	8.23	7.99	7.69
4000 cartridge	4	714-2055	13.87	13.46	13.05	12.58
Maxipor cartridge	2	137-0663	6.26	6.07	5.89	5.69
Container	5	137-0638	14.27	13.85	13.45	12.94

Foaming Hand Cleanser**Aquares Hyfoam**

Instant foaming soap with a conditioning formula that leaves the skin feeling silky smooth. Provides excellent economy in use, with up to 1660 hand washes per cartridge.

485991

Description	Size (litre)	Order Code	1+	5+	10+	25+
Cartridge	1	137-0655	6.98	6.63	6.35	6.11
Hyfoam proline dispenser	1	137-0600	4.08	3.96	3.83	3.70

Heavy Duty Hand Cleanser**Tufanega Orange**

An advanced formula orange hand cleaning cream that uses natural ingredients to remove oil, grease and general soiling quickly and efficiently. Micro-polymer granules remove stubborn soiling without damaging the skin. The solvent free formula helps prevent the skin drying out, whilst wheatgerm extracts help moisturise the hands. A mild orange perfume leaves the skin feeling fresh after use, with no greasy after-feel.

485996

Description	Size (litre)	Order Code	1+	5+	10+	25+
Bottle	0.3	137-0647	2.86	2.79	2.70	2.60
Container	4.5	714-1920	16.91	16.07	15.27	14.79
Container	15	137-0648	45.41	43.14	41.68	40.13

Hand Cleansers - continued

Heavy Duty Hand Cleanser

Tufanega Lemon



An advanced formula lemon hand cleaning cream, tough on dirt, but gentle on the skin. Removes oil, grease and general soiling quickly and efficiently with micro-polymer granules to provide a deep-down clean without damaging the skin. The solvent free, neutral pH formula helps prevent the skin drying out, whilst lanolin helps prevent cracking and chapping. A mild citrus perfume leaves the skin feeling fresh after use, with no greasy after-feel. Use with or without water.

485966

Description	Size (litre)	Order Code	1+	5+	10+
Maxipor cartridge	2	137-0626	8.92	8.65	8.38
4000 cartridge	4	137-0646	16.44	15.94	15.47
Container	4.5	591-403	24.60	23.86	23.17
Container	5	137-0639	20.10	19.51	18.90

Heavy Duty Hand Wipes

Tufanega



Large, extra strong, heavy duty wipes with a textured fabric providing a built in scrubbing action to quickly shift grease and grime. Impregnated with Deb's new, solvent-free heavy duty hand cleaning formula to remove most commonly encountered industrial soilings - grease, oil, most oil based paints (when wet) and general grime.

Convenient and quick - ideal for workers with no access to soap and water. 70 wipes supplied in a hygienic resealable canister.

485963

No. of Wipes	Order Code	1+	+	+	+
70	105-6447	8.59	--	--	--

Hand Cleanser

Verve Classic



Hygienic and economical replacement for bar soap in public areas such as schools, hospitals, factories & offices.

485967

Description	Size (litre)	Order Code	1+	5+	10+	25+
Hypor cartridge	1	137-0622	5.56	5.40	5.23	5.04
Container	5	137-0627	13.51	13.11	12.71	12.23

Coming soon



Register your interest for items that are 'Coming Soon' at www.farnell.co.uk and we'll email you to let you know that they're in stock.

Hand Cleanser

Florafree Mild Lotion



Anti-bacterial lotion handwash providing optimum cleaning with a non-tainting formulation. Florafree Mild contains Triclosan to ensure an antibacterial performance. Added conditioner and mild surfactants ensure the hands don't lose natural oils & moisture. 750ml, 1 litre and 2 litre cartridges are sealed to ensure complete hygiene. Hypor and Maxipor cartridges are for use with the Hypor and Maxipor dispenser on page 0000.

485976

Description	Size (litre)	Order Code	1+	5+	10+	25+
Cartridge	0.75	137-0657	7.89	7.49	7.10	6.82
Cartridge	1	137-0590	5.62	5.45	5.30	5.09
Cartridge	2	137-0591	8.19	7.95	7.71	7.42
Container	5	137-0652	17.10	16.58	16.09	15.49

Hand Cleanser

Alcohol Gel



High efficacy alcohol gel skin sanitiser that works instantly to kill micro-organisms present on the skin. Gel formula proven to kill 99.999% of food poisoning bacteria, moulds and yeasts. Non tainting. Contains conditioner. Non toxic. Compliant with EN 1500, prEN12054, EN1276 and EN1275. 50ml bottle is supplied with a handy clip to allow it to be fastened to clothing.

485980

Description	Size (litre)	Order Code	1+	5+	10+	25+
Bottle	0.50	137-0593	1.15	1.10	1.07	1.02
Cartridge	0.75	137-0658	9.64	9.16	8.67	8.34
Cartridge	1	137-0656	7.43	7.22	7.00	6.74
Pump top	1	137-0597	9.99	9.67	9.40	9.04

Hand Cleanser

Natural



Powerful, fast-acting hand cleaning cream for removing tough industrial soilings: tar, bitumen, resins, adhesives, inks, some paints, oil, grease and general grime. Its unique formulation gives a deep-down clean and moisturises the skin. Heavy duty hand cleaning. The 4.5 litre jar can be used with the Deb pump on page 0000

485988

Description	Size (litre)	Order Code	1+	5+	10+	25+
Pump pack	0.4	137-0634	4.39	4.26	4.14	3.98
2000 cartridge	2	137-0659	11.57	11.22	10.89	10.48
4000 cartridge	4	137-0660	22.00	21.36	20.71	19.94
Jar	4.5	137-0654	21.80	21.15	20.51	19.75

Pump Dispenser

All Purpose Pump



For all 4.5 litre, 5 litre, 15 litre and 12.5kg packs of Deb heavy duty hand cleansers.

485989

Order Code	1+	5+	10+	25+
137-0640	5.17	5.02	4.86	4.69

Solvent-Free Hand Cleanser**Cradle Hand Cleaner**

A unique 'smooth' cream format, this heavy duty solvent-free hand cleaner removes oil, grease, dirt and grime. Its neutral pH ensures compatibility with sensitive skin. Added conditioners help replace the skins lost oils whilst working, keeping the skin soft and supple. Ideal for mobile workers - use with or without water. Light to medium duty hand cleaner. 750ml cartridge.

486043

Order Code		Price Each			
		1+	5+	10+	25+
137-0669		9.18	8.91	8.64	8.31

Hand Cleanser**Lime**

A powerful non-solvent hand cleaning cream for removing oil, grease and grime. Its non-abrasive cornmeal scrub gives the skin a deep-down clean and a balance of natural moisturisers leave them soft and supple. Medium duty handy cleaner. Please note 5 and 15 litre containers are for use with Dehton, Maxiflo and Portia bulk fill dispensers on page 0000.

485903

Description	Size (litre)	Order Code	Price Each			
			1+	6+	12+	24+
2000 cartridge	2	714-2020	9.10	8.83	8.56	8.25
4000 cartridge	4	714-2031	20.23	19.62	19.03	18.33
Maxipor cartridge	2	137-0641	8.15	7.91	7.66	7.39
Container	5	137-0635	19.90	19.30	18.72	18.03

Hand Cleanser**Restore Plus**

A mild, pleasant to use 'super hydrating' after work conditioning cream for dry skin. Apply at the end of each work period to moisturise the skin whilst natural oils are being replenished. Increases skin moisture by approximately 60%. Suitable for dry, sore or chapped skin condition. Dermatologically tested.

485908

Description	Size	Order Code	Price Each			
			1+	5+	10+	25+
Tube	150ml	137-0678	2.74	2.66	2.58	2.47
Cartridge	1litre	137-0679	11.77	11.41	11.07	10.66

Hand Cleanser**Orange Pure**

Translucent 'citrus zest' lotion hand cleanser with natural coconut oil. Removes light oil and grease soilings and general dirt & grime. Mild on the skin for frequent use, and moisturises to help prevent skin dryness. Light duty hand cleaning.

485912

Description	Size (litre)	Order Code	Price Each			
			1+	5+	10+	25+
2000 cartridge	2	137-0676	6.64	6.44	6.25	6.02

Hand Cleanser**Sunflower**

Cream hand cleaner containing the unique combination of non-abrasive natural cornmeal scrub and sunflower oil extract. Removes everyday industrial soilings, such as oil, grease and general dirt & grime. Medium to heavy duty hand cleaning.

485914

Description	Size (litre)	Order Code	Price Each			
			1+	5+	10+	25+
2000 cartridge	2	137-0673	9.02	8.75	8.49	8.17
4000 cartridge	4	137-0675	17.19	16.68	16.18	15.58

Lotion Hand Cleanser**Peach Classic**

An all purpose lotion soap with fresh peach fragrance. Ideal for frequent use.

485943

Description	Size (litre)	Order Code	Price Each			
			1+	6+	12+	24+
Peach lotion Hypor cartridge	1	714-3874	6.68	6.48	6.28	6.04
Container	5	137-0664	17.39	16.88	16.38	15.76

Lotion Hand Cleanser**Apple Classic**

Lotion soap with a fresh apple fragrance and a pH level which makes it ideal for frequent use. A rich creamy lather and added conditioners provide a luxurious feel.

485946

Description	Size	Order Code	Price Each			
			1+	5+	10+	25+
Hypor cartridge	1 litre	137-0667	6.27	6.08	5.90	5.67

Heavy Duty Hand Cleanser**Tufanega Original**

The original heavy duty hand cleaner with non-abrasive polygrains provides a deep-down cleaning action and rapidly removes ingrained workshop soilings such as oil, grease, tar, diesel and many oil based paints. Added conditioner leaves hands feeling smooth and fresh, and helps maintain healthy skin.

485947

Size	Order Code	Price Each		
		1+	10+	20+
500g	591-373	3.99	3.87	3.75
4 litre 4000 cartridge	137-0668	17.06	16.56	16.06
4.5 litre	591-361	31.36	30.12	29.05
12.5kg	137-0618	35.34	33.57	31.81



Hand Cleansers - continued

Heavy Duty Hand Cleanser

Tufanega Green Gel



A smooth gel formula and powerful cleaning ability to quickly remove most stubborn soillings, including oil, grease, grime and some oil-based paints. Added conditioner leaves hands feeling smooth and fresh, and helps maintain the skin's moisture level.

485951

Size	Order Code	1+	5+	10+
500gm	137-0642	3.15	3.06	2.97
1kg	137-0643	4.46	4.33	4.19
4.5 litre	591-385	23.87	22.97	22.06

Hand Protection Cream

Deb Protect



Multi-purpose pre-work cream with an advanced formulation to protect the skin against tough industrial soillings such as oil, grease, detergents, solvents, dry powders, adhesives, inks and some paints. Contains wheatgerm extract to moisturise and protect the skin.

1litre cartridge

485994

Order Code	1+	5+	10+	25+
137-0665	10.46	10.15	9.84	9.48

Protective Skin Cream

Protect Plus



Extra protection pre-work skin cream for wet & dry work. Helps protect the skin against contact with water and non-water based contaminants such as: engine oils, machine oils, cutting oils, lubricating oils, grease, dry powders, solvents, detergents, paints & inks, adhesives & sealants, dilute acids and alkalis. Makes the skin easier to clean and helps prevent dermatitis. Compatible for use with latex gloves.

486036

Size	Order Code	1+	5+	10+	25+
150ml tube	137-0671	2.34	2.28	2.20	2.12
1 litre cartridge	137-0672	10.86	10.54	10.22	9.84

Protective Skin Cream

Cradle Protective Cream



A multi-purpose, heavy duty, pre and after work cream to help protect the skin on contact with general dirt and grime. Contains an anti-bacterial agent which kills many harmful germs that could affect outdoor workers. Tested as effective against Weils disease. Ointment based so rubs in easily. Water repellent to keep hands free from excessive moisture.

700ml cartridge.

486042

Order Code	1+	5+	10+	25+
137-0670	10.82	10.49	10.17	9.79

Reconditioning Hand Cream

Restore



A reconditioning cream containing special ingredients to moisturise and condition the skin. Dermatologically tested.

485996

Description	Size	Order Code	1+	5+	10+	25+
Cartridge	1litre	137-0666	10.76	10.44	10.12	9.73

Degreasers

Jizer



- Powerful, non-flammable degreasing solvent which removes oil, grease, carbon, tar, waxes and bitumen from machinery and components
- Contains no CFC's or HCFC's and is ozone friendly
- Emulsifies with water so that it can be completely rinsed off to leave a clean surface with no oily residue
- Can be used in conjunction with a degreasing unit and re-used many times

Size	Order Code	Price Each
500ml aerosol	137-0610	4.36
750ml	137-0614	4.14
5 litres	714-5974	19.02

Jizer-Bio

- Powerful, biodegradable, solvent-free degreaser
- Tough on oil and grease yet gentle on the environment
- Cleans engines, vehicle components, machinery parts and floors by removing the oil, grease and the most stubborn dirt and grime
- Protects metals against rust and oxidation
- Non-flammable and does not produce vapours
- Can be diluted with water if a lower strength is required and it simply rinses completely off with water or it can be blown dry

485893

Size	Order Code	Price Each
5 litres	137-0606	17.28

Hard Surface Cleaner

Janitol Plus - Heavy-Duty Surface Degreaser



Removes ground in and burnt on deposits of oils, fats, greases and heavy soillings without hard rubbing. Non-tainting.

485992

Size	Order Code	1+	5+	10+	25+
5 litres	137-0653	12.72	12.34	11.98	11.52
25 litres	137-0630	53.84	52.23	50.65	48.76

Housekeeping And Hygiene

Glass Cleaner



Spray on, wipe off and buff to a shine. No smear formula for glass, stainless steel and chrome. Removes dirt, grime and fingermarks in seconds. 750ml trigger spray.

494733

Order Code	Price Each
342-947	1+ 3.47

Multi-Purpose Cleaner
Antibacterial Cleaner

Ready-to-use multi-purpose cleaner and sanitiser for kitchen and general use. Cleans, kills germs, is non-tainting and therefore ideal for use in food preparation areas. Conforms to EN1276 and EN6905, effective against Salmonella, Listeria, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa, Staphylococcus aureus, Escherichia coli '0157', MRSA, Hepatitis B and HIV.

Ideal for all kitchen cleaning and sanitising applications, also children's play areas, toilet seats, flush handles, door handles, sanitising baths and showers between use, etc.

485997

Size	Order Code	1+	5+	10+	25+
750ml spray	137-0594	3.32	3.22	3.13	3.01
5 litres carton	137-0596	13.81	13.40	13.00	12.52

Sprayers



Colour coded spray bottles.

494030

Colour	Order Code	Price Each
		1+
Blue	343-220	3.01
Red	343-218	3.01
Yellow	155-3137	2.02
White	343-222	3.01
Green	155-3778	2.02

Catering

Scourer



Green heavy duty green scourer. Supplied in packs of 50.
White non abrasive pad. Supplied in packs of 25.

493879

Colour	Order Code	Price Each
		1+
Green	343-223	16.22
White	343-224	22.34

Brooms & Mops



Mop Combo



Bucket and wringer combination unit. 24 litre capacity. Recommended for areas up to 350 square feet.

493567

Order Code	Price Each
162-2883	1+ 49.98

V Sweeper



Quick economical sweeping of large areas. Fully adjustable in use by scissor action handle. 40in mop heads will clean up to 6 feet in one pass.

494547

Description	Order Code	Price Each
Complete	343-216	1+ 67.68
Replacement mopheads (pair)	343-217	28.63

Shovels

Household Shovel



Wooden handle, square pin.

494525

Order Code	Price Each
162-3566	1+ 3.84

Open Socket Shovels



Hammer finished epoxy coated heads fitted with 28in varnished ash handles.

494819

Size	Handle	Order Code	Price Each
			1+
No2	Wood T	016-750	11.65
No2	Plastic D	016-752	9.61

Troubleshooting tips



Chat live online to one of our technical engineers at www.farnell.co.uk



Vacuum Cleaners

Henry



The go-anywhere cleaner with unique cable rewind system. The tough body is fitted with twin wheels and castors for true 4-wheel tracking mobility. Accessories supplied: double swivel hose, stainless steel tube set, floor nozzle and a full set of small tools. 9 litre capacity, 1200W motor.

Voltage	Order Code	Price Each
240	155-8505	159.83
110	155-8530	159.83

Vacuum Bag

Order Code	Price Each
155-8506	1+
	7.30

490881

Numatic Vacuum Cleaner

Edward



The larger semi-professional cleaner with unique cable rewind system. The tough body is fitted with twin wheels and castors for true 4-wheel tracking mobility. Accessories supplied: double swivel hose, stainless steel tube set, floor nozzle and a full set of small tools. 15 litre capacity, 1200W motor.

Voltage	Order Code	Price Each
240	155-8512	1+
		209.16

Vacuum Bag

Order Code	Price Each
155-8517	1+
	9.60

491588

Wet And Dry Vacuum Cleaner

George



Multi-purpose machine allows dry vacuuming, wet pick-up and deep extraction cleaning from one unit. Accessories supplied: universal hose, two stainless steel tube sets, wet pick-up and combination floor nozzle, carpet extraction nozzle, upholstery extraction nozzle and small tools. Capacity 15 litre dry, 9 litre wet, extraction 6 + 6 litre. 1200W motor.

Voltage (AC)	Order Code	Price Each
240	155-8528	1+
		288.69

493566

Wet And Dry Vacuum Cleaners

Charles



The wet and dry vacuum. 15 litre dry capacity, 9 litre wet capacity, 1200W motor. Tough body with twin wheels and castors for true 4 wheel tracking mobility.

492992

Voltage
240
110

Order Code
155-8532
155-8533

Price Each
1+
165.59
186.93

Wet And Dry Vacuum Cleaners

WV470



1200W wet or dry vacuum cleaner. Dry capacity 27 litres. Wet capacity 20 litres, cleaning range 26.8 metres. Complete with accessory kit.

Voltage	Order Code	Price Each
240	155-8541	1+
110	155-8542	187.98
		187.98

Vacuum Bag

Order Code	Price Each
155-8518	1+
	14.68

493373

Disposable Vacuum Cleaner Bags

Paper Dust Bags



Allows easier, cleaner emptying of machine. Supplied in packets of 10.

492277

Model	For Models	Order Code	Price Each
NVM-1C	Henry, HZ-250	155-8506	1+
NVM-2B	Edward, NVH-370	155-8517	7.30
NVM-3B	WV-575, HZ-450	155-8518	9.60
NVM-4B	NV-900, WV-750	155-8520	14.68
			12.79

Consumer Pressure Washers

K 399 M



110 bar maximum pressure. 380 litres/hour water flow rate. 1.7kw induction motor. For domestic use only.

Order Code	Price Each
814-4125	1+
	151.85

494388

Refuse Accessories

Standard Wall Mounted Cigarette Bin



3-Piece design makes them easy to install, use, empty and clean. All metal construction with lockable door and Zinctec liner. Size: (H x W x D) 310 x 135 x 55mm.

491318

Colour	Order Code	Price Each
Antique Silver	983-5091	80.30
Matt Black	983-5105	73.67

Litter Picker



Long handled litter picker and brush.



494743

Order Code	Price Each
343-215	29.28

Heavy Duty Rubble Sacks



Extra strong recycled polythene ideal for the construction and building industries supplied in boxes of 100.

492405

Size (in)	Weight (g)	Thickness (Mu)	Order Code	Price Each
20 x 30	480	120	341-506	29.51

Refuse Sacks



Manufactured in the highest quality recycled materials. Medium and heavy duty sacks for all industrial applications. Supplied in boxes of 200.

491812

Size (Inches)	Weight (g)	Thickness (Mu)	Order Code	Price Each
18x29x34	120	30	162-2876	11.80
18x29x39	120	30	162-2877	13.00
18x29x34	180	45	162-2878	21.19

Compactor Sacks



Constructed in two layer co-extruded film that enhances flexibility and strength. Supplied in boxes at 100.

495298

Size (in)	Weight (g)	Thickness (Mu)	Order Code	Price Each
20x34x48	180	45	341-501	21.05

Warning Signs & Cones

A Frame 'Caution Wet Floor' Sign



- A frame sign marked 'Caution Wet Floor'.
- Manufactured from yellow high impact polypropylene.
- Carrying handle.
- Size: - 23.5 x 61.5cm / 9 1/4" x 24 1/4".
- Weight 0.85kg.

491593

Order Code	1+	5+	10+	25+
137-5471	7.47	7.10	6.75	6.41

A-Frame Plain Yellow Sign



Manufactured from yellow high impact polypropylene. The A-Frame sign comes with a carrying handle.
Size: 23.5 x 61.5cm / 9 1/4" x 24 1/4"
Weight: 0.85kg

488897

Order Code	1+	5+	10+	25+
149-9200	5.20	5.04	4.89	4.75

Pest Control

Exocutor Insect Killers



- Kills most known flies
- Non clogging grill, easy removeable catchment tray
- Low running costs
- High light output tubes
- Approved to EN60 335-2-59



Exocutor is a British made range of electronic insect killers for all types of commercial outlets. Designed and built to the highest possible standards, all the units can be ceiling suspended, wall mounted or free standing.

Model	Dimensions mm	Light Output	Weight	Coverage	Power Consumption	Order Code
Ex 6	270 x 145 x 260	6 watt	3.5kg	30 sq mtrs	35 watt	723-2007
Ex 16	360 x 140 x 260	16 watt	4kg	50 sq mtrs	50 watt	723-2019
Ex 30	510 x 140 x 260	30 watt	6.5kg	80 sq mtrs	70 watt	723-2020

Fitted with standard 3 pin UK Plug

HS467

Order Code	1+	5+	10+	25+
723-2007	101.93	97.84	92.79	89.07
723-2019	164.01	157.43	149.27	143.31
723-2020	203.70	195.56	185.42	178.00

Premium service without a premium price



With thousands of prices already reduced, go online to see our most up-to-date pricing:
www.farnell.co.uk



Insectaflash Insect Killer



- High attraction tight bend tubes
- Easy to clean and simple service procedure
- Fully interlocked catchment tray
- Extra large non clogging grill
- 3 way mounting
- Approved to EN60 335-2-59



Insectaflash utilises a totally isolated transformer which means that both sets of grids are live and need less voltage to create an arc when an insect flies through.

Model	Dimensions mm	Light Output	Weight	Coverage	Power Consumption
F50	315 x 186 x 410	50 watt	6kg	130 sq mtrs	80 watt

Fitted with standard 3 pin UK plug

HS468

Order Code	Price Each			
	1+	5+	10+	25+
723-2032	271.02	260.18	246.68	236.82

Troubleshooting tips



Chat live online to one of our technical engineers at www.farnell.co.uk



i-Buy is the new online purchasing system, FREE from Farnell


Completely flexible and personalised to your company's needs, i-Buy provides many of the custom features of an expensive eProcurement system but at no cost to your company!

- ▶ Fully automated approval process for reduced paperwork
- ▶ Set individual users' spend and department budgets for complete cost control
- ▶ Download reports at line level detail for total transparency of your company's spend
- ▶ Fully integrated into the Farnell website, it's easy to use and easy to set up

Intelligent buying, free from Farnell
www.farnell.com/i-Buy

Turn to page iv for more information





Use our FREE ProductFind service

Let our dedicated team of procurement professionals search for you and we'll get back to you within 48 hours!

- ▶ Access to millions of products from over 3,500 leading suppliers globally
- ▶ Use our immense buying power to source competitively priced products
- ▶ Quotes returned in 48 hours
- ▶ Fast and accurate lead times

Let us know:

- ▶ Product information
- ▶ Manufacturer and part number
- ▶ Required quantity
- ▶ Required delivery date

Free up your design time
Contact Farnell ProductFind
www.farnell.com

A Premier Farnell Company

