

ABRASIVE TOOLS

3M™ SCOTCH-BRITE™ HAND FINISHING SYSTEMS-SPONGES

3M™ Scotch-Brite™ Sponges have three-dimensional abrasive laminated to the sponge. They are ideal for one-step scuffing/cleaning and can be used wet or dry. Hand-held size offers convenience, comfort and reduces waste.



Mfg. Part No.	Description	Stock No.	Price Each
			1-9
07439	Scotch-Brite Clean and Prep Sponge	81H8079	3.43
07442	Scotch-Brite Ultra-Fine Scuff Sponge	81H8080	4.46
07441	Scotch-Brite General-Purpose Scuff Sponge	19K4797	4.46

(83908)

3M™ SCOTCH-BRITE™ HAND FINISHING SYSTEMS-HAND PADS



Scotch-Brite™ hand pads and rolls outperform steel wool, wire brushes and other non-woven hand pads when surfaces need to be cleaned, scuffed, deburred, or finished by hand. Scotch-Brite™ material will never rust and can be used with water or solvents. The pads are cut into 6" X 9" sheets in a variety of grades ranging from light duty cleaning to heavy duty. An easy, inexpensive way to see how the many Scotch-Brite™ Hand pads outperform other products is the Trial Pack (below).

Mfg. Part No.	Description	Color	Grade	Packaging	Stock No.	Price Each
						1-4
7445	Light-Duty Cleansing Pad	White	...	60	19K4845	101.86
7448	Ultra-Fine Hand Pad	Gray	S ULF	60	19K4848	99.14
7447	General-Purpose Hand Pad	Maroon	A VFN	60	19K4847	99.14
24037	Production Hand Pad	Maroon	A VFN	60	19K4849	115.02
7446	Blending Hand Pad	Gray	S MED	40	19K4846	119.77
7440	Heavy-Duty Hand Pad	Tan	A MED	40	19K4844	177.91
74	Medium Duty Scrub Sponge	Yellow/Green	...	20	19K4843	67.21

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
961S	Hand Pad Trial Pack Includes: Scrubbing Sponge 74 Light Duty Pad 6448 Heavy Duty Pad 7440 Light Duty Cleansing Pad 7445 Blending Pad 7446 General Purpose Pad 7447 Ultra-Fine Pad 7448 Production Pad 8447 Twist-Lok™ Holder 961	82H1275	31.07
961	Twist-Lok™ Holder 961	19K4850	76.74

(83906)

SCOTCH-BRITE™ MULTI-FLEX ABRASIVE SHEET ROLLS

Multi-Flex Sheets are used in highly conformable finishing applications. Easy pop-up dispenser center-pull roll. Scrunches into a ball, like steel wool, to protect hands. They are tough, highly conformable, and sharp-cutting making them the preferred abrasive for cleaning and finishing surfaces by hand.



Mfg. Part No.	Color	Grade	Roll Size (in. x ft.)	Packaging	Stock No.	Price Each
						1-4
07521	Dark Maroon	A VFN	8 x 20	60 sheets per roll	19K4798	62.23
07522	Gray	S ULF	8 x 20	60 sheets per roll	19K4799	62.23

(83907)

FIBRE DISC 785C

- An excellent starting point for stainless steel
- Includes a grinding aid for cooler running



Additional fibre disc sizes and grades are also available: go online or call.

Mfg. Part No.	Dia. X Ctr. Hole	Max. RPM	Grade	Stock No.	Price Each
					1-4
80660	4 1/2" x 7/8"	13,300	36	98M0082	2.74

(116525)

GREEN CORPS™ CUTTING/GRINDING AND CUT-OFF WHEELS

- Contains 3M™ Cubitron™ Abrasive Grain for added durability
- Do not use on tools without guards



GREEN CORPS™ CUTTING AND GRINDING WHEEL

Type 27, grind and cut with one wheel.

Mfg. Part No.	Dia. X Thk. x AH	Max. RPM	Grade	Stock No.	Price Each
					1-4
92318	4 1/2" x 1/8" x 5/8"-11	13,300	36	98M0085	8.61

GREEN CORPS™ CUT-OFF WHEEL

Provides high cut rates and long life on most material, including fiberglass, stainless steel and mild steel. Must be used with ANSI-approved flanges for Type 1 cut-off wheels.

Mfg. Part No.	Dia. X Thk. x AH	Max. RPM	Grade	Stock No.	Price Each
20275	4 1/2" x 3/64" x 7/8"	13,300	...	98M0070	3.23

(116526)

SCOTCH-BRITE™ BRISTLE DISCS

- Easily remove paint, stains, adhesives, weld burn, rust and other surface contaminants from large areas



Additional bristle disc grades and colors are also available: go online or call.

Mfg. Part No.	Diameter	Max. RPM	Grade	Color	Stock No.	Price Each
						1-9
33054	4 1/2"	12,000	36	Brown	98M0078	25.68
24241	4 1/2"	12,000	50	Green	98M0077	27.98

(116584)

SCOTCH-BRITE™ SURFACE CONDITIONING AND COATING REMOVAL DISCS



Additional finishing disc grades and colors are also available: go online or call.

SCOTCH-BRITE™ SURFACE CONDITIONING DISC (HOOK AND LOOP)

Aluminum oxide general purpose surface conditioning disc for finishing, cleaning, and light deburring. Attach and remove easily to 3M™ Hook-and-Loop backup pads. Use with right angle and random orbital tools.

Mfg. Part No.	Diameter	Max. RPM	Grade	Color	Stock No.	Price Each
						1-4
14101	4 1/2"	13,000	A CRS	Brown	98M0068	2.69

SCOTCH-BRITE™ COATING REMOVAL DISC (HOOK AND LOOP)

Made of extra coarse silicon carbide for right-angle tools from aggressive clean and strip web. Non-loading design is ideal for removing rust and coatings. Mount on hook-and-loop disc pad holders.

Mfg. Part No.	Diameter	Max. RPM	Grade	Color	Stock No.	Price Each
18424	4 1/2"	12,000	S XCS	...	98M0069	7.73


(116524)

ABRASIVE TOOLS • BORESCOPES • BURNISHERS

SHARPENING BLADES



- Water needed only when using with blades
- Quick, easy and effortless sharpening
- Supplied with 3 faces, 1 x fine, 1 x medium and 1 x coarse
- Size: 2" x 6"



TL10355

Mfg. Part No.	Description	Stock No.	Price Each
			1-49
TL10355	Diamond Sharpening Blades, 3 pc	01N3613	5.23

(116761)

ELECTRIC ENGRAVING TOOL

For metal, glass, stone, ceramics, plastics, hard rubber, wood, and other hard materials. 7200 strokes per minute. With carbide-tipped point.



Mfg. Part No.	Stock No.	Price Each
		1-4
11-111	58F583	103.81

(5694)

CARBIDE TIP SCRIBER




Carbide tipped scriber with replaceable and retractable tip for scribing and etching metals, plastic and glass.

Mfg. Part No.	Description	Stock No.	Price Each
985-104	Pen Style Carbide Tip Scriber	82K5859	17.65

(88525)

WALL SCOPES (BORESCOPIES) AND ACCESSORIES

Just Added



- Bright Xenon bulb lights up any inspection area
- 7400 pixel fibers and wide angle lens produce sharp images
- Waterproof shaft and lens for plumbing and marina use
- Focuses on objects as close as 1mm
- Magnet attachment (optional) retrieves parts dropped in tight areas
- Precise 45° mirror attachment (optional) gives another viewing perspective in tight places

Flexible and obedient shaft wall scopes make inspection of hard-to-see areas extremely simple. Ideal for use in electrical, automotive, and HVAC applications.

Mfg. Part No.	Shaft Type	Shaft Length (in.)	Shaft Diameter (mm)	Stock No.	Price 1-999
22-9800	Flexible	18	6	39P9571	199.00
22-9805	Flexible	36	6	39P9572	249.00
22-9810	Obedient	18	10	39P9574	199.00
22-9815	Obedient	36	10	39P9575	249.00

ACCESSORIES

Mfg. Part No.	Description	For Use With:	Stock No.	Price 1-999
22-9820	Magnetic Tip	Flexible Shaft Wall Scope	39P9576	29.95
22-9824	45 Degree Mirror Attachment	Flexible Shaft Wall Scope	39P9578	29.95
22-9828	Replacement Xenon Bulb	Flexible Shaft Wall Scope	39P9580	8.95
22-9822	Magnetic Tip	Obedient Shaft Wall Scope	39P9577	29.95

▶ CONTINUED ▶

WALL SCOPES (BORESCOPIES) AND ACCESSORIES (CONT.)

Mfg. Part No.	Description	For Use With:	Stock No.	Price 1-999
22-9826	45 Degree Mirror Attachment	Obedient Shaft Wall Scope	39P9579	29.95
22-9807	Replacement Battery Door	22-9800, 22-9805, 22-9810, 22-9815	39P9573	2.49

(137185)

BURR SETS



- Great for craft, modelling and repair
- Can be used on ceramics, tiles, brick, glass, plastics, fiberglass, steel and wood
- 3.17mm shank



TL10359

Mfg. Part No.	Description	Stock No.	Price Each
TL10359	30 piece diamond burr set, 150 diamond grit	01N3614	3.85

(116698)

WIRE BRUSHES



- Heavy duty construction with a comfortable grip handle
- Ideal for cleaning metal before welding
- Brassed steel wire



TL10429

TL10428

Mfg. Part No.	Description	Stock No.	Price Each
TL10428	Wire Brush	97M9408	0.77
TL10429	Mini Wire Brush Set, 6 pc	01N3618	1.23

(116752)

NEEDLE-FILE SET



Mfg. part no. S475 12-piece needle file set. Double-cut Swiss pattern. Plastic case.

S475

Mfg. Part No.	Description	Stock No.	Price Each
S475	12-Pc. Needle File Set	93F9969	36.25

(5590)

DIAMOND BURNISHING SPATULA KIT



Abrasive diamond particles clean relay contacts with minimal pressure. With nominal material removal you won't alter normal contact gaps. Mfg. part no. K-234 3-piece kit contains coarse 0.019" (0.483); medium 0.017" (0.432) thick; fine 0.011" (0.279) thick.



Mfg. Part No.	Description	Stock No.	Price Each
● K-234	Diamond Burnishing Spatula (Kit)	35F1100	228.96
● D-200	Coarse (Each)	35F1101	77.41
● D-300	Medium (Each)	35F1102	77.41
● D-400	Fine (Each)	35F1103	77.41

(72735)

BURNISHERS • WIRE STRIPPERS

CONTACT BURNISHERS



Plastic/insulated handles for working on live contacts. Tools are packaged in a clear plastic vial for protection from grease and moisture. Handles are color-coded for size identification. Length: 3". Width: 1/4" except for mfg. part no. OB-1, which is 3/16". Sold in packages of 12.



Mfg. Part No.	Description	Stock No.	Price Each
			1-4
OB-1	Fine Contacts	35F2219	41.62
OB-2	Extra Sensitive Points	35F2220	59.35
OB-3	General-Purpose	35F2221	103.17
OB-4	Industrial	35F2222	127.00

(58674)

POCKET-TYPE BURNISHERS AND BLADES



Used to remove corrosion on relay and switch contact points. For all types of metal including: platinum, silver, gold, molybdenum and tungsten. Blade adjusts for both length and rigidity. Supplied with replacement blades stored in pen barrel at the other end. Sturdy plastic barrel and cap for dielectric work. Length: 4 1/2", diameter: 3/8". Blades are 3/16" wide x 1 1/2" long. Rods are ball-ended, 0.020" in diameter x 1 1/4" long.



Mfg. Part No.	Description	Stock No.	Price Each
			1-4
● PB-3R	Same as mfg. part no. PB-3 Plus 6 Abrasive Rods	50F5448	54.20
● PB-7	Pen with 6 Blades, 0.007" Thick	50F5449	59.92
● B-7/25	Replacement Blades for PB-7 (0.007") (Pkg. of 25)	50F5452	60.78
● B-3/25	Replacement Blades for PB-3 (0.0035") (Pkg. of 25)	50F5450	60.78

(58673)

FILES



12-Pc. Needle File Set



37814

Fine-quality professional files used primarily by jewelers, die-makers and fine toolmakers. Mfg. part nos. 37029 and 37035 12-pc. XF® needle file assortments feature Swiss pattern teeth and 4" round knurled handles in choice of 0 or 2 file cut. All file sets/packs are supplied in a protective plastic pouch.

FILE ASSORTMENT SETS

Mfg. Part No.	Description	File Cut	Stock No.	Price Each
				1-4
37029	12-Pc. 4" Round Handle Needle File Set	0	90F7213	151.30
37035	12-Pc. 4" Round Handle Needle File Set	2	90F7214	163.41

XF® FILES (SOLD INDIVIDUALLY)

Swiss pattern teeth ideal for use by fine toolmakers and jewelers.

37814	6 1/4" Needle Half Round File, Knurled Round Handle	2	10B2563	14.95
-------	---	---	---------	-------

(5706)

WIRE STRIPPER



Adjustable screw and release spring. Drop-forged, heat-treated with fully polished head. Shock-proof 2-component handles with slip guards. Strips wire up to 5mm in diameter. Length: 160mm.



Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00630	Cable Cutter, 160mm	61M5959	23.68

(116828)

WIRE STRIPPERS



22-8850



22-8855



TL10336

22-8850 consist of pliers, cutter, and wire stripper in one tool, which is good for 10-22AWG copper and aluminum wire. 22-8855 is capable for easy wire stripping, its steel jaws automatically adjust to strip wire from 10-26AWG, also with a built-in wire cutter for wire cutting and crimps insulated terminals 10-22AWG and non-insulated terminals 10-22AWG. TL10336 is a parrot type and is good for all types of wire from 0.2 - 6 mm, strips lengths up to 25mm, self adjusting mechanism.

Mfg. Part No.	Description	Stock No.	Price Each
			1-49
TL10336	Automatic Wire Stripper, 7"	97M9400	2.10
22-8850	3-in-1 Wire Stripper	95K9120	5.99
22-8855	Self-Adjusting Wire Strippers	52K6494	9.99

(116787)

GRIP-N-STRIP™ END STRIPPER



Features self-adjusting stripping blades. Just insert wire in the end, squeeze hand and release. Tapered nose allows stripping in confined spaces. Strips 12 AWG solid through 20 AWG stranded. Built-in wire cutter.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
45-227	Grip-N-Strip™	87F2743	49.41

(7438)

KINETIC SUPER™ AND KINETIC REFLEX™ WIRE STRIPPERS



45-715

45-716

45-918



Compact, lightweight and easy-to-use, the Kinetic™ series of wire strippers have an ergonomic design to reduce muscle fatigue and handle grips that wick away perspiration. The Thumb Valley™ guide and precision stripping holes offer a high level of stripping accuracy and maintain the tightest stripping tolerances for consistent and reliable performance. Plus, the Kinetic Reflex™ wire strippers feature curved handles for added comfort. All models strip both solid and stranded wire.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
45-715	Kinetic Super™ Wire Stripper for 10-18 AWG Solid, 12-20 AWG Stranded	90C0008	30.67
45-716	Kinetic Super™ Wire Stripper for 14-24 AWG Solid, 16-26 AWG Stranded	90C0009	30.67
45-718	Kinetic Super™ Wire Stripper for 6-14 AWG Solid, 8-16 AWG Stranded	90C0011	30.67
45-915	Kinetic Reflex™ Wire Stripper 10-18 AWG Solid, 12-20 AWG Stranded	23K9690	33.24
45-918	Kinetic Reflex™ Wire Stripper 6-14 AWG Solid, 8-16 AWG Stranded	23K9691	33.24

(73635)

WIRE STRIPPERS

REFLEX™ T[®]-STRIPPER WIRE STRIPPERS



Reflex™ T[®]-Stripper wire strippers feature an ergonomic design that reduces wrist fatigue. Includes precision form-ground stripping holes and knife-type blades for solid and stranded wire. Features injection molded handles, wire looping holes, and plier-type nose ends.

Mfg. Part No.	Wire Range (AWG)	Stock No.	Price Each	
			1-4	
45-415	10-18 Solid, 12-20 Stranded	95B7140		25.66
45-416	14-24 Solid, 16-26 Stranded	48F6884		25.66
45-417	22-30 Solid, 24-32 Stranded	95B7141		26.42
45-418	6-14 Solid, 8-16 Stranded	93B5083		25.66

(47776)

REFLEX™ SUPER T[®]-STRIPPER WIRE STRIPPERS



Reflex™ Super T[®]-Stripper wire strippers have all the features of the Reflex T[®]-Stripper plus a thicker cushion grip for added comfort, a locking pawl, and 6-32 and 8-32 threaded bolt cutting holes. Its ergonomic design reduces wrist fatigue. Precision form-ground stripping holes and knife-type blades are perfect for solid and stranded wire. Includes injection molded handles, wire looping holes and plier-type nose ends.

Mfg. Part No.	Wire Range (AWG)	Stock No.	Price Each	
			1-4	
45-616	14-24 Solid, 16-26 Stranded	90B4524		29.86
45-617	22-30 Solid, 24-32 Stranded	90B4528		29.86
45-618	6-14 Solid, 8-16 Stranded	90B4533		27.73

(47781)

STRIPMASTER™ LITE WIRE STRIPPERS



Stripmaster™ Lite has the capability to strip from 12-30 AWG yet it's 50% lighter than Stripmaster™, needs 33% less effort to operate and is ¾ the size. Features the same knife-type blade design.

Mfg. Part No.	Wire Range (AWG)	Stock No.	Price Each	
			1-4	
45-671	16-22	93F8755		66.19
45-672	24-30	93F8756		66.19

(7425)

STRIPMASTER™ WIRE STRIPPERS



Stripmaster™ wire stripper features single-squeeze operation and automatically holds jaw open for removing wire without crushing end. Perfect for lighter PVC, THHN and similar insulations. Includes knife-type stripping blades, die-cast body and frame with cushioned hand grips. Capability to strip from 8-30 AWG depending on model. Many more models are available; go online or call.

Mfg. Part No.	Wire Range (AWG)	Stock No.	Price Each	
			1-4	
45-092	10-22	84F505		49.52
45-093	14-22	58F553		49.52
45-097	16-26	58F554		49.52
45-098	20-30	58F555		49.52

(7442)

T[®]-STRIPPER WIRE STRIPPERS



45-120



45-317



T[®]-Strippers feature precision form-ground stripping holes and knife-type blades for solid and stranded wire. All feature new injection molded handles, wire looping holes and plier-type nose ends. Super T[®]-Strippers also include wider, curved handles, a locking pawl, and 6-32 and 8-32 threaded bolt cutting holes. Mfg. part nos. 45-316 and 35-317 feature ESD static-dissipative handles. T[®]-Cutter features knife-type cutting blades for copper cable.

T[®]-STRIPPERS

Mfg. Part No.	Wire Range (AWG)	Stock No.	Price Each	
			1-4	
45-120	10-18 Solid, 12-20 Stranded	58F586		16.92
45-121	14-24 Solid, 16-26 Stranded	58F587		16.92
45-125	22-30 Solid, 24-32 Stranded	59F1103		17.47
45-124	6-14 Solid, 8-16 Stranded	84F506		16.92

SUPER T[®]-STRIPPERS

45-315	8-16 Solid, 10-18 Stranded	52F9074		19.75
45-318	6-14 Solid, 8-16 Stranded	52F9077		22.39
45-316	14-24 Solid, 16-26 Stranded; ESD	52F9075		21.78
45-317	22-30 Solid, 24-32 Stranded; ESD	52F9076		21.78

T[®]-CUTTER

45-123	Cuts Up to 0.5" O.D./10 AWG Solid	58F885		16.92
--------	-----------------------------------	--------	--	-------

(5691)

COATED-WIRE STRIPPING TWEezer

NEW TECHNOLOGY



- Precisely milled blades for clean stripping
- For stripping off varnished insulation on copper wires
- Blades for other wire diameters available as spare parts
- Plastic laminated handles

Mfg. Part No.	Body	Stripping Capabilities Ø (mm)	Overall Length (mm)	Wt. (g)	Stock No.	Price Each
15 11 120	Spring Steel	6	120	34	06R6276	17.84

ACCESSORIES

Mfg. Part No.	Description	Stock No.	Price Each
15 19 005	Spare Blade for Coated-Wire Stripping Tweezer 15 11 120	06R6277	5.45
15 19 006	Spare Blade for Coated-Wire Stripping Tweezer 15 11 120	06R6278	5.45
15 19 008	Spare Blade for Coated-Wire Stripping Tweezer 15 11 120	06R6279	5.45

(147280)

eInvoices

Now you can view, print or email Newark invoices from our website under MY ACCOUNT eSuite. Log in or register today.



Make it easy. Make it fast. Make it Newark.

(148828)

WIRE STRIPPERS

WIRE STRIPPERS

NEW TECHNOLOGY



11 02 160



12 12 02



12 21 180



12 40 200



12 42 195



12 62 180

WIRE STRIPPER

Two-colour dual component handles. Special tool steel, oil-hardened and tempered. For single, multiple and fine stranded conductors with plastic or rubber insulation max. 5.0 mm dia. or resp. 10.0 mm² cable cross section. Easy adjustment to the required diameter of solid or stranded wire with knurled screw and lock nut.

UNIVERSAL INSULATION STRIPPER

Comfortable two color dual component handles, lightweight construction and smooth operating mechanism for repetitive work. Easily strips difficult insulating materials such as Teflon[®], silicone, Radox[®], Kapton[®] and rubber, as well as, multilayered insulations. Positive stripping due to precise shape of blades. Includes cable guide.

AUTOMATIC INSULATION STRIPPERS

Strong light-metal construction. Replaceable blades of special steel with 4 and 6 positions responsible for different wire cross sections. Positive stripping due to precise shape of blades and length stop. Clamping jaws hold wire firmly and a spring leads the the stripper back to the starting position.

SELF-ADJUSTING INSULATION STRIPPER

Light, fiberglass reinforced plastic. Smooth operating mechanism with easily interchangeable blades and plastic jaws. For single, multiple and fine stranded conductors with plastic or rubber insulation adjusts automatically to the respective cable cross-section which prevents damage to the conductor. Cutting depth can be adjusted for different insulation materials with wire cutter for copper and aluminum wires, multiple stranded up to 10 mm² and single stranded up to 6 mm².

KNIPEX MULTISTRIP 10, SELF-ADAPTING UNIVERSAL INSULATION STRIPPER

Tough, fiberglass reinforced plastic with ergonomic handle. Fully automated adjustment to the respective cross-section-dependent insulation thicknesses in a range from 0.03 - 10.0 mm². Unique self-feeding of the cutting depth preventing damage to the conductor. Strips cables with insulating materials like Teflon[®] and Radox[®]. Wire cutter for copper and aluminum wires, multiple stranded up to 10 mm² and single stranded up to 6 mm². Interchangeable blades block and length stop.

SELF-ADJUSTING INSULATION STRIPPER

Tough, fiberglass reinforced plastic with ergonomic handle. Compact tool for single, multiple and fine stranded cables of 0.2 up to 6.0 mm² with standard insulation adjusts automatically to the respective cable cross-section. With wire cutter for copper and aluminum wires up to 2.5 mm² with adjustable length stop from 6.0 - 18.0 mm for constant stripping length. Easily exchangeable blades.

Mfg. Part No.	Head/Body	Stripping Capabilities AWG	Overall Length (mm)	Wt. (g)	Stock No.	Price Each
11 02 160	Polished	7	160	165	06R6265	35.60
12 12 02	Burnished	32-14	195	447	06R6266	191.44
12 21 180	Burnished	20-19/17/15/13/11/10	180	366	06R6267	95.30
12 40 200	Reinforced/Plastic	32-7	200	202	06R6268	106.44
12 42 195	Reinforced/Plastic	32-7	195	150	06R6269	147.18
12 62 180	Reinforced/Plastic	24-10	180	180	06R6274	56.18

ACCESSORIES

Mfg. Part No.	Description	Stock No.	Price Each
12 49 01	Spare Blade for 12 40 200	06R6270	28.08
12 49 02	Spare Clamping Jaw for 12 40 200	06R6271	6.46
12 49 21	Spare Blade Block for 12 42 195	06R6272	27.47
12 49 23	Spare Length Stop for 12 42 195	06R6273	3.54
12 69 21	Spare Blade for 12 62 180	06R6275	16.06

(147267)



eQuotes

Retrieve and process Newark quotes online from our website under MY ACCOUNT eSuite. Log in or register today.

(148833)

ADJUSTABLE PRECISION WIRE STRIPPERS



OK Industries
Division of Inard Industries Corp.

- Adjustable to Six Wire Gauges
- Calibrated Wire Stop
- Single-Action Squeeze-Pull Motion
- Clean, Precise Strip of Any Insulation Type
- Shirt-Pocket Size and Light-Weight (<1 oz.)



Mfg. Part No.	Wire Stripping Range	Stock No.	Price Each
			1-4
ST-500	20 to 30 AWG	90F1767	42.45
ST-550	18 to 28 AWG	90F1768	42.45

(5871)

STRIPAX[®] PRO 6, MINI STRIPAX[®] PLUS AND SURESTRIP[®] 4.0 WIRE STRIPPERS/CUTTERS

Paladin Tools



1113



1115P



904893

Strips and cuts solid and fine stranded conductors with all grades of PVC insulation hardness. Automatic opening after stripping. Wear-free gripping jaws. Self-adjusting cable cutter. Includes one blade. Lifetime manufacturer's warranty on Stripax[®] Pro 6 stripper/cutter. Mfg. part no. 2108 replacement white blade for 28-28 AWG PVC insulation for use in mfg. part no. 1115P Mini Stripax[®] Plus stripper/cutter, ordered separately below. Other replacement blades available; go online or call.

Mfg. Part No.	Description	Stock No.	Price Each
			1-9
● 1113	Stripax Pro 6 — Strips 28-10 AWG	97B0120	105.29
● 1115P	Mini Stripax Plus — Strips 28-18 AWG PVC and 32-18 AWG Teflon	90F6879	114.45
● 904893	SureStrip 4.0 — Strips 20-12 AWG	90F6878	86.13

(5747)

AM 25/35 UNIVERSAL SLITTERS/STRIPPERS



Paladin Tools



1822



1820

Slits and trims round cables. Adjustable cutting depth for insulations up to 18" with swivel blade for circular, longitudinal and spiral cuts. Blade stays centered for more accurate strips. Cable-holding clip with integrated edge for removing slit insulations. Spare blade in handle. Mfg. part no. 1820 for 0.18-1.0" diameter cables. Mfg. part no. 1821 for 0.18-1.4" diameter cables. Mfg. part nos. 1820 and 1821 have lifetime warranty; 1-year on mfg. part no. 1822.

Mfg. Part No.	Description	Stock No.	Price Each
			1-9
● 1820	AM 25 Cable Stripper/Slitter	90F6873	65.51
● 1821	AM 35 Cable Stripper/Slitter	48F2032	78.38
● 1822	Universal Cable Stripper/Slitter	34C6136	32.19
● 2109	Replacement Blade	50F6322	19.03

(5749)

ADJUSTABLE WIRE STRIPPER



This wire stripper and cutter is suitable for all commonly used insulated wires. All cutting surfaces are ground to provide smooth shearing action. Adjusting stop on gripping handles permits adjustments. For 10-30AWG.

Mfg. Part No.	Stock No.	Price Each
3613	84N1038	3.90

(32778)

WIRE STRIPPERS • CABLE STRIPPERS

INDUSTRIAL WIRE STRIPPERS AND CUTTERS



• Cuts and strips solid and stranded wire
• Cushion grips for comfort and maximum leverage

Mfg. part no. 100X wire stripper/cutter features adjustable screw-stop for different wire sizes. **Mfg. part no. 101S** wire stripper/cutter features adjustable screw-stop for different wire sizes and spring-action self-opening handles. **Mfg. part no. 103S** wire stripper/cutter features a unique cam-stop adjustment for various wire sizes. Cam stays put even with screw loose. **Mfg. part no. 104CG** wire stripper/cutter features wide size-range bolt cutter, fast scissors-action, up-front wire cutting/stripping, pliers nose for wire pulling and bending capabilities, hardened pivot joint bushing and crimp stations. **Mfg. part no. 105SCGV** wire stripper/cutter with work-speeding automatic spring and lock features fast scissors-action, cutting/stripping edges are conveniently located in front of pivot, serrated edge, and needle-nose pliers adds wire pulling and bending capabilities.

Mfg. Part No.	Description	Stripping Range (AWG)	Stock No.	Price Each
				1-4
100-X	5" Wire Stripper/Cutter with Adjustable Screw-Stop	8	35F246	8.33
101-S	5" Wire Stripper/Cutter with Adjustable Screw-Stop and Spring-Action Self-Opening Handles	8	35F247	10.64
103-S	5 1/4" Wire Stripper with Cam-Stop Adjustment	8	35F248	12.98
104CG	8 1/4" Wire Stripper/Cutter with Scissors-Action	22-10	70B1218	31.92
105SCGV	6" Wire Stripper/Cutter with Scissors-Action, Spring and Lock	22-10	10B1285	18.57

(5698)

SELF-ADJUSTING COMBINATION WIRE STRIPPER




- Capable of stripping wires from 34 to 8 AWG without adjustment
- Cuts conductors: 16 AWG Solid, 8 AWG Stranded
- Easily interchangeable stripping blades enable precision stripping
- Strips a wide range of insulation types - PVC to PTFE
- Suitable for production of field service work
- Fine insulation can be stripped without damage to the conductor
- Ergonomic design is lightweight, strong and comfortable — features a sculpted shape, soft grip main handle
- Low-friction moving handle, optimized grip span, and angled head
- Made tough — tested to over 150,000 cycles

Mfg. part no. SAS3210 self-adjusting combination wire stripper is ideal for cutting and stripping a wide variety of jacketed wire and cable including PVC, conduit wire, mains cable, equipment wire and communications cable. Standard straight blade supplied with tool. *Order interchangeable replacement blades separately below:* **mfg part no. SAS3210RB** standard straight blade for stripping PVC and other soft insulation materials from 34 to 8 AWG without adjustment and **mfg. part no. SAS3210TRB** V-blade for stripping Teflon®, PTFE and other hard insulation materials from 32 AWG to 10 AWG.

Mfg. Part No.	Description	Stock No.	Price Each
			1-9
SAS3210	Self-Adjusting Combination Wire Stripper	26H3590	84.02
SAS3210RB	Standard Straight Replacement Blade	32H1401	26.02
SAS3210TRB	Teflon® Wire Replacement Blade	32H1402	35.43

(88479)

SWIVEL-BLADE® CABLE STRIPPERS



For both end or center stripping of coaxial and power cable. Strips insulation up to 0.156" thick including PVC, rubber, Neoprene, Teflon®, polyethylene, nylon, Kapton, and fiberglass. Cuts circumferentially and transversely.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
45-128	0.25-0.75" O.D.	35F2461	42.97
45-129	0.75-1.50" O.D.	59F1117	54.04
45-144	0.125-1.75" O.D.	01F2586	81.33

(5692)

COAX STRIPPERS AND DISMANTLING TOOL



DISMANTLING TOOL
For dismantling round PVC, rubber, silicone, PTFE cables from 6.0 - 29.0 mm dia. Self-cocking holding lever With knurled nut for cutting depth adjustment Changing from circular to longitudinal cutting by turning the tool body Spiral cutting for longer stripping areas Shock-resistant plastic body Exchangeable blade



16 30 135 SBA

COAX-STRIPPING TOOL
For stripping coax-cables (RG 58, RG 59 and RG 62) For stripping outer sheath, shield and dielectricum in one operating cycle With three built-in blades The cutting depth of each blade can be adjusted individually by means of a hexagonal key (Allen key) The blade spacing remains constant tool body made of plastic



16 60 05 SB

COAX-STRIPPING TOOL
For dismantling and stripping all common coax-cables between 4.8 - 7.5 mm dia. (e. g. for TV- and satellite antenna), also suitable for PVC round cable 3 x 0.75 mm² With linear scale 5.0 - 20.0 mm double shell, folding back stripping tool With opening spring and locking lever Tool body made of fiberglass reinforced polyamide



16 60 100 SB


Mfg. Part No.	Body	Stripping Capabilities Ø (mm)	Overall Length (mm)	Stock No.	Price Each
16 30 135 SBA	Plastic	6.0 - 29.0	135	06R6280	85.68
16 60 05 SB	Plastic	RG 58 / 59 / 62	105	06R6282	37.47
16 60 100 SB	Fiberglass	4.8 - 7.5 round cables 3 x 0.75 mm ²	100	06R6283	33.94

ACCESSORIES

Mfg. Part No.	Description	Stock No.	Price Each
16 39 135	Spare Blade for 16 30 135 SBA	06R6281	16.54

(147268)

8



(148842)

Expert technical support

Chat online to our team of engineers, or connect to them through your representative.

Make it easy. Make it fast. Make it Newark.

CABLE STRIPPERS • COAX STRIPPERS

GripP 10 AND 20 AWG WIRE/CABLE STRIPPERS



Paladin Tools



1117



1123 Combo Pack

- Non-scoring stripping
- Smooth wire cutting
- Ergonomic design
- Rubber-embedded, non-slip handles

GripP 10 and 20 wire/cable strippers combine ergonomics and versatility. Strips the most common types of electrical and hook-up wire, and multiconductor and flat cable. Works on Romex household cable too, but not for use on steel or armored wire and cable. Head of tool and handles are designed at an optimum 22 degree angle to prevent awkward wrist bends. Contoured wire stripping areas are precision ground for accuracy. Features spring-loaded closure, gripping jaws on front of tool, screw cutter and wire loops embedded in frame. **Order mfg. part no. 1123 economical combo pack separately below to get both GripP strippers.**

Mfg. Part No.	Description	AWG	Stock No.	Price Each
● 1117	GripP 10 Wire/Cable Stripper	22-10	97H2957	14.99
● 1118	GripP 20 Wire/Cable Stripper	30-20	97H2958	14.99
1123	GripP 10 and 20 Wire/Cable Stripper Combo Pack	30-10	63M4026	24.99

(83209)

CABLE STRIPPERS



CJS100



CJS200

Xcelite®

- Lightweight
- Pocket-size design
- Safe, no exposed sharp edges
- Easy-to-use

Mfg. part no. CJS100 cable jacket stripper is a precision stripping tool for removing the sheath from signal, telephone, audio-visual, instrumentation and data transmission copper and fiber optic cable. Adjustable 10-position indexed blade height adjustment wheel provides accurate and repeatable stripping results. Simply squeeze to open the stripping cavity, insert cable, rotate once, remove from cable and pull off the scrap insulation sheath. Stripping range: 0.10" to 0.43" diameter; 1.0mm thick insulation. Made tough from impact-resistant nylon. Tested to over 50,000 cycles. Safe, rounded, pocketable and lightweight design. Size: 3.6L x 1.6"H.

Mfg. Part No.	Description	Stock No.	Price Each
CJS100	Cable Jacket Stripper	30H6104	30.89

Mfg. part no. CJS200 professional stripping tool for round cable of all insulation types. Features two interchangeable cable retention guides giving it an incomparable stripping capacity of 0.18" to 1.57" in one tool. Both cable guides are included. Positive locking positions for circular, lengthways, and spiral cuts. No special tools required to interchange cable guides. Safety strap (not included) can be attached to the eyelet at the base of the tool to prevent accidental dropping. Ergonomic design. Tested to over 100,000 cycles. **Mfg. part no. CJS200B** replacement blade available; go online or call.

CJS200	Round Cable Stripper	30H6106	71.60
--------	----------------------	---------	-------

(88478)

99 SERIES INTERCHANGEABLE DRIVER BLADES, SHANKS AND HANDLES

Xcelite®



99-11

99-25
99-23BP

99-250

99-822



99-1

99-4-R

INTERCHANGEABLE NUTDRIVER SHANKS

Mfg. Part No.	Diameter	Length	Stock No.	Price Each
99-6	3/16"	3 3/8"	35F3112	4.80
99-7	1/32"	3 3/8"	35F3113	5.00
99-8	1/4"	3 3/8"	35F3114	5.02
99-10	5/16"	3 3/8"	35F3117	5.02
99-11	1 1/32"	3 3/8"	35F3119	5.00
99-12	3/8"	3 3/8"	35F3120	5.25
99-14	7/16"	4"	35F3122	6.72
99-16	1/2"	4"	35F3123	6.62

➔ CONTINUED ➔

99 SERIES INTERCHANGEABLE DRIVER BLADES, SHANKS AND HANDLES (CONT.)

INTERCHANGEABLE ALLEN® HEX SOCKET TYPE SCREWDRIVER BLADES

Mfg. Part No.	Diameter	Length	Stock No.	Price Each
99-20	.050"	4"	35F3124	4.48
99-21	1/16"	4"	35F3125	4.48
99-22	5/64"	4"	35F3126	4.48
99-23	3/32"	4"	35F3127	4.48
99-764	7/64"	4"	35F3128	4.48
99-24	1/8"	4"	35F3129	4.48
99-964	9/64"	4"	35F3130	4.35
99-25	5/32"	4"	35F3131	4.48
99-26	3/16"	4"	35F3132	4.48

INTERCHANGEABLE BALLPOINT ALLEN® HEX SOCKET TYPE SCREWDRIVER BLADES

99-23BP	3/32"	4"	94F433	7.61
99-764BP	7/64"	4"	94F439	7.66
99-25BP	5/32"	4"	98F1009	7.67

INTERCHANGEABLE REAMER

99-38	1/8" x 3/8"	4"	35F3133	12.92
-------	-------------	----	---------	-------

INTERCHANGEABLE SLOTTED SCREWDRIVER BLADES

99-250	1/4"	4"	35F3135	5.02
99-811	3/16"	4"	35F3136	5.02

INTERCHANGEABLE PHILLIPS® SCREWDRIVER BLADES

99-820	#0	4"	99F7410	5.02
99-821	#1	4"	35F3137	5.02
99-822	#2	4"	35F3138	5.02

INTERCHANGEABLE EXTENSIONS

99-X5	4"	4"	35F3139	6.88
99-X10	7"	7"	35F3140	7.49

INTERCHANGEABLE HANDLES

Mfg. Part No	Description	Stock No.	Price Each
99-1	1 3/16" Diameter x 4 1/8" L Amber Handle	34F398	5.25
99-3	1 3/16" Diameter x 2" L Stubby Amber Handle	35F3111	5.02
99-1-R HANDLE	1 3/16" Diameter x 5 1/4" L Reversible Ratchet	33F1150	32.72
994R HANDLE	3 1/2" Diameter x 2" L Tee Reversible Ratchet	33F1151	35.82

(5737)

COAXIAL STRIPPERS

DURATOOL

A high-quality rotary coaxial cable stripper which is suitable for stripping RG6, RG58 and RG59 cables as well as cable with a diameter between 4 and 10mm. Simply insert the cable into the tool, swing the tool two or three times around the cable and the outer sheath is stripped and the braid is exposed. The blades can be adjusted to the cable size by inserting an Allen key (supplied) into the built-in hex key and turning clockwise for larger cables, and anti-clockwise for smaller diameter cables



TL09767

Mfg. Part No.	Description	Stock No.	Price Each
TL09767	Rotary Coaxial Strippers	01N3626	1-49 4.43

(116792)

COAX CABLE STRIPPERS



45-526

IDEAL®

Adjustable coax strippers for 2- or 3-step stripping. Each blade is individually adjustable for precision stripping. High quality blades provide a long stripping life. All models strip RG-6, RG-59 and RG-58 coax. Also works on RG-6 Quad cable in removing the outer shield. Replacement blade cartridges are available; go online or call.

Mfg. Part No.	Strip Capability	Stock No.	Price Each
45-520	3-Step, 0.24" and 0.24" Strip	93F6621	44.65
45-526	2-Step, 0.24" Strip — Perfect for Most Compression Connectors	52F9338	49.70
45-528	3-Step, 0.24" and 0.24" Strip	52F9340	48.96

(7852)

COAX STRIPPERS • CRIMPING TOOLS

COAX/UTP CABLE STRIPPERS



These coax/UTP cable strippers perform nick-free 2-level stripping via adjustable blades, 0.24" step strip. Also includes a slitting blade and notch — three blades in total. Order replacement blade sets separately below.

CABLE STRIPPERS

Mfg. Part No.	Description	Stock No.	Price Each
45-162	Up to 1/8" O.D./ Mini-Coax	20F970	25.78
45-163	1/8" to 7/32" O.D.	20F971	36.94
45-164	1/4" to 3/16" O.D.	20F972	61.24
45-165	3/16" to 3/8" O.D./UTP	81F2815	34.44

REPLACEMENT BLADE SETS

Mfg. Part No.	Description	Stock No.	Price Each
L9225	45-162, 45-163, 45-165	20F973	9.97
L9226	45-164	20F974	12.71

(7426)

CST PRO COAXIAL CABLE STRIPPER AND ACCESSORIES



CST Pro

CST Pro coaxial cable stripper can be used in the professional broadcast industry as well as home integration applications. Mfg. part no. 1283 CST Pro 2-level-cut cable stripper is ideal for stripping coaxial cable including RG6, RG6QS, RG59, as well as CATV "F" connectors and mini's. Cam adjustment provides a precise hold on cable. The dual roller mechanism centers cable perfectly and applies equal pressure against blades to eliminate distortion of cable jacket during stripping process. Patent-pending reversible rollers easily adjust for various sizes of cable, including mini's. Mfg. part no. 2282 quick-change die/blade cassette helps reduce set-up time. Cassette securely holds a fixed blade for 0.25" pre-strip lengths (braid); blade depth is individually adjustable. Manufacturer's lifetime warranty on tool frame, one-year manufacturer's warranty on die/blade cassette. Order replacement die/blade cassette and roller sets separately below. Other CST Pro coaxial cable strippers and accessories are available; go online or call.

Mfg. Part No.	Description	Pre-Set Strip Length (in.)	Color	Stock No.	Price Each
1283	CST Pro 2-Level Stripper with 2283 Die/Blade Cassette	0.25 (braid)	Blue	01N4818	69.99
1243	CST 3-Level Stripper with 2243 Die/Blade Cassette	0.295 (braid), 0.137 (dielectric)	Brown	94B1957	114.99

ACCESSORIES

Mfg. Part No.	Description	Stock No.	Price Each
2283	CST Pro Replacement Die/Blade Cassette Only, 0.25" Blue	99M1189	24.99
2284	CST Pro Replacement Roller Set	01N4819	6.75

(116779)

ECONOMICAL COAXIAL CABLE STRIPPERS



These economical, high-performance coaxial cable strippers are ergonomically designed for comfort. Mfg. part no. 1255 strips RG59/RG59/RG62 AU/RG6 coaxial cable. Mfg. part no. 1256 strips RG59/RG11/RG213 coaxial cable. Mfg. part no. 1257 strips RG59/RG66/RG6 Quad shield coaxial cable for CATV "F" connectors. Mfg. part no. 1258 strips RG178, RG179, RG188, AT&T 735(A), NT735, Belden 1855A, 8218, LMR 100A, RG180, RG187, RG188A, and RG405 small diameter coaxial cable. These three strippers perform 2- and 3-level stripping with a simple blade adjustment.

Mfg. Part No.	Description	Pre-Set Strip Lengths	Stock No.	Price Each
1255	LC CST-58/59 2- and 3-Level Adjustable Coaxial Cable Stripper	0.315" Outer Jacket 0.157" Inner Dielectric	93B2835	21.23
1256	LC CST-11 2- and 3-Level Adjustable Coaxial Cable Stripper	0.315" Outer Jacket 0.157" Inner Dielectric	19C8814	21.23
1257	LC CST CATV "F" 2-Level Coaxial Cable Stripper	0.236" Outer Jacket	20C4621	21.23
1258	LC CST-Mini 2- and 3-Level Adjustable Coaxial Cable Stripper	0.344" Outer Jacket 0.094" Inner Dielectric	20C4622	21.23

(64778)

CSK SERIES COAXIAL WIRE STRIPPERS



2CSKCATV



2CSK-R Two-Step Kit

CSK series two-step and three-step coaxial wire stripper kits are ideal for users of many different cable sizes. These fast, accurate coax-stripping systems strip cable from 0.10" to 0.30" in thickness (RG178 to RG6) in seconds. Also removes dielectric, braid and outside insulation simultaneously or separately. Kits available with different color-coded cassettes designed to meet exact stripping specifications. Kits include four V-blocks, cassette (type indicated in table below), hex wrench to adjust cable size and instructions for most applications. Note: three-step kit is not recommended for cable with hollow (RG 62) or foam dielectrics; two-step kits should be used instead. Replacement blade cassettes are available; go online or call.

TWO-STEP COAXIAL WIRE STRIPPER KITS — STRIPPING RANGE 0.1" TO 0.3"

Mfg. Part No.	Cassette Type/Color	Blade Spacing in. (mm)	Stock No.	Price Each
2CSK-R	2C-R/Red	0.24 (6.1)	46F4184	62.30
2-CSK-B	2C-B/Blue	0.27 (6.86)	46F4185	61.40
2-CSK-Y	2C-Y/Yellow	0.47 (11.94)	46F4186	62.30

THREE-STEP COAXIAL WIRE STRIPPER KIT — STRIPPING RANGE 0.1" TO 0.3"

Mfg. Part No.	Cassette Type/Color	Blade Spacing in. (mm)	Stock No.	Price Each
3CSK-GN	3C-GN/Green	0.235 (5.97)	46F4187	66.73

ECONOMICAL, PRE-ADJUSTED COAXIAL WIRE STRIPPER — STRIPPING RANGE 0.19" TO 0.25"

Mfg. part no. 2CSKCATV is an economical coaxial wire stripper designed to quickly and easily provide an industry-standard strip for CATV "F" connectors on all RG59 and RG6 coaxial cable. Patented spring-like action adjusts to provide a precise strip without any adjustments. Built-in stop provides an industry-standard 2-step strip of 0.25" braid and 0.25" conductor. Replaceable blade cassette lasts 1000-2000 strips. Convenient built-in belt clip. Mfg. part no. CATVC replacement blade is available; go online or call.

Mfg. Part No.	Description	Stock No.	Price Each
2CSKCATV	Economical Coaxial Wire Stripper	92C1684	10.64

(5709)

SCISSOR STYLE CRIMP AND RATCHET TOOLS



TH-450



TR-482

Mfg. part no. TH-450 scissors style crimp tool is the most versatile heavy-duty tool 3M™ has ever offered. Crimp wire range of 26-6 AWG. It is a high-quality, compact crimping tool with cushioned vinyl handles and made of 1.40" (35.5mm) high-strength, heat-treated carbon steel. Features include: wire cutter, insulated and uninsulated terminal crimping stations, 5-position bolt cutter, and a funnel-shaped wire stripper.



TH-550

Mfg. Part No.	Description	Stock No.	Price Each
TH-450 CRIMPING TOOL	Scissors Style Crimp Tool	19C8886	98.80

Mfg. part no. TH-550 is a compact, professional quality crimping tool with a high strength to weight ratio. Heat treated alloy steel construction assures durability. Ignition crimp tool cuts, strips, and crimps all ignition wire — including suppression. Strips all ignition cables without damage to the conductor in a unique self-centering "guillotine" nest.

Mfg. Part No.	Description	Stock No.	Price Each
TH550	Ignition Crimp Tool	21M6994	94.15

(78551)

SCOTCHLOK™ HAND CRIMP TOOLS



E-9Y crimp tool features stepped jaws and a long nose for parallel crimping, making it ideal for use with all Scotchlok™ connectors, except U1R; order separately on page 1231. E-9BM heavy-duty crimp tool is capable of crimping all Scotchlok™ connectors and features a parallel closing action, adjustable jaws, and 10-to-1 mechanical advantage which allows it to handle all wire gauges. Versatile E-9E Scotchlok™ hand crimping tool has a parallel closing action and a 4-to-1 mechanical advantage. Crimps all Scotchlok™ butt and tap connectors, and all wire gauges.



E-9Y

Mfg. Part No.	Description	Stock No.	Price Each
E-9Y*	Hand Crimping Tool	98F5807	33.72
E-9BM	Heavy-Duty Hand Crimping Tool	98F5021	71.74
E-9E	Hand Crimping Tool	98F7089	41.22

*Not recommended for 19 AWG or larger (6387)

CRIMPING TOOLS

PRECISION CRIMP TOOL

- Capable of crimping 1.25 to 2.5mm (AWG 32-20) pitch connector pins
- D-Sub connector contacts can also be crimped
- Locking latch and coiled spring
- Compact body for fatigue-free work



Precision crimp tool for micro connectors is constructed of S55C with Teflon® coating. Original set-pin prevents the joint from being loose and offers easy maintenance. Length: 6.8".

Mfg. Part No.	Description	Stock No.	Price 1-9
10140	Precision Crimp Tool	01N4763	67.99

(116784)

CRIMPER KITS

DURATOOL

- Stripping - 0.75, 0.9, 1.25, 2.0, 3.5, 5.5mm²
- Crimping - 1.25, 2.0, 3.5-5.5mm 2 (non-insulated), 1.25, 2.0, 5.5mm 2 (insulated)
- Bolt cutter - M2.6, M3, M3.5, M4, M5
- Length: 230mm



TL10178

Mfg. Part No.	Description	Stock No.	Price Each
			1-49
TL10178	Crimper Kit	99M1199	5.45

(116810)

K-SERIES CRIMPING TOOL
8-1/0 AWG

- Crimps Smaller Copper Connectors
- Small, Lightweight, Easy To Handle
- Easy To Get In Tight Locations
- Color-Coded, Hexagonal Rotating Dies

Tool capacity 8 AWG - 1/0 AWG copper. Overall length 15.4" (390 mm), weight 2.4 lbs. (1.1 kg). Tool is UL classified and CSA certified with Anderson, Blackburn, Burndy, ILSCO, Panduit, Thomas & Betts and Penn-Union copper connectors.



Mfg. Part No.	Description	Stock No.	Price Each
K05-1GL	Crimping Tool	06C3088	247.00
K05-1SPGL	Crimping Tool, Full Cycle Mechanism	06C3089	286.96

(85010)

CRIMPING TOOL 8-1 AWG



- Small Size And Lightweight Make This An Ideal Tool For Crimping Small Lugs And Splices
- Easily Fits In Tool Pouches
- Full-Cycle Mechanism Assures That Crimps Are Complete
- Jaws Can Be Opened In Mid-Cycle If Necessary To Adjust Connector
- Wide Grips Make Crimping Easy On The Hands

Tool capacity 8 AWG - 1 AWG copper color-coded connectors. Overall length 10" (273 mm), weight 1.4 lbs. (0.6 kg). Tool is UL and cUL classified to be used with Anderson, Blackburn, Burndy, ILSCO, Panduit, Penn-Union, and Thomas & Betts copper color-coded code connectors.

Mfg. Part No.	Description	Stock No.	Price Each
K111	Crimping Tool	54H1794	285.05

(85009)

COMPACT RATCHET CABLE CUTTERS



45207

Compact ratchet cable cutters with 2-speed ratchet mechanism adjusts for light or heavy cutting. Simple, 1-hand operation.

Mfg. part no. 45206 has 1 7/16" jaw opening for up to 600 MCM A1 and Cu. Mfg. part no. 45207 for larger capacity with 2" jaw opening for up to 1000 MCM A1 and 750 MCM Cu.

Mfg. Part No.	Description	Stock No.	Price Each
45206	1-7/16" Jaw	48F2197	400.43
45207	2" Jaw	52F8911	471.79

(5768)

CRIMPMASTER™ CRIMP TOOL AND DIE SETS



Crimpmaster™

Die Set

Professional Crimpmaster™ heavy-duty, ratcheting crimp tool for coax, twisted pair and crimp terminal applications. Features comfort grip handles. Mfg. part no. 30-506 Crimpmaster™ tool frame accepts a variety interchangeable die sets; ordered separately below. Many other die sets are available; go online or call.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
30-506	Crimpmaster™ Tool Frame Only	50F3161	77.59
30-500	Tool Frame and Die Set for 22-10 AWG Insulated Terminals	50F3155	108.69
30-502	Tool Frame and Die Set for BNC Connectors	50F3157	108.69
30-483	Tool Frame and Die Set for RG-9, Belden 8281, RG-6 Cable	50B4251	118.39

INTERCHANGEABLE DIE SETS

30-579	Die Set for 22-10 AWG Insulated Terminals	93B5606	57.71
30-580	Die Set for 22-8 AWG	01C0376	49.23
30-581	Die Set for BNC Connectors	98B2562	57.71
30-582	Die Set for RG-6 and RG-59F Connectors	50F3165	47.40
30-578	Die Set for RG-9, Belden 8281, RG-6 Cable	19C1166	46.70
30-587	Die Set for RG-174 and RG-5 Cable	97B1671	57.71

(47779)

CRIMP TOOLS



30-429

30-433

30-428

Mfg. part no. 30-433 coax strip and crimp tool. Cuts, strips and crimps RG-59 and RG-6 cable/F connectors. Separate stripping holes for inner and outer insulation. Mfg. part no. 30-429 multi-crimp tool for easy crimping/cutting—even in close quarters. Crimp bare or insulated terminals and wire splices (22 to 10 AWG). Mfg. part no. 30-428 combo tool for wire stripping/cutting, bolt cutting and crimping.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
30-433	Coax Strip and Crimp Tool	46F3691	53.95
30-429	Multi-Crimp Tool	59F1119	57.15
30-428	Combo Tool	59F1118	45.73

(5637)

CRIMPING TOOLS

RATCHET CRIMP TOOL



Precision tool crimps insulated or bare terminals and wire splices (22 to 10 AWG). To assure uniform crimps, ratchet action prevents release prior to crimp connection.

Mfg. Part No.	Stock No.	Price Each
83-001	98F9589	205.47

(5636)

CRIMPING TOOLS



1005

Mfg. part no. 1005 forged crimp tool for insulated and noninsulated terminals and connectors. Thin nose for tight spaces. Accommodates 10-22 AWG wire. Wire cutter. Red plastic-coated handles. Mfg. part no. 1006 designed for crimping non-insulated, solderless terminals and connectors ranging from 10 to 22 AWG. Specially hardened wire cutter in nose. Tapered nose for work in confined spaces. Plastic dipped handles (one red, one black to identify proper crimping position).

Mfg. Part No.	Description	Stock No.	Price Each
1005	10-22 AWG Insulated/Non-Insulated	98F1875	42.76
1006	10-22 AWG Non-Insulated	94F5754	44.57

(5723)

CRIMPING PLIERS

NEW TECHNOLOGY



97 43 200



97 51 10



97 52 36



97 53 04



97 71 180

CRIMP SYSTEM PLIERS

- Includes service tools (hexagonal key, open end wrench, screws and nuts) in a plastic case
- Almost parallel crimping performance
- Repetitive, high crimping quality due to precision dies and integral lock (self-releasing mechanism)
- Ergonomically designed handles and factory calibrated
- Wide range of different crimp profiles for nearly all common crimp connections
- Crimp dies not included

CRIMP PLIERS FOR WESTERN PLUGS

- Professional tool for cutting and stripping unshielded ribbon telephone cables
- For crimping 6- and 8-pole Western plugs type
- Exact crimping process due to parallel crimping
- Repetitive, high crimping quality due to integral lock (self-releasing mechanism)
- With length cutter and dismantling knife for ribbon cables 6 and 12 mm length

PRECIFORCE®, CRIMP PLIERS

- Repetitive, high crimping quality due to precision dies and integral lock (self-releasing mechanism)
- Factory calibrated
- Lightweight, short design and ergonomically shaped handles

SELF-ADJUSTING CRIMP PLIERS

- For crimping end sleeves (ferrules) according to DIN 46228 parts 1 + 4
- Lateral loading of the end sleeves (ferrules) into the tool
- Simple handling as a result of self-adjustment to the size of the end sleeve (ferrule)
- Square crimping for optimum contact areas in the clamp connection
- Repetitive, high crimping quality due to integral lock (self-releasing mechanism)
- Factory calibrated
- Mfg. part no. 97 53 08 crimping from 0.08 - 10.0 mm² in one profile, parallel loading up to 2.5 mm²
- Mfg. part no. 97 53 14 hexagonal crimping for optimum positioning in confined areas

CRIMP PLIERS FOR END SLEEVE FERRULES

- For crimping end sleeves (ferrules) according to DIN 46228 parts 1 + 4 from 0.25 to 16 mm²
- Crimping in marked half-round dies for secure connections between the sleeve and the conductor 9 Deep troughs with conical side faces

All pliers have high or optimum transmission force for reduced user fatigue.

▶ CONTINUED ▶

CRIMPING PLIERS (CONT.)

CRIMP SYSTEM PLIERS

Mfg. Part No.	Head	Handles	Applications/ Capacity	No of Crimp Positions	Overall Lgth. (mm)	Wt. (g)	Stock No.	Price Each
97 43 200	Burnished	Plastic Coated	Crimpmig Dies	...	200	988	06R6329	264.98

CRIMP PLIERS FOR WESTERN PLUGS

97 51 10	Burnished	Dual Comp.	RJ 11/12 (6-poles) RJ 45 (8-poles)	2	190	340	06R6330	85.78
----------	-----------	------------	---------------------------------------	---	-----	-----	---------	-------

PRECIFORCE®, CRIMP PLIERS

97 52 36	Burnished	Dual Comp.	Insulated Terminals and Plug Connectors/ AWG 20-10	3	220	487	06R6331	180.74
----------	-----------	------------	--	---	-----	-----	---------	--------

SELF-ADJUSTING CRIMP PLIERS

97 53 04	Burnished	Dual Comp.	End Sleeves (ferrules)	1	180	405	06R6332	287.34
97 53 08	Burnished	Dual Comp.	End Sleeves (ferrules)/ Front loading and Parallel loading	1	190	477	06R6333	291.38
97 53 14	Burnished	Dual Comp.	End Sleeves (ferrules)	1	180	404	06R6334	302.08

CRIMP PLIERS FOR END SLEEVE FERRULES

97 71 180	Polished	Plastic Coated	End Sleeves (ferrules)/ AWG 23-5	9	180	240	06R6337	64.86
97 72 180	Polished	Dual Comp.	End Sleeves (ferrules)	9	180	283	06R6338	67.34

(147404)

1300 and 8000 SERIES CRIMPERS WITH INTERCHANGEABLE DIE SETS



Paladin Tools®



8000 series CrimpALL®



1300 series

1300 series economy crimp tool frame with interchangeable die sets feature fully-ratcheted cycle, manual ratchet-release, adjustable crimp tension and EZI-CHANGE™ thumb screws for the die sets — no additional tool required to change crimp application. 5-year warranty. 8000 series CrimpALL® ergonomically-designed crimp tool with interchangeable die sets make it easier and more efficient to do any crimping job — the CrimpALL® tool does all work. Angled head prevents awkward wrist bending, reduced handle grip makes it a snap for both large and small hands, higher crimp force is produced with less hand force so your hand doesn't tire as quickly and no breaker hand force — the effort required on the last click at the end of the crimp cycle — to complete the crimp. Comfortable, rubber-embedded handles. Rugged double-plated jaw assembly. Uses same interchangeable dies as the 1300 series crimper. 10-year warranty. Other crimpers and die sets are available; go online or call.

FOR ELECTRICAL/INDUSTRIAL CONNECTORS

For Use With	1300 Series Crimper & Die			8000 Series CrimpALL & Die			Die Only		
	Mfg. Part No.	Stock No.	Price Each 1-5	Mfg. Part No.	Stock No.	Price Each 1-5	Mfg. Part No.	Stock No.	Price Each 1-5
Insulated Terminals & Lugs 22-10 AWG	● 1305	50F6302	62.97	● 8021	20C4864	81.11	● 2035	52F1363	27.74
Open Barrel, Non-Insul. Terminals & Lugs 22-14 AWG	● 1306	92B6687	62.97	● 8026	20C4869	81.11	● 2033	50B6414	27.74
Wire Ferrules 22-10 AWG	● 1360	13C2575	62.97	● 8025	20C4868	81.11

FOR COAXIAL CONNECTORS

RG58/59 /G2AU BNC/TNC	● 1317	50F6306	62.97	● 8001	20C4844	81.11	● 2034	91B6556	27.74
RG59/ RG6 CATV "F"	● 1328	50F6296	62.97	● 8013	20C4856	81.11	● 2042	50B6415	27.74
RG6/ RG6Quad BNC/ CATV "F"	● 1356	20C4635	62.97	● 8012	20C4855	81.11	● 2045	02C6780	27.74
HDTV BNC/TNC	● 8049	73J8570	81.11	● 2699	73J8490	27.74

▶ CONTINUED ▶

CRIMPING TOOLS

1300 and 8000 SERIES CRIMPERS WITH INTERCHANGEABLE DIE SETS (CONT.)

FOR MODULAR PLUGS

For Use With	1300 Series Crimper & Die			8000 Series CrimpALL & Die			Die Only		
	Mfg. Part No.	Stock No.	Price Each 1-5	Mfg. Part No.	Stock No.	Price Each 1-5	Mfg. Part No.	Stock No.	Price Each 1-5
RJ45 WE/SS-Style & RG6/RG6Quad CATV "F"	● 1387	32H6888	60.99	● 8045	32H7049	75.99	● 2687	32H6975	31.99
RJ45 WE/SS-Style	● 1307	92F2631	62.97	● 8030	20C4873	81.11	● 2061	91B0839	27.74
RJ22 Handset Amp-Style	● 8032	20C4875	81.11	● 2064	97B2677	27.74
RJ11/RJ12 Amp-Style	● 1342	20C4630	62.97	● 8034	20C4877	81.11	● 2065	23C8055	27.74

1300 SERIES CRIMP TOOL FRAME ONLY

Mfg. part no. PA1302 crimp tool frame accepts interchangeable crimp die sets; order separately from table above.

Mfg. Part No.	Description	Stock No.	Price Each
● PA1302	1300 Series Crimp Tool Frame Only	50F6284	42.99

(5746)

COMBINATION RJ-45/CATV "F" CRIMPERS AND DIE SET



Paladin Tools



- One Die for 3 Applications
- Precision Ground Die Set with the Tightest Tolerances in the Industry
- Can be Used with Both 1300 and CrimpALL™ Series Crimpers

Mfg. part no. 8045 CrimpALL™ RJ-45/CATV "F" crimp tool and mfg. part no. 1387 1300 Series RJ-45/CATV "F" crimp tool both feature the first combination die set ideal for data, voice and video applications. Used to terminate standard RJ-45 WE/SS modular plugs and 1-piece RG6/RG6 Quad CATV "F" connectors. Crimp style: UTP 4-pair and RG6/RG6 Quad RJ-45 WE/SS 8-pin and 0.360"/0.324" hex.

Mfg. Part No.	Description	Stock No.	Price Each
● 8045	CrimpALL 8000 Crimper w/Die	32H7049	75.99
● 1387	RJ-45 WE/SS and CATV F 1300 Series Crimper with Die Set	32H6888	60.99

REPLACEMENT DIE SET

Mfg. Part No.	Description	Stock No.	Price Each
● 2687	RJ-45 WE/SS and CATV F Die Set	32H6975	31.99

(83264)

1600 SERIES PROFESSIONAL CRIMPERS



Paladin Tools



Professional-quality crimping tools with precision-calibrated crimp profiles. Manufactured from the finest quality tool steel. Ergonomically-shaped handles with comfortable, non-slip rubber grip with small grip distance — perfect for smaller hands. This crimp frame is preferred by many broadcast engineers. Lifetime warranty.

COAXIAL CABLE CONNECTORS

1600 w/Die Mfg. Part No.	Description	1600 Crimp Stock No.	Price Each 1-9	Die Only Mfg. Part No.	Die Only Stock No.	Price Each 1-9
● 1617	RG58/59/62AU BNC/TNC	23C7322	130.50	● 2005	50B6412	54.27
● 1645	30-18 AWG	97B3917	161.18	N/A Fixed Die
● 1631	Open-Barrel Contacts 24-14 AWG	97B2530	220.42	
● 1646	Open-Barrel D-Sub Contacts, 28-20 AWG	20C4662	236.94	

WIRE FERRULES

● 1647	24-10 AWG	26C0994	196.82	26C0994	26C0994	196.82
--------	-----------	-------------------------	--------	-------------------------	-------------------------	--------

(72365)

D-SUBMINIATURE CRIMPERS



Paladin Tools



4-way indented crimping tool for crimping screw machine pins and socket contacts. Crimps D-subminiature contacts for RS232 interface connectors. Built-in contact locator (for mfg. part no. 1440 only), full ratchet cycle. Mfg. part no. 1440: 26-20 AWG. Mfg. part no. 1441: 20-12 AWG.

Mfg. Part No.	Description	Stock No.	Price Each
● 1440	4-Indented Crimper; 26-20 AWG	93F7838	47.19
● 1441	4-Indented Crimper; 20-12 AWG	93F7839	47.19

(5627)

SEALTITE® CRIMP TOOLS AND WATERPROOF CATV "F" COMPRESSION CONNECTORS



Paladin Tools



1555

901024

Powerful SealTite® crimp tools and waterproof CATV "F" coaxial connectors — a durable combination from Paladin Tools. Mfg. part no. 1555 SealTite® Pro Crimper easily crimps all waterproof and weatherproof linear CATV "F", BNC, RCA and right-angle compression-type connectors, from all manufacturers, for RG59, RG62AU, RG6 and RG6 Quad shield cable. Features an advanced fully-ratcheted system with built-in release. Crimp height adjusts with thumb screw and locks into place. Comfortable, non-slip rubber-embedded handles. Mfg. part no. 901024 SealTite® 59/6 compression crimp tool crimps Paladin SealTite® CATV "F" connectors, ordered separately below and also Augat/T&B Snap-N-Seal® connectors and Aim CATV "F" waterproof connectors for RG59, RG6 and RG6 Quad 75-ohm coaxial cable. Features a fully ratcheting one-cycle crimp function and comfort-grip handles.

Mfg. Part No.	Description	Stock No.	Price Each
● 1555	SealTite Pro Crimper	97H2962	69.99
● 901024	SealTite 59/6 Compression Crimp Tool	19C8810	46.97

SEALTITE® CONNECTORS

Mfg. Part No.	Description	Stock No.	Price per Pkg.
● 9611	SealTite Waterproof CATV "F" Compression Connector for RG6 Cable — Sold in Pkg. of 20	90H9693	19.66
● 9643	SealTite Waterproof CATV "F" Compression Connector for RG6 Cable — Sold in Pkg. of 10	16M3472	10.92
● 9644	SealTite Waterproof CATV "F" Compression Connector for RG6 Quad Shield Cable — Sold in Pkg. of 10	16M1172	10.92

(64776)

RF CRIMP TOOL



- Crimps insulated MMCX connectors
- Steel construction
- Adjustable pressure
- 7 jaw size die
- Ratchet mechanism
- Heavy-duty handles



Cable groups covered: RG-147, RG-178, RG-179, RG-180, RG-187, RG-196 and RG-316. Jaw sizes (across flats): 0.71mm, 1.0mm, 1.2mm, 2.54mm, 3.25mm and 3.84mm.

Mfg. Part No.	Description	Stock No.	Price Each
			1-24
HT-336T	RF Crimp Tool	14J1105	21.84

(116647)

Huge Expanded Selection of Semiconductors

Go online to find new technologies and proven solutions from world-class and specialist suppliers.

(148843)

CUTTERS • CUTTERS – CABLE

BOLT CUTTERS



- Drop forged, heat treated steel
- Tubular steel handles with rubber grips allow maximum leverage
- Adjustable replacement jaws



TL10351

Mfg. Part No.	Description	Stock No.	Price Each
D00141	18" Bolt Cutter	58M5378	6.82
TL10351	24" Bolt Cutter	97M9401	6.91

(116696)

TELCO RATCHET CUTTER

SPECIFICATIONS:

- Length 11½" (287 mm)
- Weight 2.8 lbs. (1.3 kg)
- Specially designed moving blade to handle the larger diameter telephone cable and soft drawn copper and aluminum
- Cuts up to 2,700 pair telephone cable or up to 750 kcmil (MCM) (400 mm²) soft drawn copper and aluminum
- Blade release for safety and fast backout
- High carbon tool steel blades are heat treated for long life
- Ratchet lock
- Blades are manufactured from high carbon tool steel and heat-treated for long life
- Rust-resistant, black oxide finish



Mfg. Part No.	Description	Stock No.	Price Each
45240	Telco Ratchet Cutter	06C8474	545.40

(80213)

POWERBLADE 12-TOOLS-IN ONE

- Patent-pending wire and cable stripping system
- SOG® beveled-edge knife
- 0.15"-0.25" cable strippers built into handle of tool
- UTP stripper with spring-loaded blade
- V-notch to adjust to cable
- 22-10 AWG wire strippers for both solid and stranded wire
- Lifetime manufacturer's warranty



PowerBlade, this unique electrician's knife and 11 separate wire and cable strippers all in one, is built for a lifetime of professional use, all day, every day. Cryogenic heat-treated 3" long blade increases strength to enable longer sharpness and chip resistance. Manufactured from AUS 8 stainless steel. Lightweight tool handle made from military-grade Zytel® plastic. Liner-Lock blade release system keeps knife securely locked while in-use position for added safety. Thumb stud for easy one-hand opening. Total length: 7.5".

Mfg. Part No.	Description	Stock No.	Price Each
6575	PowerBlade 12-Tools-in-One	63M4719	59.99

(116762)

CABLE CUTTERS



- Manufactured from high-grade steel with blue PVC handles
- Can be used on vinyl coated copper and aluminum cable



TL09544

Mfg. Part No.	Description	Stock No.	Price Each
TL09544	Cable Cutters, 6"	01N3608	11.75

(116789)

CABLE CUTTERS



Cable cutters feature fine polished matt-chrome plated finish. Shock-proof 2-component handles with slip guards.



Mfg. Part No.	Description	Stock No.	Price Each
D00628	Cable Cutter, 160mm	61M5957	24.74
D00629	Cable Cutter, 210mm	61M5958	27.79

(116827)

CABLE CUTTERS



718

Mfg. part no. 727 cable cutters have forged steel blades for cutting up to ¾ aluminum or copper cable. High-leverage handles are plastic covered for extra comfort and grip. Mfg. part no. 718 cable cutters are lightweight and compact. Steel handles have rubber grips for greater leverage and comfort. Cut up to 350MCM copper; not for use with steel cable, ACSR or live circuits. 18" length.

Mfg. Part No.	Description	Stock No.	Price Each
727	Cable Cutter	50F6971	35.70
718	Compact Cable Cutter	89F2780	96.69

(5683)

DATA T®-CUTTER



Mfg. part no. 45-074 Data T®-Cutter cuts round communication cable and maintains cable geometry for better performance. Cuts multipair cable up to 0.5" (12.7 mm) and coaxial cable up to RG-9/U. Blades are suitable for soft cables (not ACSR). Steel-reinforced center conductors can be trimmed with bolt-cutting holes. Comfort grip increases handling ease. Locking latch keeps tool closed in pouch.

Mfg. Part No.	Description	Stock No.	Price Each
45-074	Data T®-Cutter	48F1307	27.72

(33872)

HIGH-LEVERAGE CABLE CUTTER

- Cable-Gripping, Shear-Type Jaws
- Cuts Up to ¾ Aluminum
- Cuts Up to ¾ Soft Copper
- Cuts Up to 100-Pair Communication Cable
- Red Plastic-Dipped Handles
- Overall Length: 9½"



Not designed for cutting steel or ACSR.

Mfg. Part No.	Stock No.	Price Each
63050	94F5796	43.08

(5799)

RATCHETING CABLE CUTTER



- Unique ratchet action holds cable tight, allows rapid, straight cuts
 - Finger-formed, plastic-covered handles for comfort and gripping power
 - Hold-open spring speeds cutting action
 - Compact, lightweight design
 - Quick-release lever opens blade during operation
 - Locks in closed position for safe pouch carrying
- Cleanly cuts copper up to 400 MCM, as well as aluminum and multiconductor cable up to 600 MCM. Not designed for cutting steel or ACSR. Handle color: red. Overall length: 10".

Mfg. Part No.	Description	Stock No.	Price Each
63060	Ratcheting Cable Cutter	94F5797	357.24

(85001)

New products added weekly

See the newest products, technologies and suppliers on our website.

(148886)

CUTTERS – CABLE • CUTTERS – KNIFE

WIRE STRIPPER/CUTTERS

- Compact, lightweight
- Strip, gauge, cut and loop solid or stranded wire
- Clear wire gauge markings on both sides of tools
- Strong, hardened-steel with precision-ground stripping holes
- Comfortable plastic-dipped handles
- Overall length: 6 3/4"



11047

Mfg. Part No.	AWG	Handle Color	Stock No.	Price Each
				1-4
11045	18-10	Yellow	94F5759	18.17
11046	26-16	Red	92B3579	19.12
11047	30-22	Yellow	92B0882	20.03
11049	18-8	Red	84C8719	18.80

(56571)

CABLE AND WIRE ROPE SHEARS

NEW TECHNOLOGY



CABLE SHEARS

- For universal use; cuts cables up to 10 mm dia. / 24 mm²
- With opening spring and locking lever
- Blades made of stainless steel oil-hardened and tempered



95 05 165

COMBINATION SHEARS

- For cutting cardboard, plastics, aluminium, brass and copper foils
- With opening spring and locking lever
- With guard and adjustable screw joint
- Blades made of stainless steel oil-hardened and tempered



95 05 190

CABLE SHEARS

- For cutting copper and aluminium cables, single and multiple wire
- Universal use for dismantling and stripping
- Precision ground, hardened blades
- Clean and smooth cut without crushing and deformation



95 11 165

RATCHET CABLE CUTTER

- For cutting copper and aluminium cables, single and multiple wire
- Precision ground, hardened blades
- Clean and smooth cut without crushing and deformation
- One-hand operation using ratchet principle
- 1000V, VDE tested



95 36 250

WIRE ROPE CUTTER

- For medium hard wire up to 6 mm dia.
- With opening spring and locking lever
- Cutting edges additionally induction hardened
- Special blade geometry prevents the wire rope fanning out




95 61 190

Mfg. Part No.	Head	Cutting Performances Ø (mm) / mm ²		Overall Length (mm)	Wt. (g)	Stock No.	Price Each
		Copper	Aluminum				
95 05 165	Polished	10	24	165	111	06R6323	32.96
95 05 190	Polished	190	116	06R6324	29.04
95 11 165	Burnished	15	50	165	210	06R6325	40.30
95 36 250	Lacquered	32	240	250	652	06R6326	379.26
95 61 190	Polished	6	10	190	314	06R6327	63.54

(147405)

RETRACTIBLE UTILITY KNIFE



TL10494

TL10493

Retractable Utility blade has 3 positions, cast metal construction. Precision die-cast ergonomically designed handle with an easy blade change without the use of any tools. TL10494 contains of 100 two notch stainless steel blades which are suitable for use with most retractable knives. The dispenser can be mounted on wall or carried around.

Mfg. Part No.	Description	Stock No.	Price Each
			1-99
TL10493	Retractable Utility Knife	97M9419	1.98
TL10494	Utility Knife Blades and Dispenser, 100 pc	97M9420	3.90

(116717)

HOBBY KNIFE SETS

DURATOOL



TL10507

- Hobby knife set contains everything you would need to get you started
- Ideal for the modeler or craft worker

Mfg. Part No.	Description	Stock No.	Price Each
TL10507	Hobby Knife Set, 35 pc	99M1264	7.66

(116769)

ERGONOMIC CABLE SPlicing KNIFE

NEW TECHNOLOGY



- Blade length: 1 3/4"
- Overall length: 6 1/4"



Cable splicing knife holds its edge with repeated use and features a non-slip easy grip ergonomic handle made from TPR (thermoplastic rubber) for better control and reduced hand fatigue. The tough cutlery steel blade is extremely sharp and cuts easily through many types of insulation.

Mfg. Part No.	Description	Stock No.	Price Each
KN-7	Ergonomic Cable Splicing Knife	76M0043	7.53

(139050)

INSULATED KNIVES

NEW TECHNOLOGY



CABLE KNIFE

Solid, fixed straight blade oil-hardened and tempered
Transparent protective cap



98 52

DISMANTLING KNIFE

Solid, fixed hook blade, sickle shaped, made of stainless steel, vacuum hardened
Guide shoe at the blade point
No damage of the conductor insulation
Transparent protective cap



98 55

CABLE KNIFE

Solid, fixed straight blade
Replaceable specially ground blade made of stainless steel
Hinged blade guard, integrated in the handle, captive
Back of the blade plastic coated to avoid short circuit



98 56

All knives feature ergonomically shaped safety handles and are VDE tested according to DIN EN/IEC 60900 : 2004.

Mfg. Part No.	Blade Length (mm)	Overall Length (mm)	Wt. (g)	Stock No.	Price Each
98 52	50	180	67	06R6339	20.70
98 55	38	155	68	06R6340	54.74
98 56	50	185	64	06R6341	34.52

ACCESSORIES

Mfg. Part No.	Description	Stock No.	Price Each
98 56 09	Spare Blade For 98 56	06R6342	14.04

(147406)

ELECTRICIAN'S KNIFE



This 4" long utility tool is both a knife and a screwdriver. Screwdriver blade with sharp edge for scraping insulation. Tough Delrin handle.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
K22	4" Electrician's Knife	35F251	28.75

(20234)

CUTTERS – KNIFE • CUTTERS – SCISSORS

SYSTEM 4 BLADE SETS WITH PRECISION HANDLES



26992



26997

High-alloy CVM steel hardened blades. Tapered ESD-safe handle has easy control fingertip rotating cap.
Mfg. part no. 26992 10-blade combo set (20 tips) contains slotted sizes: 1.5 and 3.0, 2.0 and 3.5, 2.5 and 4.0mm. Phillip sizes: #000, #00, #0 and #1. Hex/ball point sizes: 1.3, 1.5mm. Straight hex: 2.0, 2.5, 3.0mm. Ball end hex: 2.0, 2.5 and 3.0mm. Comes with an antistatic adjustable collet-type handle. In durable pouch.

Mfg. Part No.	Stock No.	Price Each
26992	93F6584	95.55

Mfg. part no. 26997 8-blade combo set (16-tips) contains slotted sizes: 1.5 and 3.0, 2.0 and 3.5, 2.5 and 4.0mm. Phillip sizes: #000, #00, #0 and #1. Torx® sizes: T6 and T8, T7 and T9, T10, T15. Antistatic adjustable collet-type handle in fold-out box.

26997	92F8113	76.66
-------	----------------	-------

Mfg. part no. 44590 7-blade combo set (13 tips) contain slotted sizes: 2.0, 3.0, 4.0mm; Phillips sizes: #00, #0, #1; Torx® sizes: T6 and T8, T7 and T9, T10, and T15. ESD -safe tweezers contains: AA SAIND Universal fine point, 2A SAIND curved extra-fine rounded tips. ESD-safe precision type handle in durable pouch.

44590	93C9902	162.51
-------	----------------	--------

Mfg. part no. 32090 Insulated screwdriver set.

32090	90F7775	32.60
-------	----------------	-------

(68844)

DURASHARP® 8" SHEARS



10007096



94517296

Mfg. part no. 10007096 all-purpose 8" shears can be used for an unlimited number of tasks. For left- or right-handed use.

Mfg. Part No.	Stock No.	Price Each
		1-9
10007096	18C2434	8.53

Mfg. part no. 94517296 8" right-handed shears feature ergonomically designed plastic handles. Adjustable stainless steel screw joint. Precise blade alignment. Stainless steel blades.

94517296	18C2506	17.28
----------	----------------	-------

(65293)

ELECTRICIAN'S SCISSORS — SERRATED



Feature hot forged high-carbon steel blades. Nickel-plated and precision ground. Bottom blade serrated for gripping power. Built-in file plus 19 + 23 gauge wire stripping notches. Power lock screw keeps proper tension for cutting. Includes built-in file.

Mfg. Part No.	Stock No.	Price Each
95003	18C2508	19.99

(65289)



ERGONOMIC FIBER OPTIC KEVLAR® CUTTER

Just Added



- Ergonomic handles for user comfort and durability
- Adjustable joint screw under protective cap
- Serrated blades grip material
- Sharp and durable 6" long

High carbon stainless steel blades designed to cut Kevlar®, cabling insulation, tape, cable ties and other material.

Mfg. Part No.	Description	Stock No.	Price Each
JIC-186	Ergonomic Wire and Kevlar Cutting Shears	51M0209	12.03

(139048)

170 SERIES PLATOSHEARS® LEAD CUTTERS



170



170LX

- Ergonomically designed
- Reduces operator fatigue
- Made in the U.S.A.

Platoshears® flush cut copper wire up to 18 AWG (0.040"/1.00mm). The shear cutting action reduces operator fatigue and prolongs the life of the blades. **Mfg. part nos. 175** and **175SD** feature a lead-catcher safety guard that reduces the risk of lead fly-off. **Mfg. part nos. 170SD** and **175SD** have permanently static-dissipative plastic grips which meet DOD-STD-1686 and MIL-B-81705, Type 2 specifications.

Mfg. Part No.	Description	Stock No.	Price Each
● 170	Lead Cutter	98H3229	6.88
● 175	Lead Cutter with Lead-Catcher Safety Guard	98H3232	9.25
● 170SD	Lead Cutter with Static-Dissipative Plastic Grips	98H3230	14.88
● 175SD	Lead Cutter with Lead-Catcher Safety Guard and Static-Dissipative Plastic Grips	68K7287	16.48
● 170LX	Ergonomic ESD-Safe Shear Cutter	83K3388	10.35
● 175LX	Ergonomic ESD-Safe Shear Cutter with Safety Guard	83K3389	12.73

(79284)

5" ELECTRICIAN'S SCISSORS



Heavy-duty, general-purpose scissors with serrated outside blade and two notches for 19 AWG and 23 AWG wire. Blade length: 2".

Mfg. Part No.	Stock No.	Price Each
1331	10N313	10.65

(19250)

5" CERAMIC SCISSORS



Designed for detailed precision cuts and even able to cut Kevlar. The durable zirconia blade insert even works with magnetic materials. Plastic handles are carbon fiber reinforced.

Mfg. Part No.	Stock No.	Price Each
		1-4
3320	92N3664	111.15

(19252)



Current Order Status & History

Check the status of your current order or access past orders from our website under MY ACCOUNT eSuite. Log in or register today.

(148884)

CUTTERS – SCISSORS • CUTTERS – WIRE

NIPPERS, CUTTERS, SHEARS AND SCISSORS



NIPPERS AND CUTTERS

Mfg. part no. TC-1 industrial thread nippers feature nickel-plated, hot drop-forged steel blades with self-opening spring action. **Mfg. part no. 1570-B** Quick-Clip® speed cutter features stainless steel, replaceable 1" long blades, positive spring action and heavy-duty contour frame.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
TC-1	4¾" Industrial Thread Nippers — Sharp Point Blades	34F1000	13.60
1570-B	4¾" Quick Clip® Speed Cutter — Sharp Point Blades	46F2594	5.52

SHEARS AND SCISSORS

Mfg. part no. 175-E electrician's scissors feature nickel-plated, hot drop-forged 1¾" long blades with a scraper and file on back edge of blade. **Mfg. part no. 175E-5** electrician's scissors is the same as **mfg. part no. 175E** plus features a double stripping notch for 19 gauge and 23 gauge wire. **Mfg. part no. 175-E3** electrician's scissors is the same as **mfg. part no. 175E-5** except one blade is serrated 1" back from the point. **Mfg. part no. 8BLT** belt and leather cutting shears feature 3" long nickel-plated steel blades, one serrated with sharp point and the other edged with blunt tip, black finished handle, and patented Set-Easy® pivot. **Mfg. part no. 764** sewing and embroidery scissors feature nickel-plated, hot drop-forged 1¾" long blades with sharp points, flat pattern and ring handles.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
175-E	5¼" Electrician Scissors — Scraper and File on Back of Blade	34F1003	14.08
175E-5	5¼" Electrician Scissors — Double Stripping Notch, Serrated Along Entire Bottom Blade	46F2593	13.52
8BLT	8¼" Belt and Leather Cutting Shears	10B4366	43.31
764	4½" Sewing and Embroidery Scissors	10B4216	19.33

(20236)

UTILITY SHEARS



WEZ Snip W8TA W912 W812

Mfg. part no. WEZSNIP Easy Snip utility shear features strong, corrosion-resistant 4" long stainless steel blades with rounded points. Textured, molded handles for secure, comfortable grip. Spring assist action minimizes fatigue. Wire cutting notch in lower blade. Thumb latch secures blades closed for storage.

Mfg. part no. W8TA utility shear features take-apart blades for easy cleaning. Strong, corrosion-resistant stainless steel 4" long blades with rounded points. Black plastic handles are dishwasher safe.

Mfg. part no. W912 shop shear features serrated lower blade for better grip on materials being cut. Cutting notch on lower blade for rope and twine. Safety point on 4¼" long blades. Adjustable pivot to change cutting tension for best feel. Black, hard plastic handles clean easily.

Mfg. part no. W812 8½" home and craft scissor features corrosion-resistant, stainless steel 3¼" long blades with sharp points. Straight blades can be sharpened. Adjustable pivot to change cutting tension for best feel. Red, hard plastic handles with Soft-Touch finish offer high leverage.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
WEZSNIP	8¾" Easy Snip Utility Shear	84K0499	11.59
W8TA	8" Take-Apart Utility Shear	84K0500	14.23
W912	10" Shop Shear	84K0502	14.49
W812	8½" Home and Craft Scissor	84K0501	8.63

(88514)

MULTIMASTER® LONG-CUT, COMPOUND-ACTION SNIPS



MultiMaster® snips are great for making long, fast cuts in several types of material including paper, plastic, sheet metal, aluminum, vinyl siding, screening and many others. The long cut of tinner's snips is combined with the strength of compound action. The compound action multiplies the force of the hand by five times. Cuts up to 20-gauge low carbon cold rolled steel. Features non-slip, serrated jaws and "hi-viz", non-slip textured grips. 3" long straight-cutting blade. Overall tool length: 10½".

Mfg. Part No.	Stock No.	Price Each
M300	83F4117	20.05

(35985)

ELECTRONIC SHEARCUTTERS



170M 1178M

Carbon steel electronic shearcutters with easy-grip molded red handles. Superior blade by-pass shear cutting action is designed to cut with less effort. 5" shears flush-cut soft wire up to 20 AWG. 6" shears flush-cut wire up to 14 AWG. Heavy-duty shears offer maximum durability for IC pins, cable and harnesses. **Mfg. part nos. 175M, 175D, 2178M and 2178D** feature safety clips to help prevent flying leads.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
170M	5" General-Purpose, Low-Profile Shearcutters	50F172	7.24
175M	5" General-Purpose, Low-Profile Shearcutters with Safety Clips	50F4002	8.88
1178M	6" Heavy-Duty Shearcutters	96F8902	13.07
2178M	6" Heavy-Duty Shearcutters with Safety Clips	50F4003	15.62

ELECTROSTATIC DISSIPATIVE (ESD) MODELS

Feature static-dissipative black grips to help reduced mechanical shock delivered to the work.

170D	5" General-Purpose, Low-Profile Shearcutters with ESD Grips	92F6157	8.04
175-D	5" General-Purpose, Low-Profile Shearcutters with Safety Clips, ESD Grips	52F5705	9.77
1178D	6" Heavy-Duty Shearcutters with ESD Grips	96F8900	15.76
2178D	6" Heavy-Duty Shearcutters with Safety Clips, ESD Grips	66F2965	17.16

(5990)

ESD CUTTERS



D00655

ESD electrostatic discharge certified. Drop-forged fine polished black oxidized head. Plain jaws and spring-release handles. 2-component handles with slip guard. Length:130mm.

Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00655	ESD Cutter, no bevel round head, spring release handle	61M5984	25.24
D00656	ESD Cutter, bevel round head, spring release handle	61M5985	22.58
D00657	ESD Cutter, no bevel round head with lead catcher, spring release handle	61M5986	23.04

(116841)

TechCast® Product Training

Use the library of online training modules located on our homepage under Useful Tools, with specific guidance for complex solutions.

(148857)

CUTTERS – WIRE

SIDE CUTTERS



- 2-component handle with slip guard
- Shock proof handle
- Drop forged, heat treated fully polished steel
- Available in two sizes: 140mm or 160mm



Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00622	Side Cutter Diagonal, Length: 140 mm	61M5951	19.09
D00623	Cutter Side Diagonal, Length: 160 mm	61M5952	20.31

(116846)

HEAVY DUTY SIDE CUTTER



- 2-component handle with slip guard
- Shock proof handle
- Drop forged, heat treated fully polished steel



Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00624	Diagonal Side Cutter, Length: 180 mm	61M5953	25.01

(116847)

CUTTERS



TL09912



TL10329

- An exceptionally clean smooth cut
- Lightweight and easy to handle
- Suitable for copper wire, not for use with steel wire

Mfg. Part No.	Description	Stock No.	Price Each
			1-99
TL10329	Mini Cutters, Length: 4.72"	97M9399	1.42
TL09912	Micro Cutters, Length: 5"	01N3627	3.55

(116707)

DIAGONAL CUTTERS



Drop-forged black oxidized head is made of chrome vanadium steel. PVC handle with slip guard. Length: 110mm.



D00646

Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00646	Cutter, no bevel round head, spring release handle	61M5975	20.88
D00647	Cutter, bevel round head, spring release handle	61M5976	18.86
D00648	Cutter, no bevel round head with lead catcher, spring release handle	61M5977	21.90

(116834)

TIP CUTTERS



570E

530E10



Erem® Magic® cutters are made of extruded, machined tool steel for superior durability. Built-in Magic® spring for "fatigue-free" operation. Interlock screw joint eliminates blade overlapping. ESD -safe cushion grips for comfort and protection. Swiss-made for superior quality.

Mfg. Part No.	Description	Jaw Length (In.)	Max. Cutting Dia. (In.)	Stock No.	Price Each
					1-4
570E	4¾" Diagonal, Small Tapered Relieved Head, Full-Flush Cut, Angled Tip Cutter for Cutting 24 AWG or Smaller Wires in Confined Areas	0.024	0.866	96F9434	80.93
573E	4½" Transverse End, Full-Flush Cut, Vertical Tip Cutter for Fine/Soft 24 AWG and Smaller Wires	0.024	0.906	96F9413	92.64
530E10	4¾" Antishock Head, Shear Cut, PCB Cutter, Cut Off @ 0.040" (1mm)	0.047	0.787	73C3016	124.60

(5754)

HIGH-PRECISION DIAGONAL CUTTERS



Erem® N series diagonal wire cutters are made with superior-grade steel. Have integrated, unbreakable springs for a constant, free-opening force. Feature ergonomic, ESD-safe cushion grips.

Mfg. Part No.	Description	Stock No.	Price Each
612N	4" Small Oval Head, Semi-Flush	91F2835	52.72
622N	4" Small Oval Head, Full-Flush	91F2837	52.72
632N	4" Small Oval Head, Super Full-Flush	83F4083	53.88
512N	5" Medium Oval Head, Semi-Flush	91F2836	52.72
522N	5" Medium Oval Head, Full-Flush	91F2838	52.72
532N	5" Medium Oval Head, Super Full-Flush	83F4082	52.72
622NA	4" Tapered Head, Full Flush	95B5096	50.69
622NB	4" Tapered Relieved Head, Full Flush	95B5097	52.72
812N	5" Side Cutters, Semi-Flush Cut	81C8015	66.76
822N	5" Side Cutters, Full-Flush Cut	81C8016	64.27

(36374)

ERGONOMIC CUTTERS AND PLIERS



2412E

2411P

2442P

Mfg. part no. 2412E is a 5" oval head, diagonal, semi-flush cutter with co-molded ergonomic grip for maximum comfort. Ideal for cutting soft copper wire 32-16 AWG. Made of extruded 100% machined Eremadium® tool steel for durability. Patent internal Magic® spring maintains constant fatigue-free operation. Erem Maximum Opening Stop (EMOS) limits handles from opening.

Mfg. Part No.	Stock No.	Price Each
		1-4
2412E	18M9949	59.96

Mfg. part no. 2422E is a 5" oval head, diagonal, full-flush cutter with co-molded ergonomic grip for maximum comfort. Ideal for cutting soft copper wire 32-16 AWG. Made of extruded 100% machined Eremadium® tool steel for durability. Patent internal Magic® spring maintains constant fatigue-free operation. Erem Maximum Opening Stop (EMOS) limits handles from opening. Mfg. part no. 2222EK is a 5" hardwire wire cutter specifically designed for medical electronics use.

2422E	13M5844	59.96
-------	---------	-------

Mfg. part no. 2432E is a 5" oval head, diagonal, super full-flush cutter with co-molded ergonomic grip for maximum comfort. Ideal for cutting soft copper wire 38-16 AWG. Made of extruded 100% machined Eremadium® tool steel for durability. Patent internal Magic® spring maintains constant fatigue-free operation. Erem Maximum Opening Stop (EMOS) limits handles from opening.

2432E	18M9950	59.96
-------	---------	-------

Mfg. part no. 2282E is a 5-3/4" angle cutter plier for easy access to circuit boards for SMT and thru-hole lead trimming. Compound curved "ESD-safe" cushion-grip for comfort.

2282E	32H2599	60.37
-------	---------	-------

Mfg. part no. 2411P is a 5" very fine point, needle-nose pliers with smooth jaws that's perfect for microelectronics. Co-molded ergonomic grip for maximum comfort. Made of extruded 100% machined Eremadium® tool steel for durability. Patent internal Magic® spring maintains constant fatigue-free operation. Erem Maximum Opening Stop (EMOS) limits handles from opening.

2411P	18M9947	56.91
-------	---------	-------

➤ CONTINUED ➤

CUTTERS – WIRE

ERGONOMIC CUTTERS AND PLIERS (CONT.)

Mfg. Part No.	Stock No.	Price Each
		1-4
2442P	18M9951	58.04

(96277)

PRECISION CARBIDE TIP CUTTERS



576TX



503ETST

- Precision cutter blades fitted with carbide inserts to cut MP35M stainless wire (0.004"/0.10mm to 0.020"/0.50mm dia.) found in stents, catheters and guide wires
- Super-full-flush cut for critical medical applications
- Extruded 100% machined Eremadium® tool steel for strength and durability
- Patented internal Magic® spring maintains constant opening/closing fatigue-free operation
- Erem® Maximum Opening Stop (EMOS) limits handles from opening to prevent excessive hand spread
- ESD safe, ergonomic cushion grips for more comfort and protection
- Interlock screw joint system delivers wobble-free operation and avoids blades overlapping

Carbide tip precision cutters deliver the ultimate in comfort, control and performance necessary for demanding medical applications. Swiss-made for superior quality, precision and reliability. **Mfg. part no. 576TX** diagonal tip carbide cutter features a tapered relieved head that reaches into tight places. Also cuts other malleable wire up to 0.008" (0.20mm) diameter. **Mfg. part no. 503ETST** angled tip oblique head carbide cutter is angled at 30° to ease stress on user's wrist.

PRECISION CARBIDE TIP CUTTERS FOR MEDICAL APPLICATIONS

Mfg. Part No.	Description	Stock No.	Price Each
576TX	4 1/4" Tapered-Relieved Head Super-Full-Flush-Cut Diagonal Tip Carbide Cutter	83F4089	193.49
503ETST	4 1/4" Oblique Head Full-Flush-Cut 30° Angled Tip Carbide Cutter	72J5689	242.96

CARBIDE DIAGONAL CUTTER FOR GENERAL USE

Mfg. part no. 595T general-use cutter features tungsten carbide blades. Ideal for cutting hard wire up to 0.020". Ergonomic cushioned handles. **NOTE:** Not for medical electronic applications.

595T	4 1/4" Full-Tapered Head Semi-Flush Cut Diagonal Carbide Cutter	32H3333	146.65
------	---	---------	--------

(89622)

WIRE CUTTERS



D257-4C



D202-6C

All tools have plastic-dipped or slip-on plastic handles. **Mfg. part nos. D202** and **D257** are standard cutters with a standard tapered nose, except **mfg. part no. D257** which is a semi-flush cutter. **Mfg. part no. D210** is a standard semi-flush diagonal cutter. **Mfg. part no. D219-4C** is a midjet slim pointed nose diagonal cutter. **Mfg. part nos. D209, D244,** and **D259** are midjet pointed noses and diagonal cutters, but **mfg. part no. D244** is a narrow jaw and **mfg. part no. D259** has extra narrow jaws. **Mfg. part no. D295** has a midjet tapered nose with a midjet jaw. **Mfg. part no. D228** has a tapered nose with high leverage handles. **Mfg. part no. D209** has a pointed nose and semi-flush cutters. **Mfg. part no. D230** has a midjet pointed nose with high hardness. **Mfg. part no. D275** has a flush cutter which cuts up to 14 AWG*. **Mfg. part nos.** with suffix **C** indicate coil spring handle.

Mfg. Part No.	Description	Stock No.	Price Each	
			1-2	3-4
D202 5C	5 1/2"	34F018	37.38	36.73
D202 6C	6 1/8"	34F019	40.15	38.11
D219-4C	4 3/16"	94F5745	41.02	39.96
D257 4C	4 3/16"	34F093	39.98	39.28
D210 5C	5 1/2"	34F021	43.15	42.40
D209 5C	5"	34F028	41.49	39.38
D244-5C	5"	84F2090	45.98	45.18
D259-4C	4 3/16"	94F5748	44.48	43.33
D295-4/C	4 3/16"	94F5749	47.10	45.88
D228 8	8"	34F117	37.08	35.19
D209 4C	4 3/16"	34F231	41.23	39.14
D230-4C	4 3/16"	50F7346	44.79	44.01
D275-5*	5"	34F045	16.07	15.33

*Has steel hold-open spring (5720)

PRECISION ELECTRONIC GRIPPING PLIERS ESD

NEW TECHNOLOGY



34 12 130 ESD



34 22 130 ESD



34 32 130 ESD

- Precision pliers for ultra fine assembly work for gripping, holding and bending
- Electrically discharging version
- Joint with screw: precise, zero backlash operation of pliers
- Precisely finished joint surfaces for smooth, low friction movement along the complete opening range
- Lightweight, non-reflective finish
- Ergonomic, two-colour dual component ESD handles, black/grey
- DIN ISO 9655

Mfg. Part No.	Head	Description	Overall Length (mm)	Wt. (g)	Stock No.	Price Each
34 12 130 ESD	Polished	Style 1: Flat, Wide Jaws	135	62	06R6285	66.16
34 22 130 ESD	Polished	Style 2: Half-Round Jaws	135	65	06R6286	66.16
34 32 130 ESD	Polished	Style 3: Round, Pointed Jaws	135	62	06R6287	66.16

(147254)

ELECTRONIC PRECISION PLIERS

NEW TECHNOLOGY



78 03 125



78 03 125 ESD

- Precision pliers for ultra fine cutting work, e. g. in electronics and fine mechanics
- Precision shaped tips also cut close sitting wire from 0.2 mm dia.
- Joint with stainless steel rivet
- Smooth movement for minimum operator fatigue
- Opening spring and restricted opening
- DIN ISO 9654

Mfg. Part No.	Head	Cutting Performances Ø (mm)		Overall Length (mm)	Wt. (g)	Stock No.	Price Each
		Soft	Medium Hard				
78 03 125	INOX Stainless Steel	1.6	1	125	56	06R6308	36.90
78 13 125	INOX Stainless Steel	1.6	1	125	57	06R6310	36.16
78 23 125	INOX Stainless Steel	1	0.60	125	55	06R6312	41.66
78 61 125	Burnished	1.6	1.2	125	55	06R6313	38.32
78 71 125	Burnished	1.6	1.2	125	57	06R6315	42.72
78 81 125	Burnished	1.6	1.2	125	57	06R6317	35.15
78 91 125	Burnished	1.6	1.2	125	57	06R6318	39.29

ELECTRONICS DIAGONAL CUTTERS ESD

Electrically discharging version - dissipative. Two-color dual component handles black/gray.

78 03 125 ESD	INOX Stainless Steel	1.6	1	125	55	06R6309	35.55
78 13 125 ESD	INOX Stainless Steel	1.6	1	125	57	06R6311	38.89
78 61 125 ESD	Burnished	1.6	1.2	125	56	06R6314	42.24
78 71 125 ESD	Burnished	1.6	1.2	125	57	06R6316	40.20

(147269)



eInvoices

Now you can view, print or email Newark invoices from our website under MY ACCOUNT eSuite. Log in or register today.

Make it easy. Make it fast. Make it Newark.

(148829)

CUTTERS – WIRE

DIAGONAL CUTTING PLIERS

NEW TECHNOLOGY



DIAGONAL CUTTERS

- High quality diagonal cutter for all-round use and precise workmanship for long service life
- Precision cutting edges for soft and hard wire
- Clean cutting at cutting edge tips; also in case of thin copper wires
- Cutting edges additionally induction hardened, cutting edge hardness approx. 62 HRC
- Narrow head style for use in confined areas
- Vanadium electric steel, oil-hardened and tempered
- DIN ISO 5749



77 02 125



74 02 140



77 02 115



77 02 115 ESD

HIGH LEVERAGE DIAGONAL CUTTERS

- With forged-on axle for heaviest duty
- Suitable for all types of wire including piano wire
- High cutting performance with minimum effort due to optimum co-ordination of the cutting edge angle, Transmission ratio and ergonomic handle shape
- Precision cutting edges additionally induction-hardened, cutting edge hardness approx. 64 HRC
- High performance chrome vanadium steel, oil-hardened and tempered
- Length 250 mm: long diagonal cutter is suitable for copper conductors up to 16 mm² and aluminium conductors up to 35 mm²
- DIN ISO 5749

ELECTRONICS DIAGONAL CUTTERS

- Precision pliers for ultra fine cutting work with precision box joint
- Low-friction double spring for gentle and even opening
- Polish or mirror polish finish with a fine film of oil offer rust protection - no peeling chrome
- Cutting edges additionally induction hardened, cutting edge hardness approx. 62 HRC
- Special tool steel, oil-hardened and tempered
- DIN ISO 9654

Mfg. Part No.	Head	Cutting Performances Ø (mm)		Overall Length (mm)	Wt. (g)	Stock No.	Price Each
		Soft	Hard				
70 02 125	Polished	2.3	1.5	125	80	06R6288	29.80
70 02 140	Polished	2.5	1.8	140	126	06R6289	33.80
70 02 160	Polished	2.8	2	160	171	06R6290	31.01
70 02 180	Polished	3	2.5	180	200	06R6291	36.42

Mfg. Part No.	Head	Cutting Performances Ø (mm)		Overall Length (mm)	Wt. (g)	Stock No.	Price Each
		Soft	Hard/Piano				
74 02 140	Polished	3.1	2	140	157	06R6292	38.32
74 02 160	Polished	3.4	2.5	160	209	06R6293	39.64
74 02 180	Polished	3.8	2.7	180	273	06R6294	42.84
74 02 200	Polished	4.2	3	200	304	06R6295	45.10
74 02 250	Polished	4.6	3.5	250	437	06R6296	54.98
74 08 250 US	Polished					06R6297	64.02

Mfg. Part No.	Head	Cutting Performances Ø (mm)		Overall Length (mm)	Wt. (g)	Stock No.	Price Each
		Soft	Hard				
77 02 115	Mirror Polished	1.6	0.6	115	80	06R6298	59.62
77 21 115	Polished	1.3	...	115	64	06R6301	55.34
77 32 115	Mirror Polished	1.3	0.5	115	80	06R6302	59.49
77 42 115	Mirror Polished	1.3	...	115	80	06R6304	62.70
77 52 115	Mirror Polished	1	0.5	115	77	06R6306	65.80

ELECTRONICS DIAGONAL CUTTERS ESD

Electrically discharging version - dissipative. Two-color dual component handles black/gray.

77 02 115 ESD	Mirror Polished	1.6	0.6	115	82	06R6299	56.96
77 12 115 ESD	Mirror Polished	1.6	0.6	115	80	06R6300	67.17
77 32 115 ESD	Mirror Polished	1.3	0.5	115	79	06R6303	61.61
77 42 115 ESD	Mirror Polished	1.3	...	115	78	06R6305	65.92
77 52 115 ESD	Mirror Polished	1	0.5	115	80	06R6307	69.62

(147399)

PROFESSIONAL CABLE CUTTERS/STRIPPERS



Paladin Tools



900265



1119

Mfg. part no. 900265 precise, KT8 professional cutter is effortless to use. Cuts solid, stranded and flexible cable, up to 6 AWG. Features specially designed blades to prevent cable deformation when cut, textured handles and hand-stops to prevent slips. Lifetime manufacturer's warranty. NOTE: Not for use on steel. Mfg. part no. 1119 SmartHome SureStrip™ professional all-in-one cutter/stripper for coaxial and twisted pair cable. Cuts and strips RG6, RG6 Quad, RG59, CAT6, CAT5e and CAT5 cable. Features removable coax blade cassette to adjust stripping depth, adjust UTP/STP stripper depth with simple thumb screw, self-regulating to prevent nicks and has contoured finger grips for more cutting power. Mfg. part no. 1116 Data SureStrip™ cuts and strips 4-, 6-, 8-conductor flat satin cable and UTP/STP data cable, 25-pair UTP/STP data and telephone cable and 14-8 AWG wire and multiconductor round bundle cable with a maximum diameter of 0.5". Features adjustable stripping depth with simple thumb screw and self-regulating to prevent nicks.

Mfg. Part No.	Description	Stock No.	Price Each
900265	KT 8 Professional Cutter	93B7835	23.59
1119	SmartHome SureStrip Cable Cutter/Stripper	28M7898	29.99
1116	Data SureStrip Cable Cutter/Stripper	89C9208	22.99

(72362)

PRECISION WIRE CUTTERS




Precision-ground cutting edges available in semiflush and full flush configurations. Static-dissipative handles are ergonomically designed to offer a safe and comfortable grip in any working condition. High-pressure joint provides smooth operation. Antiglare black oxidation surface treatment for better vision. Length: 5". Types 1371 through 1374 are rated for 1 million cuts.


Mfg. Part No.	Configuration	Cutting Capacity	Stock No.	Price Each
1371	Semiflush	2.0mm (12 AWG) Soft Wire	92N3652	10.04
1374	Semiflush	0.5mm (24 AWG) Steel Wire, 2.5mm (10 AWG) Soft Wire	92N3655	11.80
1372	Full Flush	1.6mm (14 AWG) Soft Wire	92N3653	11.27
1373	Full Flush	1.3mm (16 AWG) Copper Wire	92N3654	11.80
SPC4794	Full Flush	1.3mm (16 AWG) Soft Wire	50N046	7.79
SPC4796	Full Flush	0.81mm (20 AWG)	50N048	10.56

(19249)

ESD SAFE CUTTERS



Beveled Cutter



Semi-Flush Cutter



Flush Cutter



Full Flush Cutter

Mfg. Part No.	Description	Stock No.	Price Each
32704	Side Cutters, Small Tapered Head With Hollow Grinded Back - Flush	92C2632	60.05
32706	Side Cutters, Wide Tapered Head - Bevel	89C2987	58.44
32708	Side Cutters, Wide Tapered Head - Flush	89C2988	58.56
32710	Side Cutters, Wide Tapered Head - Full Flush	89C2989	64.42
32711	Side Cutters, Wide Tapered Head with Wire Trapping Device - Flush	89C2990	61.52
32712	Side Cutters, Slim Oval Head - Flush	89C2991	58.56
32714	Side Cutters, Slim Oval Head - Full Flush	89C2992	65.20
32721	Side Cutters, Wide Oval Head With Wire Trapping Device - Flush	89C2996	60.05
32724	Oblique Angled Cutters, 29° - Full Flush	89C2998	73.25
32728	Oblique Front Cutters, Very Small Head, 40° - Flush	89C3000	64.42
32732	End Cutters, Extra Slim - Flush	89C3001	65.93

▶ CONTINUED ▶

eQuotes
Retrieve and process Newark quotes online from our website under MY ACCOUNT eSuite. Log in or register today.

(146833)

CUTTERS – WIRE • DISPENSING EQUIPMENT

ESD SAFE CUTTERS (CONT.)

ESD SAFE PLIERS

Mfg. Part No.	Description	Stock No.	Price Each
			1-9
32742	Ripping and Bending Pliers, Short Snipe Nose (Chain Nose) Pliers Straight, Serrated Jaws	89C3003	52.73
32746	Ripping and Bending Pliers, Long Needle Nose Pliers, Straight, Serrated Jaws	89C3005	60.05
32748	Ripping and Bending Pliers, Needle Nose Pliers, Bent 45°, Serrated Jaws	89C3006	60.05
32750	Ripping and Bending Pliers, Short Round Nose Pliers, Smooth Jaws	89C3007	52.73
32752	Ripping and Bending Pliers, Short Flat Nose Pliers Smooth Jaws	89C3008	52.73

(73116)

HARD WIRE CUTTERS



Xcelite®

Mfg. part nos. 134CG are made from hardened steel and are ideal for cutting spring or hardened wire. Shear cutting action for square cuts. Patented hold-down mechanism captures wire on both sides of the cut. Cuts up to 0.062" music wire and 1/16" stranded wire.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
134CG	Hard Wire Cutters	66F7823	49.23

(5756)

DISPENSING SYRINGES AND ADAPTERS



AIR-OPERATED LUER LOK™ TIP SYRINGES — UNASSEMBLED, NON-CALIBRATED

Industrial syringes with Luer Lok™ tip is ideal for micro-air dispensing. Works with Kahnnetics® Shot Meter dispensers; ordered separately; go online or call. These unassembled, non-calibrated syringes include barrel and plastic stopper.



Mfg. Part No.	Syringe Size (cc)	Stock No.	Pkg. of	Price per Pkg.
				1-4
A10LLPS	10	17C6567	15	11.75
A30LLPS	30	17C6569	10	12.29

MANUAL LUER LOK™ TIP SYRINGE — UNASSEMBLED, NON-CALIBRATED

This manual, unassembled syringe includes barrel, rubber stopper and plunger rod.

Mfg. Part No.	Syringe Size (cc)	Stock No.	Pkg. of	Price per Pkg.
				1-4
M5LL	5	17C6596	20	12.06

MANUAL LUER LOK™ TIP SYRINGES — ASSEMBLED, CALIBRATED

This manual, assembled syringe includes graduated barrel, rubber stopper, plunger rod and tip cap.

Mfg. Part No.	Syringe Size (cc)	Stock No.	Pkg. of	Price per Pkg.
				1-4
M10LLASSM	10	30M2687	15	10.53

UNIVERSAL SYRINGE ADAPTER ASSEMBLIES

Plugs directly into any Kahnnetics Shot Meter dispenser; ordered separately. Compatible with Luer Lok™ tip air-operated syringes ordered separately above. Works with all manufacturer's syringes. Features 360° swivel head for ease of motion. Adapters come with either metal or lightweight plastic grippers. Metal versions fit many odd size syringes best. Use with single component, two-part, self-leveling, and non-self-leveling materials. Produces repeatable shots of material and requires minimal clean-up. Syringe adapter assembly comes complete with syringe adapter head, 6-ft. air line and fitting.

Mfg. Part No.	Fits Syringe Size (cc)	Gripper	Stock No.	Price Each
				1-4
KDS810S-6	10	Metal	95B6164	33.00
KDS510S-6	10	Plastic	95B6155	26.21
KDS830S-6	30	Metal	95B6167	33.00
KDS530S-6	30	Plastic	95B6157	25.14

(48979)

DISPENSING NEEDLES



- Blunt tip
- Color-coded plastic threaded hub
- Disposable and non-sterile

Stainless steel, antistatic, opaque dispensing needles lock onto Luer Lok™ style syringes; ordered separately. Sold in packages of 50. Additional package quantities are available; go online or call Newark.

Mfg. Part No.	Gauge	Needle Length	I.D.	O.D.	Hub Color	Stock No.	Price per Pkg.
							1-4
KDS1412P	14	1/2"	0.067"	0.083"	Dark Green	33C3807	13.37
KDS141P	14	1"	0.067"	0.083"	Dark Green	17C7303	13.45
KDS1512P	15	1/2"	0.060"	0.072"	Orange	25C3726	13.45
KDS151P	15	1"	0.060"	0.072"	Orange	17C7304	13.45
KDS1612P	16	1/2"	0.053"	0.064"	Purple	33C3814	13.45
KDS161P	16	1"	0.053"	0.064"	Purple	17C7305	13.45
KDS16112P	16	1 1/2"	0.053"	0.064"	Purple	33C3813	12.81
KDS1812P	18	1/2"	0.038"	0.050"	Pink	33C3819	7.95
KDS181P	18	1"	0.038"	0.050"	Pink	17C7308	7.95
KDS1912P	19	1/2"	0.032"	0.042"	Brown	33C3823	7.49
KDS2012P	20	1/2"	0.026"	0.035"	Yellow	33C3828	7.95
KDS201P	20	1"	0.026"	0.035"	Yellow	17C7311	7.95
KDS2112P	21	1/2"	0.023"	0.032"	Green	33C3832	7.95
KDS2212P	22	1/2"	0.019"	0.028"	Black	33C3835	7.58
KDS221P	22	1"	0.019"	0.028"	Black	17C7313	7.49
KDS2312P	23	1/2"	0.017"	0.025"	Light Blue	33C3838	8.82
KDS2512P	25	1/2"	0.012"	0.020"	Blue	33C3842	8.82
KDS3012P	30	1/2"	0.006"	0.012"	Lavender	33C3848	13.99

(68542)

PLASTIC TAPER TIP NEEDLES

- Polyethylene taper tip Luer Lok
- Overall length of 1 1/2"
- Prevents surface scratches
- Tapered feature helps alleviate dripping problems
- Additional package quantities available; go online or call



Mfg. Part No.	Gauge	Nominal I.D.	Color	Pkg. Qty.	Stock No.	Price per Pkg.
						1-4
KDS14TNP	14	0.063"	Salmon	50	33C3805	18.38
KDS16TNP	16	0.048"	Grey	50	33C3812	17.50
KDS18TNP	18	0.034"	Green	50	33C3816	20.35
KDS20TNP	20	0.024"	Pink	50	33C3824	18.38
KDS22TNP	22	0.017"	Blue	50	33C3833	18.38

(68543)

KDS806 SERIES FOOT VALVE DISPENSERS



Easy to set-up and operate. Sits on the floor, so no table space is needed. Foot actuated for excellent ergonomics. Works on compressed air input only — no electricity required. 0 - 100 psi regulator and gauge. Mfg. part no. KDS806V includes drip-free vacuum. Size: 3.75W x 7.25D x 3.75"H. Order syringes, syringe adapters and other accessories separately; on this page.




Mfg. Part No.	Description	Stock No.	Price Each
			1-4
KDS806	Foot Valve Dispenser	95B6162	293.74
KDS806V	Foot Valve Dispenser with Vacuum	31H9749	409.97

(48887)

DISPENSING EQUIPMENT • EXTRACTION TOOLS

SYRINGE BARREL ASSEMBLY KITS AND END CAPS



End Cap — Syringe Barrel — Piston

Designed to work with industry standard equipment, these syringe dispensing components provide accuracy, repeatability and productivity. For use with **DX-250** and **DX-350** series programmable fluid dispenser/controllers, manual dispensing guns and dispensing tips; *ordered separately, go online or call.*

SYRINGE BARREL ASSEMBLY KITS

For user's convenience, polypropylene syringe barrels with corresponding polyethylene pistons are packaged together in ready-to-use kits. Polyethylene pistons provide a seal for low to medium viscosity fluids. Syringe color: natural. **Sold in packages of 50 each (syringe barrel and corresponding piston).**

Mfg. Part No.	Size (cc)	Stock No.	Price per Pkg.
● 903-NW	3	39M4558	1057.16
● 905-NW	5	39M4562	1216.00
● 910-NW	10	39M4566	30.15
● 930-NW	30	78M7428	44.40
● 955-NW	55	39M4582	67.66

END CAPS

Polyethylene end caps prevent wasteful leaks. Color: red. **Sold in packages of 50.**

Mfg. Part No.	Size	Stock No.	Price per Pkg.
● 903-EC	3	39M4557	16.39
● 905-EC	5	39M4561	1035.88
● 910-EC	10	39M4565	1043.48
● 93055-EC	30/55	39M4579	21.15

(5938)

TAPER DISPENSING TIPS



These tips are molded of high-density polyethylene to include a Luer Lock hub and a taper tip. Color coding indicates tip orifice inside diameter (I.D.) which corresponds to gauge size. Easily cut by user when shorter tip is required. Ideal for solder paste dispensing. For use with syringe assemblies; *ordered separately on this page. Sold in packages of 50.*

Mfg. Part No.	Hub Color	Gauge	I.D. In. (mm)	Length In. (mm)	Stock No.	Price per Pkg.	
						Each	Each
● 920125-DHUV	Pink	20	0.024 (0.610)	1.25 (31.75)	39M4572	18.24	
● 925125-DHUV	Red	25	0.010 (0.254)	1.25 (31.75)	39M4574	18.24	
● 927125-DHUV	Clear	27	0.008 (0.203)	1.25 (31.75)	39M4577	23.72	

(5937)

PLCC EXTRACTOR TOOL



- For removing PLCC type devices from their sockets
- Prevents damage to the IC packaging and socket
- Easy to use, simply squeeze the tool handle to extract
- Length: 98mm



Mfg. Part No.	Description	Stock No.	Price Each	
			1-99	Each
D00038	PLCC Extractor Tool	23M5825	1.99	1.76

(116821)

FUSE PULLERS



34-016

34-003

Mfg. part nos. 34-001, 34-002, 34-003 fuse pullers for cartridge-type fuses. Fully insulated, reinforced, high-dielectric engineering plastic. No-slip grip, marked amp range, moisture resistant. **Mfg. part nos. 34-015** and **34-016** molded of high-impact nylon with no-slip grip and finger stops.

Mfg. Part No.	Length	Removes Fuses	Stock No.	Price Each	
				1-4	Each
34-001	5"	Small 3/32 - 1/8" dia.	87F2747	10.57	
34-002	7 1/2"	0-100A, 250V; 600V	87F2748	17.86	
34-003	11 3/4"	31-600A, 250V; 31-400A, 600V	87F2740	39.36	
34-015	5"	0-30A, 250V	87F2741	13.17	
34-016	7 1/4"	0-100A, 250V; 0-60A, 600V	87F2742	15.58	

(5693)

PIN EXTRACTOR



Plunger-style pin extractor for pushing pins out from behind the connector blocks. For contact sizes 16-20. 3" long.



Mfg. Part No.	Stock No.	Price Each	
		1-4	Each
● R-5926	19C7658	18.81	

(58683)

INSERTION AND REMOVAL TOOL KITS



KA-260

KR-260

Mfg. part no. KA-260 insertion kit includes the three most popular color-coded sized insertion tools for contact sizes 20 (red), 16 (blue) and 12 (yellow). 5" long. **Mfg. part no. KR-260** removal kit includes the three most popular color-coded sized extraction tools for contact sizes 20 (red), 16 (blue) and 12 (yellow) 6" long. Both kits include durable leather-padded zipper case.

Mfg. Part No.	Description	Stock No.	Price Each
● A-4598	Insertion Tool size 20	50F5458	44.90
● A-4599	Insertion Tool size 16	50F5454	44.90
● A-4600	Insertion Tool size 12	22C8721	44.90
● KA-260	Insertion Tool Kit (contains above 3 tools) in leather case	35F1148	135.40
● R-4602	Removal Tool size 16	22C8720	49.40
● R-9461	Removal Tool size 12	83K9150	49.40
● KR-260	Removal Tool Kit (contains above 3 tools) in leather case	35F1149	148.60

(58672)

LAMP EXTRACTOR



Mechanical extractor used to remove or insert miniature lamps with bayonet style bases in panels and switchboards by firmly and gently grasping lamps. Grasp lever includes a return spring for fast lamp insertion and removal. Lamp grasp is limited to 3/16" to prevent shorts. Handle diameter: 1/2". 4" long.



Mfg. Part No.	Stock No.	Price Each	
		1-4	Each
● S-339	84F877	45.48	

(58574)

INSERTION TOOL FOR LSA-PLUS AND IDENTICAL



- Tool for putting on boards, sockets and fields
- Pushing down and cutting in one operation
- For UTP and STP cables, conductor 0.4 - 0.8 mm dia.
- With integrated pulling hook and release blade
- Plastic body
- 175 mm overall length

Mfg. Part No.	Description	Stock No.	Price Each
97 40 10	Insertion Tool For LSA-Plus and Identical	06R6328	72.32

(147262)

EXTRACTION TOOLS • HAND TOOLS

INSERTION/EXTRACTION KIT



- Includes DIP IC Extractors and Inserters to Accommodate All IC's From 8- to 40-Pins
- Tools Engaging Conductive Surfaces are CMOS Safe
- Grounding Lugs Included Where Appropriate



Kit contents are available individually (see table below).

MOS-1416 EX-2 MOS-40 MOS-2428 EX-1

Mfg. Part No.	Description	Stock No.	Price Each	
			1-4	102.98
● WK-7	Insertion/Extraction Kit	10F7495		

CONTENTS OF WK-7 KIT


Mfg. Part No.	Function	Stock No.	Price Each	
			1-5	6-14
● EX-1	8-24 Pin Extractor	10F7547	2.92	2.91
● EX-2	24-40 Pin Extractor	10F7494	28.09	27.00
● MOS-1416	14-16 Pin Inserter	10F7498	24.45	23.50
● MOS-2428	24-28 Pin Inserter	10F7497	24.45	23.50
● MOS-40	36-40 Pin Inserter	10F7496	28.09	27.00

(5987)

UNIVERSAL PLCC EXTRACTION TOOL



- Extracts a Range of PLCC Sizes From 20-Pins Through 84-Pins Without Damage to The Chip
- Spring Loaded One-Hand Design Requires No Pulling, Squeeze Handles and Chip is Lifted from the Socket
- EX-5 has ESD Safe Handles for use on all Static Safe Components and Machined Stainless for Long Life
- EX-6 has ABS Handles and Stamped Steel



EX-5

Mfg. Part No.	Description	Stock No.	Price Each	
			1-4	26.01
● EX-5	ESD Safe PLCC Extraction Tool	50F5444		
● EX-6	PLCC Extraction tool	92F2621		13.11

(5929)

BALL-PEIN HAMMERS

- Ground, black painted head
- Polished poles and peins
- Quality, hickory handle
- PermaBond® construction between head and handle



Plumb®

Mfg. Part No.	Length	Head Weight	Stock No.	Price Each	
				1-4	12.46
11494	10.50"	4 oz.	84K0545		
11-496	11.25"	8 oz.	90F7216		13.95
11-497	11.25"	12 oz.	90F7217		14.46
11-498	12.75"	16 oz.	90F7218		14.94

(20232)

MAGNETIC LEVEL

- Torpedo level with magnetic slide
- Ideal for the tool box
- Measures vertical, horizontal and 45° vials




TL10460

Mfg. Part No.	Description	Stock No.	Price Each	
			1-99	1.46
TL10460	Magnetic Level, 9"	97M9410		

(116725)

PRECISION LEVELS



The 199 and 98 series precision levels are made of seasoned cast iron and have a black wrinkle finish. The 199 series Master level has a scraped reference surface for the highest degree of accuracy in a precision level. 98 series features an involute groove running the length of the base, permitting better centering and greater capacity to handle larger rounds. Mfg. part no. 134 cross test level and plumb has two vials at right angles for cross test leveling without moving the tool and is cast iron with a satin nickel finish. Mfg. part no. 130 compact bench level has a sensitive and accurate single vial. The body is made of cast iron with black wrinkle finish and accurately machined base leveling surface. 135 series pocket level is made from hexagonal stock with convex ends and satin nickel-plated finish.

PRECISION MACHINISTS' LEVELS

Mfg. Part No.	Description	Size (In.)	Stock No.	Price Each
199Z	With Main Vial	15	85K4611	703.00
98-4	Without Cross Test Vial	4	85K7289	88.00
98-6	With Cross Test Vial	6	85K7290	104.00
98-8	With Cross Test Vial	8	85K7292	128.00
98-12	With Single Plumb Vial and Cross Test Vial	12	85K7286	181.00
98-18	With Double Plumb Vial and Cross Test Vial	18	85K7288	291.00

CROSS TEST LEVEL AND PLUMB

134	With Cross Test Vials and Plumb Vial	2 x 3	85K4401	41.00
-----	--------------------------------------	-------	---------	-------

BENCH LEVEL

130	With Main Vial	3-3/8	85K4391	30.00
-----	----------------	-------	---------	-------

POCKET LEVELS

135A	With Main Vial	2-1/2	85K4402	23.00
135B	With Main Vial	3-1/2	31C9991	24.00

(88727)

CONTROL CABINET KEYS

NEW TECHNOLOGY



00 11 02

00 11 04

CONTROL CABINET KEYS

Mfg. part nos. 00 11 02 and 00 11 03 for control cabinets and shut-off systems in the supply of gas, water and electricity

Mfg. part no. 00 11 04 for door and window handles or for air bleeding heaters

With bit insert: slot 1.0 x 7 mm and cross recess PH 2
With adapter for 1/4" bits on securing chain
Additional bit adapter for 1/4" bits in one arm
Zinc die-casting



00 11 07

PEN-STYLE-CONTROL CABINET KEYS

Portable pen-style control cabinet key with fastening clip
Three/four different key profiles can be utilized by swivelling the key holder for control cabinets and shut-off systems in the supply of gas, water and electricity

Mfg. part no. 00 11 07 for control cabinets and shut-off systems in the supply of gas, water and electricity

Mfg. part no. 00 11 08 multi-purpose key for building tradesman

Universal 1/4" bit adapter for standard bits (permanent magnet for retaining)

Additional bit adapter for 1/4" bits inside one key profile

With bit insert: cross recess PH 2 and possibility of safekeeping a second bit

Mfg. Part No.	Quadrilateral (mm)	Triangle (mm)	Double Bit (mm)	Overall Length (mm)	Wt. (g)	Stock No.	Price Each
00 11 02	5/6/8	9	9	44	65	06R6246	35.12
00 11 03	5/6/8	9	9	76	88	06R6247	35.60
00 11 04	5/7/8	9-10	...	90	86	06R6248	29.16
00 11 07	5/6/8	9	9/5 mm (internal)/ 9 mm (external)	145	152	06R6249	45.05
00 11 08	5/8	9	...	145	142	06R6250	45.05

(147426)

HAND TOOLS • HEX KEYS & ALLEN WRENCHES

TUFF-GRIP™ FISH TAPES

Fiberglass tapes are non-conductive making them perfect for working on live circuits. Large, non-slip handle with fingertip grooves provide secure grip for added handling comfort and increases stability for better winding control. The oversized handle opening accommodates large, gloved hands. Textured case surface provides positive grip. Impact-resistant plastic case is provided.



Mfg. Part No.	Description	Stock No.	Price Each
			1-4
31-066	Stainless Steel Tape — 120'L x 1/8"W x 0.06"T	48F1328	108.56
31-055	Blued Steel Tape — 60'L x 1/8"W x 0.06"T	90B0359	64.36
31-057	Blued Steel Tape — 240'L x 1/8"W x 0.06"T	50B4253	97.92
31-061	Fiberglass Tape with Leader — 100'L	99B9066	241.42
31-064	Fiberglass Tape with Leader — 200'L	99B9069	368.26

(68857)

BALLDRIVER® HEX TOOL SETS



10637



Mfg. part no. 10637 13-piece inch set contains sizes: 0.050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 3/16", 5/8". Bondhex® case.

Mfg. part no. 10699 9-piece metric set contains sizes: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm. Bondhex® case.

Mfg. Part No.	Description	Stock No.	Price Each
			1-9
10637 (BSX13)	13-Pc. Fractional Size Set	90F7788	70.69
10699 (BSX9MM)	9-Pc. Metric Set	90F7790	55.71

(5629)

BALLDRIVER® T-HANDLE SETS

- Precision-Welded Handle Stands up to Ultra-High Torque Projects
- Each Cushion-Grip Handle is Sized for Maximum Torque and Comfort



Mfg. part no. 13189 8-piece metric set contains sizes: 2.0mm*, 2.5mm, 3.0mm*, 4.0mm, 5.0mm, 6.0mm, 8.0mm, 10mm and stand. (*Straight hex only.)

Mfg. Part No.	Stock No.	Price Each
		1-4
13189	98B0066	58.86

Mfg. part no. 13190 10-piece inch set contains sizes: 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" and stand. (*Straight hex only.)

Mfg. Part No.	Stock No.	Price Each
		1-4
13190	98B0067	73.92

(59380)

BALLDRIVER® L-WRENCH COMBOS



20199



14132

Mfg. part no. 20199 double pack contains BLX 13 inch Balldriver® set and BLX 9 metric Balldriver® set. Mfg. part no. 14132 triple pack contains BLX 13 inch and BLX 9 metric L-wrench sets and the 12632 GorillaGrip® fold-up star recessed set.

Mfg. Part No.	Description	Stock No.	Price Each
			1-9
20199	Balldriver® Set	83F6330	39.89
14132	L-Wrench Sets and GorillaGrip® Set	83F6331	57.19

(29679)

HEX KEY SETS



22-8870



TL09910

DURATOOL



TL10416



TL10420



TL10421

9-PIECE FOLDING SAE HEX KEY SET

Hex keys feature hardened and tempered steel with black oxide finish. Keys easily fold into carry handle for easy storage. Precision machined for exact fit. SAE set includes: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4".

8-PIECE FOLDING STAR/TORX HEX KEY SET

Hardened and tempered chrome vanadium steel with black oxide finish. Keys easily fold into carry handle for easy storage. Comfortable soft grip holder. Sizes: T9, T10, T15, T20, T25, T27, T30, T40. Length: 115mm (folded).

30-PIECE SAE AND METRIC HEX KEY SET

Supplied in a molded case. Contents: SAE: 1/36", 1/28", 1/20", 1/16", 3/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8".

Metric: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10mm.

10-PIECE SAE OR METRIC T-HANDLE HEX KEY SETS

Made from heat treated steel with a black oxide finish. High torque T handles provide a firm grip and easy turning. Individually organized stand makes it easy to find the correct size. Handles are stamped with sizes. Mfg. Part No. TL10420 Contains: 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8". Mfg. Part No. TL10421 Contains: Metric sizes: 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8 and 10mm.

Mfg. Part No.	Description	Stock No.	Price Each
22-8870	9-Piece Hex Key Set	69K8178	4.99
TL09910	8-Piece Star/Torx Folding Hex Key Set	99M1265	5.09
TL10416	30-Piece Hex Key Set	99M1259	6.03
TL10420	10-Piece SAE T-Handle Hex Set	99M1260	3.98
TL10421	10-Piece T-Handle Metric Hex Set	99M1261	7.50

(116775)

9 PIECE BALL ENDED HEX KEY SETS

- A range of high quality chrome vanadium steel, metric hexagonal keys
- Chamfered ball point end on one side allows user to work at angles up to 25°

DURATOOL



Mfg. Part No.	Description	Stock No.	Price Each
D00594	9pc Hexagonal Key Set, 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 19mm	74M0912	5.74
D00595	9pc Hexagonal Key Set, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 and 3/8"	74M0913	5.59

(116848)

13 PIECE LONG ARM BALL ENDED HEX KEY SETS

- A range of high quality chrome vanadium steel, metric and imperial hexagonal keys
- Extra long arm for deep insertions of hex nuts or screws
- Chamfered ball point end on one side allows user to work at angles up to 25°

DURATOOL



Mfg. Part No.	Description	Stock No.	Price Each
D00596	13pc Hexagonal Key Set, 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 5, 5.5, 6, 7, 8 and 10mm	74M0914	6.51
D00597	13pc Hexagonal Key Set, 1/2, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"	74M0915	6.44

(116850)

HEX KEYS & ALLEN WRENCHES • INSPECTION MIRRORS & MAGNIFIERS • MEASURING TAPES

VACO® HEX KEY SETS

10-pc. T-handle hex key set. Sizes: 3/32", 1/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8". Available with 6" or 9" blade. Complete with wallmount metal stand.



70152

Mfg. Part No.	Description	Stock No.	Price Each
70152	6" Blade Hex Key Set	81F9201	75.19
70153	9" Blade Hex Key Set	90F5848	78.64

Mfg. part no. BLK12. 12-pc. ball end hex key caddy set. Sizes: 1/64", 1/16", 5/64", 3/32", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16".

10-pc. metric ball end hex key caddy set. Sizes: 1.27mm, 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm.

Mfg. Part No.	Description	Stock No.	Price Each
BLK12	12-Pc. Fractional Ball End Hex Key Set	81F1329	29.90
BLMK10	10-Pc. Metric Ball and Hex Key Set	81F1327	28.96

(5714)

MAGICRING SCREW HOLDING HEX TOOL SETS



Every key can be taken out separately without having to move another key. CVM steel, chrome-plated.

Mfg. part no. 66991 13-piece L-Key MagicRing hex inch sizes: .050, 1/16", 9/64", 3/32", 1/8", 5/64", 3/32", 1/4", 5/16" and 3/8".

Mfg. Part No.	Stock No.	Price Each
66991	33C9737	1-9 47.54

Mfg. part no. 66990 9-piece L-Key MagicRing hex metric sizes: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10mm.

66990	33C9736	38.03
-------	---------	-------

(68810)

INSPECTION MIRRORS



TL10483

TL10484

21-8500

Inspection mirror contains a chrome finish telescopic shaft, non slip cushion grip handle which, extends from 14" to 30". Mirror size: 2" x 4". Mfg. part no. TL10484 telescopic mirror contains a chrome finish telescopic shaft with pocket clip which can extend from 5" to 18 1/2". Diameter: 1 1/4". Mfg. part no. 21-8500 adjustable telescopic mirror has double jointed head and pivots a full 360°. Includes a pocket clip and extends 24" to help see around tight spots. Diameter: 1 1/2".

Mfg Part No.	Description	Stock No.	Price Each
TL10483	Inspection Mirror, 2x4"	97M9417	1.40
TL10484	Telescopic Inspection Mirror	97M9418	1.06
21-8500	Telescopic Inspection Mirror	12M5187	3.99

(116727)

INSPECTION MIRRORS AND MAGNIFIERS



572

565

555, 557, 558, 560

Mfg. part no. 555 1 1/4" diameter mirror. Plated holder. Knurled handle has ball-and-socket joints. 8"L. Mfg. part no. 557 2 1/2" diameter mirror with telescoping 15" handle. Mfg. part no. 558 oval 1 x 2" mirror. 9"L. Mfg. part no. 560 oblong 3 1/2 x 2" telescoping mirror. 11 1/2"L; extends to 16".

Mfg. Part No.	Description	Stock No.	Price Each
555	1-1/4" Diameter Inspection Mirror	50F9084	10.61
557	2-1/2" Diameter Inspection Mirror	95B0366	19.95
558	Oval 1 x 2" Inspection Mirror	34F443	12.73
560	Oblong 3-1/2 x 2" Telescoping Inspection Mirror	87F1158	16.88

Mfg. part no. 572 hinge inspection mirror - 16".

572	16" Hinged Inspection Mirror	96C7263	20.09
-----	------------------------------	---------	-------

Mfg. part no. 565 oblong illuminated magnifier. 2 x 4" shatterproof 2.5 power lens. Includes 5-power bifocal insert, bulb, batteries. Mfg. part no. 531 2.5 power pocket magnifier folds into storage case.

565	2 x 4" Oblong Illuminated Magnifier	87F1161	49.05
-----	-------------------------------------	---------	-------

(5889)

POWER RETURN TAPE MEASURES



W9212

AL725

L725MAG

- Lightweight, high-strength cases designed to fit perfectly in the hand
- Fits easily into most tape holsters
- Yellow clad blade with easy-to-read numerals
- Power retraction operation
- Cushioned blade return
- Handy belt clip



2000 series

2000 SERIES — CHROME-FINISHED CASE

Mfg. Part No.	Blade Style	Blade Size W x L	Stock No.	Price Each
2125	A5	1" x 25'	50F803	17.93
2316	A2	3/4" x 16'	50F1828	15.29
2312	A2	3/4" x 12'	50F1827	12.34

MEZURALL® — CHROME-PLATED CASE

W9212	A1	1/2" x 12'	10B709	16.73
-------	----	------------	--------	-------

1000 SERIES HI VIZ® — BRIGHT ORANGE CASE

HV1316	A2	3/4" x 16'	52F9061	11.34
HV1312	A2	3/4" x 12'	52F9062	9.57
HV1010	A1	1/2" x 10'	52F9063	6.10

700 SERIES AUTOLOCK — BRIGHT ORANGE CASE WITH BLACK NONSLIP GRIP

AL725	A5	1" x 25'	73K7357	9.99
-------	----	----------	---------	------

700 SERIES MAGNETIC END HOOK — BRIGHT ORANGE CASE WITH BLACK NONSLIP GRIP

L725MAG	A5	1" x 25'	84K0508	11.69
---------	----	----------	---------	-------

(5701)

MEASURING TAPES • NUTDRIVERS

HIGH-VISIBILITY TAPE MEASURES



D00007

- High-visibility plastic housing
- Thumb operated blade lock
- Convenient belt clip and wrist strap
- Three popular lengths

Mfg. Part No.	Length (ft/mm)	Width (mm)	Case Color	Stock No.	Price Each
					1-99
D00005	10 / 3	13	Yellow	94M6915	1.23
D00006	16 / 5	19	Orange	74M0792	1.60
D00007	26 / 8	25	Green	94M6916	3.29

(116645)

NUTDRIVER SETS



127TB



PS-120

Mfg. part no. 127TB nutdriver set includes seven solid-shaft nutdrivers with color-coded plastic handles and case-hardened sockets. Sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8". Packaged in a hard-plastic, black molded tray. **Mfg. part no. PS-120** nutdriver set contains 10 color-coded plastic-handle shafts, sizes 7/32", 1/8", 9/32", 5/16", 1/2", 3/4", 9/16", 11/32", 3/8". Also contains a torque amplifier handle in a clear, hard-plastic stand-up storage case.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
127-TB	7-Pc. Solid-Shaft Nutdriver Set	34F366	41.68
PS-120	10-Pc. Nutdriver Set	34F336	45.19

(5807)

FIXED HANDLE NUTDRIVERS



HS-11

FIXED HANDLE HOLLOW SHAFT NUTDRIVERS

Ideal for use where nuts must be installed or removed over protruding bolts. Finely tempered and finished steel.

Mfg. Part No.	Nut Size	Handle	Stock No.	Price Each
HS-6	3/16"	Black	34F318	6.58
HS-8	1/4"	Red	34F319	6.58
HS-10	5/16"	Amber	34F320	6.58
HS-11	11/32"	Green	34F321	6.98
HS-12	3/8"	Blue	34F322	6.97
HS-14	7/16"	Brown	34F323	9.02
HS-16	1/2"	Red	34F324	9.02

(5738)

Huge Expanded Selection of Semiconductors

Go online to find new technologies and proven solutions from world-class and specialist suppliers.

(146843)

NUTDRIVER AND SCREWDRIVER SETS



PS130



99PR



99-PS-50

Mfg. part no. PS-130 11-pc. compact convertible nutdriver and screwdriver set contains five color-coded plastic-handle nutdrivers, sizes: 3/16", 1/4", 5/16", 11/32" and 3/8"; five color-coded plastic handle screwdrivers, sizes: #1 Phillips, #2 Phillips and 1/8", 3/16", 1/4" slotted. Plus a black attachable torque amplifier handle. All packaged in a clear plastic, stand-up storage case.

Mfg. Part No.	Stock No.	Price Each
		1-4
PS-130	35F207	45.52

Mfg. part no. 99PR 14-pc. Series 99 multi-purpose nutdriver and screwdriver set contains nine nutdriver shafts, sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"; two slotted screwdriver shafts, sizes: 3/16", 1/4"; two Phillips screwdriver shafts, sizes: #1 and #2; and one regular handle. All packaged in a roll-up pouch.

99PR	34F395	87.74
------	--------	-------

Mfg. part no. 99-PS-50 13-pc. Series 99 compact screwdriver and nutdriver set contains seven regular nutdriver shafts, sizes: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8"; two slotted screwdriver shafts, sizes: 3/16", 1/4"; two Phillips screwdriver shafts, sizes: #1, #2; one regular handle; and one extension. All packaged in a clear plastic, stand-up storage case.

99-PS-50	34F341	68.55
----------	--------	-------

(5740)

SCREWDRIVER AND NUTDRIVER SETS



PS-89



HS-6-18

SOCKET TYPE SCREWDRIVER SETS

Mfg. part nos. 99PS-40 standard and **99PS-40BP** ballpoint 11-pc. Allen hex socket sets contain one regular handle (99-1), one extension (99-X5) and nine blades: 0.050", 1/16", 3/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16". All packaged in a clear plastic, stand-up storage case.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
99-PS-40	11-Pc. Standard Allen Hex Socket Set	34F339	55.15
99-PS-40BP	11-Pc. Ballpoint Allen Hex Socket Set	35F208	83.12

Mfg. part no. PS-89 9-pc. screwdriver set for hex socket screws. Includes eight compact screwdrivers with red plastic handles in sizes: 0.028", 0.035", 0.050", 1/16", 3/64", 3/32", 7/64", 1/8" and one black, torque-amplifier handle. All packaged in a clear plastic, stand-up storage case.

Mfg. Part No.	Stock No.	Price Each
		1-4
PS-89	35F1432	33.12

COLOR-CODED NUTDRIVER SETS

Mfg. part no. HS-6-18 10-pc. hollow shaft nutdriver set. Hex openings: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16". Color-coded plastic handles. Packaged in a sturdy plastic storage case.

Mfg. Part No.	Stock No.	Price Each
		1-4
HS-6-18	34F376	74.29

Mfg. part no. 157 7-pc. solid-shaft nutdriver set. Features color-coded plastic handles and case-hardened sockets. Sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" and 1/2". Complete with plastic zipper storage case.

157	46F2588	45.47
-----	---------	-------

Mfg. part no. LN-11 a complete 11-pc. set of LN series Allen hex socket screwdrivers. Sizes: .050", 1/16", 3/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" and 1/4". All packaged in a plastic-coated canvas roll-up case.

LN-11	89F301	69.32
-------	--------	-------

(5806)

PLIERS • PLIERS – SLIP JOINT • PLIERS – COMBINATION

PROFESSIONAL-QUALITY PLIERS



- Custom US-made tool steel
- Hot-riveted joint to smooth action and no handle wobble
- Plastic-dipped handles for comfort and ease of identification

Mfg. part no. D201-7NE is a standard side-cutter with knurled jaws. Mfg. part no. D213-9NE is a high-leverage side-cutter with knurled jaws to provide 46% greater cutting and gripping power than other side-cutters. Mfg. part no. D245-5 is a standard diagonal cutter with tapered-nose. Mfg. part no. D248-8 is a high-leverage, diagonal cutter with an angled-head. Mfg. part nos. D321 and D322 have midjet slim-noses where type D321 has knurled jaws and mfg. part no. D322 has smooth jaws. Mfg. part no. D307-5 has a long slim-nose with knurled jaws. Mfg. part no. D301 has a long-nose and knurled jaws. Mfg. part no. D310 has a long tapered-nose with knurled jaws. Mfg. part no. D302 has an extra-slim, 60° curve, long needle-nose. Mfg. part no. D302 has a 70° curved-nose with knurled jaws. Mfg. part nos. D203 have standard long-noses with side cutters. Mfg. part no. D318 has a long needle-nose with knurled jaws. Mfg. part no. D221 is a slim, long-nose side-cutter with knurled jaws. Mfg. part no. D315 has a long-reach, flat-nose design with knurled jaws. Mfg. part no. D366 has a needle-nose with knurled jaws and fatigue-reducing handles.

SIDE-CUTTING PLIERS

Mfg. Part No.	Overall Length (in.)	Jaw Length (in.)	Handle Color	Stock No.	Price Each
					1-4
D201-7NE	7 ¹ / ₁₆	1 ¹ / ₃₂	Blue	17C1478	45.77
D213-9NE	9 ⁹ / ₁₆	1 ¹ / ₃₂	Blue	17C1479	43.43

DIAGONAL PLIERS

D245-5	5 ¹ / ₁₆	1 ¹ / ₁₆	Red	07C1225	34.94
D248-8	8 ³ / ₁₆	1 ³ / ₁₆	Red	52F6447	35.46

LONG-NOSE PLIERS

D321 4 1/2C*	4 ¹³ / ₁₆	1 ¹ / ₁₆	Blue	34F095	27.98
D322 4 1/2C*	4 ⁴ / ₁₆	1 ¹ / ₁₆	Blue	34F113	29.75
D203 5C*	5 ⁹ / ₁₆	1 ¹ / ₂	Yellow	34F011	31.56
D338-5 1/2C*	5 ¹ / ₂	1 ¹ / ₂	Blue	36K2939	37.24
D221-5 1/2C*	5 ⁵ / ₁₆	1 ¹¹ / ₁₆	Yellow	36K2938	32.51
D318 5 1/2C*	5 ⁵ / ₁₆	1 ¹¹ / ₁₆	Yellow	34F123	31.75
D307-5 1/2C*	5 ⁵ / ₁₆	1 ¹¹ / ₁₆	Yellow	34F025	29.75
D302 6	6 ³ / ₁₆	1 ¹ / ₂	Yellow	34F016	39.82
D203-6	6 ⁶ / ₁₆	1 ⁷ / ₁₆	Yellow	92B6043	29.91
D203 6C*	6 ⁶ / ₁₆	1 ⁷ / ₁₆	Yellow	34F012	32.16
D301 6C*	6 ⁶ / ₁₆	1 ⁷ / ₁₆	Yellow	34F009	28.71
D310 6C*	6 ⁶ / ₁₆	1 ⁷ / ₁₆	Yellow	34F128	29.58
D315-8	7 ³ / ₄	1 ⁹ / ₁₆	Yellow	29C9113	33.10

*Spring-action handle (5719)

STAINLESS STEEL JUNIOR SEIZER



Xcelite®

This 5" straight nose Junior Seizer has unusual holding qualities and clamps firmly to hold wires for soldering. Acts as a heat sink and retrieves small parts from hard-to-reach places. Precision-machined from perfectly tempered stainless steel. Box-joint construction with Seizer forceps, smooth jaws and 3-position snap lock.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
32H	5" Straight Nose Junior Seizer	34F373	9.93

(5699)

HEAVY-DUTY SLIP JOINT PLIERS

250mm (10") slip joint pliers have serrated jaws. DuoForm cadmium-free plastic handles with slip guard. Jaw capacity, max. 36mm.

DURATOOL



Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00632	Slip Joint Pliers, 250mm	61M5961	18.60

(116832)

PRO SERIES COMPOUND-ACTION PLIERS

Crescent®



- Ergonomic co-molded, non-slip grips for added comfort and control
- Patented compound high-leverage design that increases cutting power by 50%
- Chrome vanadium alloy steel for superior strength and durability
- Heat-treated joint rivet for smooth and consistent operation
- Steel spring holds jaws comfortably open
- Induction hardened cutting edges for long life
- 1/4 lighter than standard pliers to help reduce fatigue
- Safety lock keeps pliers securely closed when not in use

Pro series compound-action pliers offer a winning combination of increased power and unparalleled comfort for exceptional ease of use. Advanced compound-action design provides up to 50% more cutting or holding power with the same effort compared to standard pliers. Ergonomically designed grips are 30% wider than those on standard pliers, thereby spreading out the load of the grip against the fingers and palm for much improved comfort and added control. Cut capacity: 11 AWG.

Mfg. Part No.	Description	Stock No.	Price Each
PS5429C	9" Pro Series Diagonal Compound Action Pliers	18M9997	22.58
PS6549C	9" Pro Series Long Nose Compound Action Pliers	18M9998	22.58
PS20509C	9" Pro Series Linesman Compound Action Pliers	18M9996	22.58

(89565)

COMBINATION SLIP-JOINT PLIERS

Crescent®



- Sharp bias-cut gripping teeth bite in to hold better for more turning power
- Low-profile riveted joint maintains close tolerances for superior cutting and gripping
- Deeper wire cutter is repositioned closer to joint reducing cutting effort
- Forged alloy steel, accurately machined and spring tempered for strength and durability with less weight
- Bright, polished nickel-chrome plating for improved corrosion resistance
- Knurled handles or non-slip cushion grips for added comfort and control

Refined and improved for maximum strength, durability and performance these combination slip-joint pliers are designed for gripping and turning round objects such as pipes, rods, pins. All feature 2-position curved-style nose except mfg. part no. L26CV which has 2-position thin straight nose and mfg. part no. J26CV thin bent nose for getting into confined, hard-to-reach places.

Mfg. Part No.	Description	Jaw Capacity (in.)	Stock No.	Price Each
H26CVSML	6 ¹ / ₂ " Combination Slip-Joint Pliers with Cushion Grip	1	41K1386	8.45
L26CV	6 ³ / ₄ " Thin Straight Nose Combination Slip-Joint Pliers with Cushion Grip	1	09B9584	8.21
J26CV	6" Thin Bent Nose Combination Slip-Joint Pliers with Cushion Grip	1	09B9442	9.29
H28	8" Cree Tee Co. Combination Slip-Joint Pliers with Knurled Handles	1	09B9406	7.87

➔ CONTINUED ➔

8

PLIERS – COMBINATION • PLIERS – CUTTING

COMBINATION SLIP-JOINT PLIERS (CONT.)

Mfg. Part No.	Description	Jaw Capacity (In.)	Stock No.	Price Each
G24CV	4" Motor Kit Combination Slip-Joint Pliers with Cushion Grip	1/2	41J6581	6.84
G210CV	10" Motor Kit Combination Slip-Joint Pliers with Cushion Grip	1	41J6579	12.30

(89605)

ESD FLAT NOSE PLIER



ESD electrostatic discharge certified. Drop-forged black oxidized head is made of chrome vanadium steel. Plain jaws with spring release handle. 2-component handle with slip guard. Length: 120mm.



Mfg. Part No.	Description	Stock No.	Price Each
D00652	ESD Flat Nose Plier	61M5981	20.88

(116838)

COMBINATION PLIERS



Combination pliers with serrated jaws. Handle type: DuoForm cadmium-free plastic material.



Mfg. Type No.	Description	Stock No.	Price 1-24
D00625	Combination Plier, 160mm	61M5954	18.68
D00626	Combination Plier, 180mm	61M5955	19.85
D00627	Combination Plier, 200mm	61M5956	20.99

(116844)

COMBINATION PLIERS



Combination pliers with serrated jaws. Handle type: DuoForm cadmium-free plastic material.



Mfg. Part No.	Description	Stock No.	Price Each
D00625	Combination Plier, 160mm	61M5954	18.68
D00626	Combination Plier, 180mm	61M5955	19.85
D00627	Combination Plier, 200mm	61M5956	20.99

(116825)

ESD COMBINATION PLIER



ESD Electrostatic discharge certified. Drop-forged black oxidized head is made of chrome vanadium steel. Cutter with spring release handle. 2 component handle with slip guard. Length: 130mm.



Mfg. Part No.	Description	Stock No.	Price Each
D00660	ESD Combination Plier, 130mm	61M5989	24.60

(116837)

COMBINATION PLIERS

NEW TECHNOLOGY



- With gripping zones for flat and round material, suitable for versatile use
- With cutting edges for soft, hard and piano wire
- Long cutting edges for thicker cables
- Cutting edges additionally induction hardened, cutting edge hardness approx. ca. 60 or 64 HRC
- Special tool steel, oil-hardened and tempered
- With two-color dual component handles
- DIN ISO 5746

Mfg. Part No.	Head	Cutting Performances Ø (mm)		Overall Length (mm)	Wt. (g)	Stock No.	Price Each
		Soft	Hard				
03 02 160	Polished	3.1	2.0	160	223	06R6259	24.75
03 02 180	Polished	3.4	2.2	180	254	06R6260	25.15
03 02 200	Polished	3.8	2.5	200	322	06R6261	30.82

COMBINATION PLIERS VDE SAFETY INSULATED 1000V, ASTM AND VDE TESTED

Mfg. Part No.	Head	Soft	Hard	Overall Length (mm)	Wt. (g)	Stock No.	Price Each
03 06 160	Chrome	3.1	2.0	160	228	06R6262	37.50
03 06 180	Chrome	3.4	2.2	180	264	06R6263	40.00
03 06 200	Chrome	3.8	2.5	200	326	06R6264	44.86

HIGH LEVERAGE COMBINATION PLIERS

For heavy duty use. Requires 35% less effort due to improved lever action compared with conventional combination.

Mfg. Part No.	Head	Cutting Performances Ø (mm)		Overall Length (mm)	Wt. (g)	Stock No.	Price Each
		Hard	Piano				
02 02 180	Polished	2.5	2.0	180	240	06R6258	30.54

(147252)

DIAGONAL CUTTING PLIERS



These cutting pliers are constructed of forged alloy steel, precision machined and scientific proportioned. ESD-safe, green cushion-grip handles are designed to fit the hand comfortably and to provide maximum leverage. Cleanly machined and aligned jaws grip tightly and securely for easy cutting.

OVAL-HEAD

Mfg. Part No.	Description	Stock No.	Price Each
MS54	4"L, Semi-Flush Cut — General-Purpose Use	52F9064	18.42
MS54J	4"L, Flush-Cut — General-Purpose Use	52F9047	20.75

TAPERED-HEAD

MS549J	4"L, Flush-Cut — For Restricted Areas	52F9049	19.78
S475NJS	5"L, Flush-Cut — For Cutting Component Leads	73K9501	19.89

RELIEVED TAPERED-HEAD

MS543J	4"L, Flush-Cut — For Use Between Closely Spaced Components	52F9050	20.96
--------	--	-------------------------	-------

SLIM-LINE TAPERED-HEAD

MS54-5	4"L, Semi-Flush Cut	96F8895	19.66
--------	---------------------	-------------------------	-------

END CUTTERS

GA54J	4"L, 29° Angled Diagonal End, Flush-Cut — For Cutting Directly Above Work Area and on Closely Spaced Adjacent Components	52F9051	32.72
EC54J	4½"L Transverse End, Flush-Cut — For Vertical Cutting in Tight Spaces	52F9052	24.91

(5984)

PLIERS – ELECTRONIC • PLIERS – LOCKING • PLIERS – LONG NOSE

ELECTRONIC PLIERS



Xcelite®

These small, lightweight pliers are designed for holding, bending and cutting fine wires in electronics, radio, TV, electrical and jewelry work. Green, ESD-safe cushion-grip handles provide comfort and maximum leverage. Feature coil spring and polished head.

THIN-LONG NOSE PLIERS — GENERAL-PURPOSE

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
LN54	5"L Pliers with Serrated Jaws	52F9053	20.56
LN54-G	5"L Pliers with Smooth Jaws	52F9054	21.05
LN77512	5½"L Pliers with Serrated Jaws	96F8883	23.94
LN55	5½"L Pliers with Fine-Serrated Jaws	83F3362	20.81

LONG-NOSE, SIDE-CUTTING PLIERS — FOR GENERAL WIRE APPLICATIONS

SN55	5½"L Pliers with Serrated Jaws	52F9055	23.45
------	--------------------------------	---------	-------

WIRE PLIERS — FOR CUTTING AND FORMING WIRE

TC55	5½"L Pliers with Tip Cutter	96F8886	27.06
------	-----------------------------	---------	-------

CURVED LONG-NOSE PLIERS — FOR CONFINED AREAS

CN54-G	5"L Pliers Curved 60° with Smooth Jaws	52F9039	23.47
CN55-G	5½"L Pliers Curved 45° with Smooth Jaws	52F9040	27.88
CN25-5	5"L Pliers with Curved Thin Tip	96F8879	25.84

ROUND-NOSE PLIERS — FOR LOOPING AND FORMING FINE WIRE

RN54	4½"L Pliers with Round, Smooth Jaws that Tapered to Point	96F8892	22.42
------	---	---------	-------

NEEDLE NOSE PLIERS — FOR FINE WIRE

NN54	5"L Pliers with Serrated Jaws	09B9716	24.58
NN54G	5"L Pliers with Smooth Jaws	96F8884	24.74
NN7776	6"L Pliers with Serrated Jaws	96F8889	23.29
L4	4"L Miniature Pliers with Serrated Jaws	96F8887	18.47
L4G	4"L Subminiature Pliers with Smooth Jaws	09B9592	21.25

(5985)

THIN-PROFILE, LONG-REACH ELECTRONIC PLIERS

Long nose, 5.5" electronic pliers, available with smooth or serrated jaw, are ideal for access into tight spaces. Lightweight for maximum comfort. Perfect for use in precision electronic assembly applications. Molded red grips for comfort. ESD-safe versions feature static-dissipative molded black grips.



Xcelite®

378SMM

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
378SMM	Smooth Jaw, Red Grips	50F4005	13.09
378SMD	Smooth Jaw, ESD-Safe Black Grips	96F8901	14.35
378M	Serrated Jaw, Red Grips	96F8903	13.09
378D	Serrated Jaw, ESD-Safe Black Grips	96F8904	14.33

(5991)

LOCKING PLIERS

- Drop forged, heat treated, serrated steel jaws
- Adjustment screw and quick release lever
- Black finish



DURATOOL

TL10323

Mfg. Part No.	Description	Stock No.	Price Each
			1-49
TL10323	Locking Pliers, 4 pc	99M1250	10.24

(116776)

MINI LONG NOSE PLIERS

DURATOOL

- Handle type: Double Dipped
- Jaw type: Long Nose
- Drop forged



TL10328

Mfg. Part No.	Description	Stock No.	Price Each
			1-99
TL10328	Mini Long Nose Pliers, 4.72"	97M9398	1.23

(116777)

SNIPSE NOSE PLIER

DURATOOL



D00645



D00650

Chrome-vanadium steel Snip Nose Pliers have plain jaws and PVC handles. Length: 130mm. Bent Nose are at 30° angle.

Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00645	Straight Snip Nose Pliers	61M5974	17.04
D00650	Angled Snip Nose Pliers	61M5979	19.21

(116833)

SNIPSE NOSE PLIERS

DURATOOL

- 2-component handle with slip guard
- Serrated grip with cutter
- Shock proof handle
- Drop forged, heat treated fully polished steel
- Available in two sizes: 160mm or 200mm



Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00618	Snip Nose Pliers, Length: 160 mm	61M5947	17.76
D00619	Snip Nose Pliers, Length: 200 mm	61M5948	19.85

(116839)

BENT SNIPSE NOSE PLIERS

DURATOOL

- 2-component handle with slip guard
- Serrated grip with cutter
- Shock proof handle
- Drop forged, heat treated fully polished steel
- Bent to 40°
- Available in two sizes: 160mm or 200mm



Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00620	Bent Snip Nose Pliers, Length 160 mm	61M5949	19.62
D00621	Bent Snip Nose Pliers, Length: 200 mm	61M5950	21.90

(116842)

New products added weekly

See the newest products, technologies and suppliers on our website.

(148886)

8

PLIERS – LONG NOSE • PLIERS – PUMP • PLIERS – SETS

ESD SNIPE NOSE PLIERS



D00654



D00659

ESD electrostatic discharge certified. Chrome-vanadium steel Snipe Nose Pliers have plain jaws and spring-release handles. 2-component handles with slip guard. Length:130mm. Bent Nose are at 30° angle.

Mfg. Part No.	Description	Stock No.	Price Each
			1-24
D00654	Straight Snipe Nose ESD Pliers	61M5983	21.26
D00659	Angled Snipe Nose ESD Pliers	61M5988	23.91

(116840)

LONG NOSE SIDE CUTTING PLIERS



- High loadable, elastic precision points
- Half-round, long jaws
- Serrated gripping surfaces
- With cutting edges for medium hard wire max. dia. 3.2 mm and hard wire max. dia. 2.2 mm
- Cutting edges additionally induction hardened, cutting edge hardness approx. 61 HRC
- Vanadium electric steel, oil-hardened and tempered

Mfg. Part No.	Head	Cutting Performances Ø (mm)		Overall Length (mm)	Wt. (g)	Stock No.	Price Each
		Medium	Hard				
26 12 200	Polished	3.2	2.2	200	201	06R6284	39.64

(147253)

WATER PLIERS

Drop forged, heat treated fully polished steel machine finish, rib and groove design locks jaws securely in place for comfortable grip, lacquer coated to resist rust and corrosion, jaw teeth are broached for maximum depth and gripping action, height: 3".



TL10346

Mfg. Part No.	Description	Stock No.	Price Each
			1-49
TL10346	Water Pump Pliers, 10"	01N3612	3.43

(116791)

PUMP PLIERS

Jaws lock to desired size by engaging tongue in proper groove.



Mfg. Part No.	Length	Max. Cap.	Stock No.	Price Each
D502 6	6"	1"	34F235	26.55
D502 10	10"	1 3/4"	34F097	32.95
D502 12	12"	2 1/8"	34F098	40.12

(5721)

PLIERS WRENCH



NEW TECHNOLOGY



- With narrow gripping jaws - for fastening/loosening situations requiring a slim tool
- Zero backlash jaw surface pressure prevents damage to edges of sensitive components
- Fast adjustment by pushing a button directly on the workpiece
- Replaces a complete set of spanners
- Parallel jaws allow infinitely variable gripping of all widths to the specified maximum size
- Lever transmission greater than 10 - 1 for strong gripping power
- Length 180 mm: large gripping capacity

Mfg. Part No.	Head	Handles	Working Capacity (in.)	Overall Length (mm)	Wt. (g)	Stock No.	Price Each
86 03 180	Nickel Plated	Plastic Coated	1 3/8	180	254	06R6319	63.60

(147255)

COBRA WATER PUMP PLIERS

NEW TECHNOLOGY



87 01 180

87 01 250

87 02 250

- Fast adjustment directly on the workpiece: fast and comfortable handling
- Box-joint design: high stability because of double guide
- Self-locking on pipes and nuts and low hand force required
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC
- One-hand adjustment
- DIN ISO 8976

Mfg. Part No.	Head	Handles	Working Capacity (in.)	Adjustment Positions	Overall Length (mm)	Wt. (g)	Stock No.	Price Each
87 01 180	Polished	Plastic Coated	1 3/8	11	180	170	06R6320	37.38
87 01 250	Polished	Plastic Coated	2	25	250	335	06R6321	42.14
87 02 250	Polished	Dual Component	2	25	250	355	06R6322	47.00

(147256)

PLIER SETS



22-9700



22-9750



22-8900



TL10332



D00642

6-PIECE MINI PLIER SET

Ideal for precision electronic work. Lightweight, ergonomic grip. All pliers are approximately 5" long. Set includes: Micro cutter, Long nose, Bent nose, Flat nose, Fine tip needle nose, Long nose with side cutter. Convenient padded zipper case for tool storage.

5-PIECE MINI PLIER SET

Five-piece set comes organized in a zippered carry case and features soft finish, ergonomic handles for a comfortable grip. Includes: 5" round nose pliers, 4" top cutter pliers, 5" flat nose pliers, 4xxx" diagonal cutting pliers, 4xxx" combination pliers.

5-PIECE FULL-SIZE PLIER SET

The handy pliers in this set are drop forged carbon steel, hardened and tempered for outstanding durability. Precision machine jaws for rigid use. Ergonomically designed double injected handles for a better grip that reduces user fatigue. Set includes: 7" diagonal cutting pliers, 7" combination pliers, 8" long nose pliers, 8" slip joint pliers, 10" water pump pliers.

3-PIECE FULL-SIZE PLIER SET

A set of 3 of the most regularly used pliers. Bi-material cushion grip handles. Drop forged, heat treated steel. Fully polished heads. Contents: 7" Diagonal pliers, 8" Combination pliers, 8" Long nose pliers.

3-PIECE VDE PLIER SET

Chrome vanadium steel pliers feature 2-color handles with slip guard. Individually tested to 10,000V. Meet VDE 0682-0201, IEC 60900. Set includes 160mm (6 1/4") diagonal pliers, 180mm (7") combination pliers, and 200mm (8") long nose pliers.

Mfg. Part No.	Description	Stock No.	Price Each
22-8900	6-Piece Mini Plier Set	99M1266	19.95
TL10331	5-Piece Mini Plier Set	99M1252	12.95
22-9750	5-Piece Full-Size Plier Set	99M1263	19.95
TL10332	3-Piece Full-Size Plier Set	99M1253	6.61
D00642	3-Piece VDE Plier Set	61M5971	67.61

(116778)

PLIERS – SETS • PROBES • PUNCHES

3-PIECE PLIER SET

DURATOOL



Shock-proof 2-component handles with slip guards. Drop-forged heat-treated fully polished heads. Kit contents: Snipe Nose 200mm, Diagonal Cutter 160mm, Combination Plier 180mm.

Mfg. Part No.	Description	Stock No.	Price Each
D00631	3-Piece Plier Set	61M5960	59.90

(116830)

2-PIECE SHEAR AND PLIER KIT

Xcelite®

5.5" long-nose pliers with serrated jaws and 5" flush-cutting shears have easy-grip, molded red handles. Cutting shears are made from carbon steel and are designed to cut soft wire up to 20 AWG with less effort. Includes one mfg. part no. 170M shear and one mfg. part no. 378M plier.

Mfg. Part No.	Stock No.	Price Each
S2K	83F4093	20.13

(33271)

PLIERS AND SNIPS

Xcelite®



54CG, 64CG

50CG

55NCG

57CG

59NCG

For extra working comfort, these professional tools have permanent, red plastic-coated cushion grip handles designed to fit the hand comfortably and to provide maximum leverage.

PLIERS

These pliers are constructed of forged alloy steel that is precision machined and scientific proportioned. Cleanly machined and aligned jaws grip tightly and surely for easy cutting.

Mfg. Part No.	Description	Stock No.	Price Each
54CG	4" Diagonal Pliers — Standard Beveled Edges	35F219	23.17
64CG	4" Side-Cutting Diagonal Pliers — Semi-Flush Cut	35F238	29.36
50CG	5" Slip-Joint Ignition Pliers — 3-Jaw Opening Adjust 1/2"	35F231	20.05
55NCG	5" All-Purpose Side-Cutting Diagonal Pliers — Standard Beveled Edges	73K9935	22.99
57CG	5 1/16" L Standard Pliers — Fine-Serrated Jaws	35F230	26.57
59NCG	8" Electrician's Chain-Nose Pliers — Serrated 1 1/2" L Jaw Offers Long Reach	73K9948	31.05

(5697)

PROBE SET



SPC TECHNOLOGY

Scalpel-sharp for fine probing. Useful for cold solder probing, hand inspection, micro-positioning, and lead adjusting.

Mfg. Part No.	Stock No.	Price Each
SPC4793	50N045	32.01

(32975)

NYLON SOLDERING PROBER

MENDA



Minimal charge generation makes this soldering probe tool ideal for use in ESD protected areas. Tough glass-filled nylon construction won't mar delicate surfaces. Temperature-resistant to withstand melting. Notched for hooking and pulling wires or components. Flat "screwdriver" end for spudging wire leads down on PC boards. Pointed end for forming wire leads or using as pointer probe for holding objects for soldering. Length: 6". Made in U.S.A.

Mfg. Part No.	Description	Stock No.	Price Each
35622	Nylon Soldering Prober, 6" long	90H0265	1.85

(82426)

4-PC. STAINLESS STEEL PROBE TOOL KIT

MENDA



Kit contains: 5/4" long straight needle point probe, 5/4" long hook needle point probe, 5/2" long angle needle point probe, 5/4" long curved needle point probe and durable light blue vinyl storage pouch. Non-magnetic, conductive 300 series stainless steel construction for minimal charge generation, won't corrode. Semi-hardened points may be reshaped for special applications. Ergonomically designed 3/2" (4mm) hex-shape handle allows for a better grip and prevents rolling. Any charge is grounded when placed on ESD protected work surface. Made in U.S.A.

COMPLETE KIT

Mfg. Part No.	Description	Stock No.	Price Each
35630	4-Pc. Stainless Steel Probe Tool Kit	96H7144	14.21

INDIVIDUAL PROBES

Mfg. Part No.	Description	Stock No.	Price Each
35123	Hook	50M6760	2.38
35623	Curved	50M6787	2.38
35122	Straight	81H6482	2.36
35617	Angle	83H2014	2.55

(82427)

LEATHER PUNCH

DURATOOL



TL10335

Mfg. Part No.	Description	Stock No.	Price Each
TL10335	Leather Hole Punch	01N3611	1.96

(116736)

AUTOMATIC CENTER PUNCHES

GENERAL



79

87

Mfg. part no. 79 automatic center punch. Threaded steel point and shaft. Adjustable tension.

Mfg. Part No.	Description	Stock No.	Price Each
79	Automatic Center Punch	34F565	37.98
79P	Replacement Point for mfg. part no. 79	34F566	5.51

Mfg. part no. 87 pocket automatic center punch. Pencil-thin aluminum body. Alloy steel point. Adjusts for light or heavy markings.

Mfg. Part No.	Description	Stock No.	Price Each
87	Pocket Automatic Center Punch	50F9074	22.68

(5587)



Current Order Status & History

Check the status of your current order or access past orders from our website under MY ACCOUNT eSuite. Log in or register today.

(148881)

PUNCHES

STANDARD ROUND PUNCH SET

Cuts up to 10-gauge mild steel, aluminum, fiberglass, and plastic. Use with manual, ratchet, or hydraulic drivers. Includes 1/2" - 1/4" conduit size standard round punches, dies, 2 draw studs, and rugged plastic case.



Mfg. Part No.	Stock No.	Price Each
19973	48F2184	230.33

(36271)

ELECTRONIC CONNECTOR PANEL PUNCHES

Drill one 7/16" hole. Punch 3 holes for front or rear mount 25-pin D-subminiature connectors (Cinch, ITT Cannon DB-25P and DB-25S or equivalent). Manual or hydraulic operation. 22-16 gauge mild steel and 0.125" aluminum.

Mfg. Part No.	No. of Pins	Stock No.	Price Each
229	9	87F2607	655.22
231	15	87F2608	655.22
RS-232	25	46F5197	655.22
234	37	87F2609	707.34
238	50	87F2610	707.34

(5623)

INDUSTRIAL PUNCH SET

Cuts up to 10-gauge mild steel, aluminum, fiberglass, and plastic. Use with manual, ratchet, or hydraulic drivers. Includes: 3/4" - 1 1/2" actual hole size standard round punches, dies, 3 draw studs, and rugged steel case.



Mfg. Part No.	Stock No.	Price Each
39860	48F2180	377.10

(36273)

ROUND KNOCKOUT PUNCHES

Mfg. part no. 60246. 1 1/2" punch for control units.

Mfg. part no. 730. Punch round openings in 10-gauge mild steel. With manual drive draw studs.



Size	Stock No.	Price Each	Size	Stock No.	Price Each
1/2"	33F760	55.87	1 1/4"	93B1807	90.94
9/16"	33F754	52.18	1 1/2"	01C7376	59.62
5/8"	33F761	53.76	1 3/8"	91B7659	82.52
1 1/16"	50B3753	53.78	1 1/2"	33F771	93.93
3/4"	94F6539	51.30
13/16"	96B8067	53.78	1 3/4"	96B7140	115.66
15/16"	50B3754	56.05
1"	90B2440	61.15	2"	48F2186	139.40
1 1/16"	50B3751	59.62	2 1/8"	94F6538	142.42
1 1/8"	94F6537	62.80	2 1/4"	92B7823	160.13
...	2 1/2"	93B7892	226.05

Mfg. Part No.	Description	Stock No.	Price Each
60246	Punch	33F778	79.66

(5627)

720 KEYWAY PUNCH

Cuts 0.125" and 0.375" wide keyways in up to 10-gauge mild steel. Also cuts 0.125" or 0.187" keyways in pre-drilled or pre-punched hole 0.750" diameter or larger. Eliminates tedious hand sawing and filing when making keyways for oil-tight pushbutton switches.



Mfg. Part No.	Description	Stock No.	Price Each
720	Keyway Punch	89F2781	294.44

(5622)

"D" PUNCHES

Dimensions: mfg. part no. 60077 is 0.500" x .0469", mfg. part no. 60080 is 0.625" x 0.594".

Mfg. Part No.	Description	Stock No.	Price Each
60077	1/2" D	70B4198	258.51

(36171)

SLUG-BUSTER® PUNCH SETS



Innovative design splits slug in half so it falls freely without effort. Works to 10-gauge mild steel. Punches uniform holes in plastic and fiberglass as well. Use with manual, ratchet or hydraulic drivers. Mfg. part no. 7238SB includes ratchet.

Mfg. Part No.	Conduit Size	Stock No.	Price Each
7211BB-1/2	0.50"	46F5186	45.15
7211BB-3/4	0.75"	46F5187	64.34
7235BB	0.50-1.25"	89F2775	208.34
7238SB	0.50-2.0"	89F2777	413.39

(5679)

SQUARE PUNCHES

Square punches cut precise holes in 10-gauge mild steel. Use with wrench or hydraulic driver.

Mfg. Part No.	Size	Stock No.	Price Each
60001	0.500" (12.70)	33F779	258.51
60016	1.000" (25.40)	33F782	356.09

(5624)

HYDRAULIC PUNCH DRIVER

1/2"-2" conduit size. Ideal for fast, straight-on front panel punching. Step-saver adapter converts standard Greenlee knockout punches through 1 1/4" conduit sizes to use 3/8" draw stud for one-step punching. Includes driver, 3 draw studs, 2 adapters, 1 spacer, and rugged case. Mfg. part no. 7806SB are straight drivers. 7904SB/7906SB are right-angle drivers with heads that rotate through 180 degrees.



Mfg. Part No.	Description	Stock No.	Price Each
7806SB	Straight Driver w/Punches and Dies	98F1335	1210.98
7904SB/33794	Right-Angle Driver	52F8910	955.73
7906SB	Right-Angle Driver w/Punches and Dies	48F2187	1462.16

(5619)

OILTIGHT PUNCHES

Punch holes for switches, panels, and instruments in enclosures. Punch up to 10-gauge mild steel. Use with manual, ratchet, or hydraulic drivers.

Mfg. Part No.	Description	Stock No.	Price Each
60242	With Notches	48F2189	407.45
60238	Mini With Notches	48F2188	381.79

(36270)

PUNCHES • SAWS & AXES

**PUNCHMASTER II™
IMPACT PUNCH
DOWN TOOLS**



Mfg. part nos. 35-485 and 35-487 seat and cut cable terminations. Impact-absorbing, neoprene-cushioned grip reduces operator stress for high-volume installers and provides increased nonslip comfort. Sure-Lock™ blade holder provides fast and easy blade changes and prevents blade pull-out. Adjustable Hi/Low impact settings.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
35-485	Punch Down Tool with 110 Blade	01F2601	90.26
35-487	Punch Down Tool with 66 Blade	01F2602	90.26
35-495	Replacement 110 Blade/Cut and No-Cut	01F2603	26.82
35-497	Replacement 66 Blade/Cut and No-Cut	01F2604	26.82

(18827)

PUNCH AND SCREWDRIVER SETS



S551Z-7



S248PC



18B



PUNCH SETS

Mfg. Part No.	Description	Punch Diameter Range (In.)	Stock No.	Price Each
S117PC	Center Punch 5 Pc. Set-Rd Shank, Plastic Case	1/16 to 1/4	85K3667	30.50
S248PC	Drive Pin Punch 5 Pc. Set, Vinyl Case	1/8 to 3/8	85K3715	37.50
S264WB	Center Punch 7 Pc. Set-Sq Shank, Round Red Plastic Box	1/16 to 1/4	85K3718	56.00
S565PC	Drive Pin Punch 8 Pc. Set, Vinyl Case	1/16 to 5/16	85K3769	41.50
S816PC	Prick Punch 5 Pc. Set, Plastic Case	5/64 to 5/32	85K3817	29.00

SCREWDRIVER SETS


Mfg. Part No.	Description	Blade Width Range	Stock No.	Price Each
S551Z-7	Precision Screwdriver 7 Pc. Set, with Case	.060" to #1	85K3764	47.50
S552Z-7	Jewelers' Screwdriver 7 Pc. Set, with Case	.025" to #0	85K3768	68.00

AUTOMATIC CENTER PUNCH

Mfg. Part No.	Description	Diameter (In.)	Stock No.	Price Each
18AA	4" Automatic Center Punch	7/16	85K4573	29.50
18A	5" Automatic Center Punch	9/16	85K4572	33.00
18B	5-1/4" Automatic Center Punch	11/16	85K4574	37.50

(88728)

DRIVE PIN PUNCHES



Mfg. Part No.	Length (In.)	Description	Material	Stock No.	Price Each
985-118	8	5 Pc. Extra Long Punch Set: 1/8; 3/16; 1/4; 5/16; 3/8	Steel	82K5868	27.75
985-119	4	8 Pc. Punch Set: 1/16; 3/32; 1/8; 5/32; 3/16; 7/32; 1/4; 5/16;	Steel	82K5869	30.50
985-120	4	8 Pc. Brass Punch Set: 1/16; 3/32; 1/8; 5/32; 3/16; 7/32; 1/4; 5/16;	Brass	82K5870	17.50

(88486)

**TechCast®
Product
Training**

Use the library of online training modules located on our homepage under Useful Tools, with specific guidance for complex solutions.

(148857)

HAND AX

DURATOOL



TL10302

- Drop forged ax head
- High-visibility yellow fiberglass shaft
- Grooved, black rubber grip
- 1 ¼ lbs. (0.57kg)
- 16.1" long

Mfg. Part No.	Description	Stock No.	Price Each
TL10302	Hand Ax	01N3610	4.05

(116688)

HAND SAWS

Just Added

DURATOOL



TL10475



TL10476



TL10477



D00261

Wall board saw has a durable hardened blade with an anti-slip cushioned grip a length of 10.63". The tenon saw comes with a comfortable rubber/plastic grip, ideal for general use. Hardpoint hand saw has an ergonomic soft grip with a size: 22". Hacksaw has drop-forged steel body; height:2-3/4"; length:6".

Mfg. Part No.	Description	Stock No.	Price Each
TL10475	Wall board saw, 6"	97M9412	1.44
TL10476	Hardpoint tenon saw, 10"	97M9413	1.87
TL10477	Hardpoint hand saw, 22"	97M9414	2.41
D00261	Mini Hacksaw	58M5425	2.39

(116747)

HOLE SAW ATTACHMENT

DURATOOL



Round hole cutters are ideal for installing ceiling speakers, recessed lighting, or any project requiring a round hole to be cut. Cuts up to a 10" round hole in ceilings, walls, and floors. Cuts plywood, plaster-board, and acrylic up to 1" thick. Features include: Can be used with any variable speed drill. Cutting radius is freely adjustable via adjusting lever. Support base steadies the drill bit while cutting and keeps the cut perpendicular to the surface. Transparent cowl prevents chips from flying into eyes while cutting.

Mfg. Part No.	Description	Stock No.	Price Each
22-7385	Round Hole Cutter Saw	83H4698	59.95

(116771)

**COBALT STEEL BI-METAL
HOLE SAW KIT**



Variable pitch hole saw kit for ½"-2" conduit. Includes 7/8", 1 ¼", 1 ½", 1 ¾", 2", 2 ½" hole saws, plus 37157, 37155, and 37156 arbors with pilot drills in plastic case.

Mfg. Part No.	Description	Stock No.	Price Each
830/19192	Bi-Metal Hole Saw Kit	95F3612	172.80

(5820)

SCREWDRIVERS

PRECISION SCREWDRIVERS



TL10274



TL10275

- Ideal for precision and electronic applications
- Extendable from 120mm to 185mm, for hard to reach places
- Allows user to work in narrow areas
- Pen-clip for convenient carrying
- Screwdriver bits store easily in handle

Mfg. Part No.	Description	Stock No.	Price Each
TL10274	Precision Screwdriver, 6 pc	01N3548	4.70
TL10275	Flexible Precision Screwdriver, 6 pc	01N3549	4.21

(116781)

SCREWDRIVERS



TL10373



TL10377



TL10374



TL10376



D00422 and D0024

SLOTTED SCREWDRIVER

Length, blade:100mm. Tip size:5mm.

PHILIPS SCREWDRIVER

Length, blade:100mm. Tip type:Phillips. Tip Size:PH2.

POZI-TIP SCREWDRIVERS

Mfg. Type TL10374: Length, blade:100mm. Tip type:PoziDrive. Tip Size:PZ1. Mfg. Type TL10376: Length, blade:200mm. Tip type:PoziDrive. Tip Size:PZ2.

SLOTTED PRECISION SCREWDRIVERS

Blade length:75mm; Overall length, 165mm (6.5"). Handle size:90mm; Handle type:Rotating Cap; Length:165mm.

Mfg. Part No.	Description	Stock No.	Price Each
TL10373	Slotted Screwdriver	97M9402	1.13
TL10377	PH2 Phillips Screwdriver	97M9405	1.19
TL10374	PZ1 PoziDrive Screwdriver	97M9403	1.13
TL10376	PZ2 PoziDrive Screwdriver	97M9404	1.29
D00422	Slotted Precision Screwdriver, 1.5mm Tip	58M5466	2.16
D00424	Slotted Precision Screwdriver, 3.0mm Tip	58M5468	2.16

(116703)

PRECISION SCREWDRIVERS



- Soft grip handles with swivel tops for added control
- Blade length: 75mm; Overall length: 165mm



Mfg. Part No.	Description	Stock No.	Price Each
D00422	Slotted Precision Screwdriver, 1.5mm Tip	58M5466	2.16
D00423	Slotted Precision Screwdriver, 2.0mm tip	58M5467	2.16
D00424	Slotted Precision Screwdriver, 3.0mm Tip	58M5468	2.16
D00425	Slotted Precision Screwdriver, 4.0mm Tip	58M5469	2.16
D00426	Precision Screwdriver, Blue, Tip Size: PH00	58M5470	2.16
D00427	Precision Screwdriver, Blue, Tip Size: PH0	58M5471	2.16
D00428	Precision Screwdriver, Blue, Tip size: PH1	58M5472	2.16

(116831)

PIN VISE



Mfg. part no. 92 swivel head pin vise. Hardened steel. 2 double-end reversible collets: 0.10 to 0.125" and 0.10 to 3.17mm.

Mfg. Part No.	Description	Stock No.	Price Each
92	Swivel Head Pin Vise	34F580	16.38

(5596)

SCREWDRIVERS



SPC10887



Screwdrivers feature large, rounded grip handles. Blades are cross-ground chrome vanadium steel. Meet federal specification GGG-S-121E. Lifetime warranty.

Mfg. Part No.	Description	Size	Stock No.	Price Each
SPC10887	Slotted	1/8" x 3"	27C3520	1.54
SPC10888	Slotted	3/16" x 4"	27C3523	1.67
SPC11302	Slotted	1/4" x 6"	34C7545	2.08
SPC10889	Phillips	#0 x 2.5"	27C3524	1.86
SPC10890	Phillips	#1 x 3"	27C3527	2.35
SPC10891	Phillips	#2 x 4"	27C3528	3.03

(5784)

WIHA ESD SAFE PRECISION TOOLS

- Blade High-Alloy CVM Tool, Steel, Hardened, Chrome-Plated. Tapered ESD Safe Handle Has Easy Control Fingertip Rotating Cap.



Mfg. part no. 27390 7-piece screwdriver set includes slotted sizes: 1.5, 2.0, 2.5, 3.5mm. Phillips sizes: #00, #0, #1.

Mfg. Part No.	Stock No.	Price Each
27390	20C3545	43.49

(68835)

WIHA PRECISION SCREWDRIVERS

Blade, CVM steel, hardened, chrome-plated. Tapered handle has easy control fingertip rotating cap. Exact fit machined tips.

Mfg. part no. 26190 7-piece precision set includes slotted sizes 1.5, 2.0, 2.5, 3.0mm. Phillips: #00, #0, #1.



Mfg. Part No.	Stock No.	Price Each
26190	90F7777	34.81
Mfg. part no. 26090	6-piece precision set includes slotted sizes: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm.	
26090	90F7776	29.50
Mfg. part no. 26390	6-piece metric hex set contains sizes: 0.7, 0.9, 1.2, 1.5, 2.0, 2.5, 3.0mm.	
26390	90F7778	33.39
Mfg. part no. 26391	6-piece inch hex set contains sizes: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8".	
26391	90F7781	36.12
Mfg. part no. 26490	8-piece inch ballpoint hex set contains sizes: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32".	
26490	90F7792	43.59
Mfg. part no. 26790	6-piece Torx® driver set contains sizes: T6, T7, T8, T9, T10, T15.	
26790	90F7780	40.92
Mfg. part no. 26591	8-piece inch nut drivers set contains sizes: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4".	
26591	90F7791	50.81
Mfg. part no. 26590	8-piece metric nut drivers set contains sizes: 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0.	
26590	90F7779	52.28
Mfg. part no. 26810	precision chip lifter.	
26810	93F6583	7.01

(68834)

SCREWDRIVERS

INSULATED SCREWDRIVERS

- Blade CVM Tool Steel, Hardened
- Come With WIHA Soft-Finish Handle
- VDE Approved



Mfg. part no. 32092 6-piece set includes slotted sizes: 3.5mm, 4.5mm and 6.5mm. Phillips sizes: #1, #2 and #3.

Mfg. Part No.	Stock No.	Price Each	
		1-4	
32092	90B2680		51.61
Mfg. part no. 34792 6-piece insulated heavy-duty nut driver inch set includes: 3/16, 1/4, 5/16, 3/8, 7/16, 1/2".			
34792	83F6426		90.21
Mfg. part no. 34791 5-piece insulated heavy-duty nut driver metric set includes: 5.0, 6.0, 8.0, 10.0, 11.0.			
34791	83F6427		70.74

(68842)

SOFTFINISH SCREWDRIVERS

Blade CVM tool steel, hardened. Cushion grip-handle, multi-component.




Mfg. part no. 30294 6-piece insulated set includes slotted sizes: 4.0, 6.5, 8.0 and 4.0 stubby. Phillips sizes: #1, #2.

Mfg. Part No.	Stock No.	Price Each	
		1-9	
30294	83F6424		52.73
Mfg. part no. 36291 6-piece insulated set includes Torx® sizes: T6, T7, T8, T9, T10 and T15.			
36291	83F6425		34.88

(68838)

SLOTTED SCREWDRIVERS



Blades are AISI 6150 chrome vanadium steel finished in bright nickel chrome with plastic handles.

Regular — Square Blade

Stubby — Square Blade

SQUARE BLADES

Mfg. Part No.	Blade Size	Stock No.	Price Each	
			1-4	
S-141†	1/4" x 1 1/4"	34F276		5.94
S-3163	3/16" x 3"	34F203		5.60
S-3164	3/16" x 4"	34F204		6.21
S-3166	3/16" x 6"	34F205		6.51
S-144	1/4" x 4"	34F209		8.28
S-146	1/4" x 6"	34F210		8.17
S-5164	3/16" x 4"	35F1426		8.06
S-388	3/8" x 8"	34F217		12.36
S-3161†	3/16" x 1 1/4"	34F275		4.19
S-5168	3/16" x 8"	34F214		11.61
S-3812	3/8" x 12"	34F218		15.61

ROUND BLADES

R-3322*	3/32" x 2"	34F250		2.69
R-3323*	3/32" x 3"	34F251		3.03
R-3324*	3/32" x 4"	34F252		3.22
R-182	1/8" x 2"	34F254		3.22
R-183*	1/8" x 3"	34F253		3.22
R-184	1/8" x 4"	34F255		4.20
R-186	1/8" x 6"	34F256		4.50
R-188	1/8" x 8"	34F257		4.90
R-1810	1/8" x 10"	34F258		5.35
R-5323	5/32" x 3"	34F259		3.91
R-5324	5/32" x 4"	34F260		3.92
R-5325	5/32" x 5"	34F261		4.33
R-3163	3/16" x 3"	34F263		5.24
R-3164	3/16" x 4"	34F264		6.05
R-3166	3/16" x 6"	34F265		6.62
R-3168	3/16" x 8"	34F266		7.11
R-31610	3/16" x 10"	34F267		8.21
R-144	1/4" x 4"	34F269		6.96
R-146	1/4" x 6"	34F270		7.79
R-148	1/4" x 8"	34F271		8.47
R-1410	1/4" x 10"	34F272		8.94

▶ CONTINUED ▶

SLOTTED SCREWDRIVERS (CONT.)


ROUND BLADES

Mfg. Part No.	Blade Size	Stock No.	Price Each	
			1-4	
R-5166	5/16" x 6"	34F273		8.19
R-5168	5/16" x 8"	34F274		9.51
R-181*	1/8" x 2"	34F277		2.61

*Pocket clip style; †Stubby style (5727)

PHILLIPS SCREWDRIVERS

All have plastic handles. SX-101 and SX-102 are stubby type. P12-S has pocket clip. Super Tru-Tips have black oxide tips for longer wear.



X-101

REGULAR

Mfg. Part No.	Point Size	Blade Size	Stock No.	Price Each	
				1-4	
SX-101	1	1 1/8"	34F287		6.08
SX-102	2	1 5/8"	34F288		6.82
P-12S	0	2"	34F289		3.65
X-101	1	3"	34F290		5.43
X-102	2	4"	34F291		7.26
X-103	3	6"	34F292		10.10
X-108	1	6"	34F294		7.14
X-1010	1	10"	34F295		9.27
X-1020	2	10"	34F296		10.49

SUPER TRU-TIP

XST-100	0	4 5/8"	35F1433		5.08
XST-101	1	6 5/8"	35F1434		6.98
XST-102	2	8 1/8"	35F1435		8.96

(48794)

XCELITE® PRO-SERIES SCREWDRIVERS

- ESD Safe to Protect Sensitive Equipment
- Ergonomic Design
- Dual Material Injection Molded Handle for Enhanced Grip and Comfort



XPE184

Mfg. part no. XPE500 5-piece set includes: mfg. part nos. XPE184, XPE101, XPE3166, XPE144, and XPE102. Mfg. part no. XPE700 7-piece set includes: mfg. part nos. XPE184, XPE5324, XPE101, XPE3166, XPE144, XPE102, and XPE5166.

Mfg. Part No.	Description	Stock No.	Price Each
XPE184	Slotted 1/8 x 4"	17C6653	4.67
XPE5324	Slotted 5/32 x 4"	17C6657	4.35
XPE101	#1 Phillips x 3"	17C6650	5.85
XPE3166	Slotted 3/16 x 6"	17C6654	7.37
XPE144	Slotted 1/4 x 4"	17C6652	7.74
XPE102	#2 Phillips x 4"	17C6651	7.82
XPE500	5-Piece Set, Pro-Series	17C6655	31.87
XPE700	7-Piece Set, Pro-Series	17C6658	45.14

(66396)

ESD-SAFE 6-PC. PRECISION SCREWDRIVER SETS

- Smooth-turning concave swivel caps for comfort and control
- Chrome-molybdenum vanadium steel blades for superior strength
- Snap-lock plastic carrying case



XP600

Mfg. part no. XP600 is a 6-piece screwdriver set that includes: 1.5mm, 2.0mm, 2.5mm, 3.0mm slotted screwdrivers; #0, #00 Phillips® tip screwdrivers. Mfg. part no. XPT600 is a 6-piece Torx® screwdriver set that includes: #5 pt., #6 pt. standard Torx® tip driver, #7 pt., #8 pt., #10 pt., #15 pt. tamperproof Torx® tip driver.

Mfg. Part No.	Description	Stock No.	Price Each	
			1-4	
XP600	ESD-Safe Swivel-Cap Screwdriver Set	92B0521		30.26
XPTX600	ESD-Safe Swivel-Cap Torx® Screwdriver Set	92B0539		35.58

(48788)

SCREWDRIVERS – COMBINATION • SCREWDRIVERS – LARGE HANDLE

DURA-DRIVER INTERCHANGEABLE BIT SCREWDRIVERS

Includes #1 Phillips X 3/16" slotted, #2 Phillips X 3/32" slotted, 1/4" X 3/16" and a 7/16" nutdriver. 2 double-ended bits stored in removable steel holding sleeves. Both ends of the holding sleeves are nutdrivers.



Crescent®

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
SDMB7V	7-in-1 Screwdriver	95B4610	7.57

(48791)

WIHA MULTI-BIT SCREWDRIVER



Wiha®

Mfg. part no. 38006 multi-bit screwdriver slotted sizes: 5.5, 6.5, 8.0mm. Phillips sizes: #1, #2 and #3. 1/4" shielded shaft, magnetic hex drive. Chambered handle with six 1" bits. Snap-lock rotatable cap.

Mfg. Part No.	Stock No.	Price Each
38006	90F7774	23.76

(68839)

DUAL-PURPOSE DRIVERS



Xcelite®

Reversible blades. Mfg. part no. CR1 is for 3/16" and No. 1 Phillips screws. CR2 1/4" and No. 2 Phillips.

Mfg. Part No.	Length	Stock No.	Price Each
CR-1	7 1/4"	34F298	13.13
CR-2	7 1/4"	34F299	13.13

(5729)

4-WAY POCKET TOOL

Combination nutdriver and screwdriver features special reversible SB1 blade that fits slotted or Phillips® head screws. Double-ended handle serves as 2 sizes of nutdrivers (7/16" and 1/4"). Especially handy for removing backs of TV sets and installing antennas.



Xcelite®

Mfg. Part No.	Description	Stock No.	Price Each
600	4-Way Pocket Tool	35F1421	13.90

(5733)

GORILLA GRIP® FOLD-UP TOOL SETS

- 40% Stronger than Metal Fold-Ups
- Handle is Made of an Engineered Resin that is Stronger than Steel
- Virtually Unbreakable



BONDHUS®
Better. All The Way Around™

12589


12550

Mfg. Part No.	No. of Pieces	Size	Stock No.	Price Each
12589	9	5/64" - 1/4"	52F6707	9.44
12591	9	.050" - 3/16"	52F6706	8.00
12592	7	1.5 - 6mm	52F6708	7.66
12550	12	1.5, 2, 2.5, 3, 4, 5 mm / 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"	91F1987	13.01
12585	5	3/16" - 3/8"	91F1984	14.62
12595	6	3 - 10mm	91F1985	14.19
12634	8	Star Fold Up T9-T40	91F1986	20.45
12632	8	Star Fold Up T6-T25	52F6710	20.02
12638	8	Tamper Resistant TR9-TR40	97C8505	21.98
12636	7	Tamper Resistant TR7-TR25	97C8504	18.62
12894	5	Ball End 3/16" - 3/8" inch	91F1988	20.31
12897	5	Ball End 5 - 10 mm	91F1989	20.31

(5760)

6" CUSHION-GRIP NUT DRIVERS AND KITS

- Hollow Shaft Allows Fitting Over Long Bolts and Studs
- Color-Coded Handle With Tip-Ident® On Top Shows Hex Shape and Size



KLEIN TOOLS®
EST. 1857

Mfg. Part No.	Color Code	Hex Size	Shank Length	Stock No.	Price Each
630-3/16	Black	3/16"	6"	17C1512	13.19
630-1/4	Red	1/4"	6"	17C1510	13.37
630-5/16	Yellow	5/16"	6"	17C1514	13.54
630-11/32	Green	1 1/32"	6"	17C1511	13.74
630-3/8	Blue	3/8"	6"	17C1513	13.94
630-7/16	Brown	7/16"	6"	17C1515	15.76

Mfg. part no. 647 7-piece set includes: 6" hollow shaft nut driver set. Includes sizes: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2".

Mfg. Part No.	Stock No.	Price Each
647	17C1516	81.34

Mfg. part no. 631 7-piece set includes: 3" shaft nut driver set. Includes sizes: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2".

Mfg. Part No.	Stock No.	Price Each
631	50B4637	76.68

(56576)

CUSHION-GRIP SCREWDRIVERS

- Cushion-Grip Is Locked Around a Solid Plastic Handle For Unbeatable Comfort
- Strong, Heat-Treated and Tempered Steel Shanks
- Handle Resists Slippage For Greater Torque
- Grip Is Oil-, Gas- and Water-Resistant
- Handle Tops Permanently Inscribed With Tip-Description Symbol For Easy Identification



KLEIN TOOLS®
EST. 1857

Keystone slotted tip lid designed for the most demanding uses. Available in a round or square shank shape. Cabinet slotted tip is narrow to permit access where space is limited.

Mfg. Part No.	Shank Tip	Shank Length	Stock No.	Price Each
600 4	1/4" Keystone	4"	34F100	16.31
600-6	3/16" Keystone	6"	17C1505	17.98
601-4	3/16" Cabinet	4"	94F5785	12.91
601 6	3/16" Cabinet	6"	34F108	13.92
601-8	3/16" Cabinet	8"	17C1506	16.33
602-4	1/4" Keystone	4"	96B1090	18.08
602-6	3/16" Keystone	6"	17C1507	17.19
603-3	#1 Phillips	3"	94F5787	12.35
603-4	#2 Phillips	4"	94F5788	14.24
603-7	#2 Phillips	7"	17C1508	17.26
603-10	#2 Phillips	10"	10C2374	16.41
605-4	1/4" Cabinet	4"	91B4558	16.14
605-6	1/4" Cabinet	6"	94F5789	15.62

Mfg. part no. 85076 7-piece cushion-grip screwdriver set includes the following sizes: 1/4 x 4" Square Shank Keystone, 3/16 x 6" Round Shank Keystone, 3/16 x 3" Round Shank Cabinet, 3/16 x 6" Round Shank Cabinet, 1/4 x 4" Round Shank Cabinet, #1 Phillips x 3 Round Shank, #2 Phillips x 4 Round Shank in vinyl pouch.

Mfg. Part No.	Stock No.	Price Each
85076	50B4657	83.96

Mfg. part no. 85075 5-piece cushion-grip screwdriver set includes 1 square-shank, keystone-tip (length: 8 1/2"); 1 round-shank, cabinet-tip (length: 9 3/4"); 1 round-shank, keystone-tip (length: 10 1/4"); 1 round-shank, no. 2 Phillips-tip (length: 8 5/8"); 1 round-shank, cabinet-tip (length: 10 1/2"). Contained in a resealable seal-tight vinyl pouch.

Mfg. Part No.	Stock No.	Price Each
85075	52F9175	66.59

(56574)

eInvoices



Now you can view, print or email Newark invoices from our website under MY ACCOUNT eSuite. Log in or register today.

Make it easy. Make it fast. Make it Newark.

(148829)

SCREWDRIVERS – LARGE HANDLE • SCREWDRIVERS – RATCHET • SCREWDRIVERS – SETS

PICO SOFT GRIP PRECISION SCREWDRIVER SETS



- Exact fit precision machined tips
- Exclusive CRM-72 special tool steel
- Satin micron vapor chromed finish
- Super through hardened blades
- Handles proportioned to blade size for optimum torque
- Free turning precision finger control cable
- Molded on soft tactile grip handle
- Precision quality made in Germany

Pico 8-piece slotted soft grip set **mfg. part no. 26093** includes slotted sizes: 0.8, 1.2, 1.5, 2.0mm 2.5, 3.0, 3.5, 4.0mm. Pico 8-piece slotted and phillips set **mfg. part no. 26193** includes: slotted: 1, 1.5, 2, 2.5, 3.5 and phillips tools: #00, #0, #1. Pico 8-piece inch hex set **mfg. part no. 26392** includes: .028, .035, .050, 1/16", 3/32, 7/64, 1/8. Pico 7-piece hex ball end set **mfg. part no. 26493** includes: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32. Pico soft grip precision screwdriver sets come standard in rugged canvas pouch.

Mfg. Part No.	Stock No.	Price Each
26093	84K5337	48.95
26193	84K5347	51.59
26392	84K5361	48.15
26493	84K5376	53.08

(89322)

RATCHET SCREWDRIVERS

Just Added



SCREWDRIVER, STUBBY, 14PC'S

High torque ratchet screwdriver handle can be angled up to 60°. Precision 3 setting ratchet function. Screwdriver bits fit comfortably in the handle. 6 sockets - 6, 8, 9, 10, 12, 13mm. 1 socket adaptor. 6 screwdriver bits: - Slotted: 3/16", 1/2", 3/8", 1/4" - Phillips: PH1, 2 - Torx: T15, 20. Length: 120mm

7-PIECE LONG OR STUBBY SCREWDRIVER, RATCHET SETS

Gearless ratchet screwdrivers for confident driving, operates with friction rather than teeth for a smoother, non-stepping action. Forward and reverse settings. **Mfg. part no. TL10271** TL10272 is long shaft (300mm) version, **Mfg. part no. TL10272** is stubby (110mm) version. 6 screwdriver bits: - Slotted: 5, 6mm - Phillips: PH1, 2 - Pozidriv: PZ1, 2.

RATCHET SCREWDRIVER WITH SOCKETS

Kit contents: Ratchet handle, socket adaptor, 5 sockets - 1/4, 3/16, 1/2, 3/8, 5/16, 3/4, 7 x screwdriver bits - Slotted: 3/16, 1/4, Phillips: PH1, 2, 3, Torx: T15, 20.

6-IN-1 GEARLESS ANGLED RATCHET SCREWDRIVER

High torque ratchet screwdriver handle with fixed angle of 60°. Operates with friction rather than teeth for a smoother, non-stepping action. Forward and reverse settings. Screwdriver bits store conveniently in the handle. Comfortable, ergonomic rubber grip. 6 x screwdriver bits: Slotted: 3/16", 1/4, Phillips: PH1, PH2, Torx: T15, T20. Overall length: 195mm (7 3/8").

STUBBY RATCHET SCREWDRIVER

Stubby ratchet screwdriver has 3 Settings: forward, reverse and fixed. Complete with 7 x 32mm long double ended bits, Phillips, slotted, torx, hex and square combination. Includes: PH1 - SL3, PH2 - SL5, PH3 - SL6, T15 - T20, T25 - T30, H4 - H5, S1 - S2 (square) bits. Overall length: 120mm (4 3/4").

Mfg. Part No.	Description	Stock No.	Price Each
TL10270	14-Piece Stubby Ratchet Screwdriver Set	01N3545	4.95
TL10271	7-Piece Long Shaft Ratchet Screwdriver Set	01N3546	7.06
TL10272	7-Piece Stubby Ratchet Screwdriver Set	01N3547	6.19
TL10277	Ratchet Screwdriver Set with Sockets	01N3550	5.13
D00033	7-Piece Angled Ratchet Screwdriver	58M5346	9.50
D00419	14-Piece Stubby Ratchet Screwdriver	58M5463	7.88

(116708)

6 PIECE JEWELLERS SCREWDRIVER SET



A 6 piece precision screwdriver set containing a selection of screwdrivers, all manufactured with selected steel handles and chemically hardened, high carbon steel blades. The set is supplied in a rigid, hinged case. The set contains: Phillips: PH0, PH1 & Slotted: 1.4, 2, 2.4 and 3mm.



Mfg. Part No.	Description	Stock No.	Price Each
D00393	Jewellers Screwdriver Set	42M1816	1.81

(116822)

11 PIECE PRECISION SCREWDRIVER SET



An 11 piece precision screwdriver set manufactured with steel blades which have precision ground tips and metallic handles with a rotating tip. The kit is supplied in a moulded, impact resistant case with a durable hinge and a snap shut fastener. The kit contains: 6 x Slotted Screwdrivers, 1, 1.2, 1.4, 1.8, 2.4, and 3mm; 3 x Phillips Screwdrivers, PH00, PH0 and PH1; 1 x Pointing Awl; 1 x Magnetic Pick-up Tool.



Mfg. Part No.	Description	Stock No.	Price Each
D00394	Jewellers Screwdriver Set	42M1817	2.84

(116823)

PRECISION SCREWDRIVER SETS



15-PIECE PRECISION SCREWDRIVER SET

Cushion handle provides super soft comfortable grip allowing use over prolonged periods. Supplied in a convenient plastic carry case. Set contents: Slotted - 2 x 65mm, 2.5 x 65mm, 3 x 65mm, 4 x 65mm; Phillips - PH000 x 65mm, PH00 x 65mm, PH0 x 65mm, PH1 x 65mm; Torx - T6 x 50mm, T7 x 50mm, T8 x 50mm, T9 x 50mm, T10 x 50mm, T15 x 50mm, T20 x 50mm.

6-PIECE PRECISION SCREWDRIVER SET

6-Piece precision screwdriver set has 90mm handles with rotating caps. Set contents: Phillips: PH00, PH0, PH1; Slotted: 2, 3, 4mm.

Overall length: 165mm. Blade length: 75mm.

Mfg. Part No.	Description	Stock No.	Price Each
D00420	6-Piece Precision Screwdriver Set	58M5464	12.85
D00292	15-Piece Precision Screwdriver Set	58M5433	15.46

(116824)

10-PIECE MINI-SCREWDRIVER SET



Mfg. part no. 690 chrome-plated vanadium steel blades with hardened tips and shafts. Ergonomically designed for rapid rotation and comfort. Set includes 3/64", 1/16", 1/8", 3/32" slotted blades; #000, #00, #0 cross points; T-6, T-7, T-8 Torx® drivers. Fitted plastic case. Overall length: 4 9/8".



Mfg. Part No.	Description	Stock No.	Price Each
690	10-Piece Mini-Screwdriver Set	83F7633	31.64
S-607	Jeweler Screwdriver Set, Nickel-Plated w/Screw Chuck	87F1157	35.65
8071	Ratchet Offset Screwdriver Set	50F9072	20.58
8082	Slotted Screw Starter, Spring Chuck, 5" Handle	50F9068	13.51
8083	Crosspoint Screw Starter, Spring Chuck, 5" Handle	50F9069	12.56

(32384)

SCREWDRIVERS – SETS

SECURITY BIT SETS



22-9795

11-PIECE 5 POINT SECURITY TORX BIT SET

11 piece set of five-point Torx security bits are for technician use of removing security screws used in computer equipment, hard drive enclosures, European automobiles, and other TorxPlus style fasteners which are becoming more commonly used. These do not fit standard six-point torx fasteners. Hole in center of the bit for tamper-proof fasteners, includes pocket sized organizer. All bits 1" long. Contains T8, T9, T10, T15, T20, T25, T27, T30, T40, T45, T50.

32-PIECE SECURITY BIT SET

Handy pocket size set contains many of the bits commonly used to remove tamper resistant screws found in many of today's electronic products. Items like IBM PS/2 monitors, cable boxes, telephone equipment and much more, commonly use these type of screws. Kit contains: 6mm, 8mm, and 8mm torq bits; 4, 6, 8 and 10mm spanner bits; #1, #2, #3 and #4 tri wing bits; 2, 2.5, 3, 4, 5 and 6mm security hex bits; 3/32", 1/8", 3/16", 1/4", 5/16", 3/8", and 1/2" security hex bits; T8, T10, T15, T20, T25, T27, T30, T35 and T40 security torx bits; 60mm magnetic bit extension; all housed in a pocket sized carry case. Bits fit any standard 1/4" hex driver and most power screwdrivers.



22-1875

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
22-9795	11-Piece 5 Point Security Torx Set	75M9211	9.99
22-1875	32-Piece Security Bit Set	99M1221	9.99

(116763)

5-IN-1 AND 10-IN-1 CUSHION-GRIP SCREWDRIVERS



Features same great cushion-grip now in a multi-bit format Mfg. part no. 32476-12 5-in-1 screwdriver features 3/16" slotted, 3/8" slotted, #1 Phillips, #2 Phillips bits and 3/16" nutdriver. Mfg. part no. 32477-12 10-in-1 screwdriver features 3/16" slotted, 1/4" slotted, #1 Phillips, #2 Phillips, #1 square, #2 square, #15 Torx®, #10 Torx® bits and 1/4" and 3/8" nutdrivers.

Mfg. Part No.	Description	Stock No.	Price Each
32476-12	5-in-1 Screwdriver	17C1503	19.33
32477-12	10-in-1 Screwdriver	17C1504	23.19

(56575)

ESD SAFE TORQUEVARIO-S SERIES MICRO BIT SETS



ESD-safe 24-piece micro bit sets mfg. part no. 28590 includes 28526 ESD handle, 15 to 80 in/oz. microbit bit holder.

Mfg. Part No.	Stock No.	Price Each
28590	73H5965	185.83

(89323)

SECURITY BITS COLLECTOR



Mfg. part no. 71990 39-piece set includes slotted sizes: 6.5, 8.0mm, Phillips sizes: #1, #2, TR Torx® sizes: TR8, TR10, TR15, TR20, TR25, TR27, TR30, TR40. Tri-wing sizes: 1,2,3,4. Torx® set sizes: 6, 8, 10. Spanner sizes: 4,6, 8, 10. TR hex sizes: 3/64, 3/32, 1/8, 3/16, 1/4, 5/16, 3/8, 1/2. Pozidriv® sizes: 0, 1, 2, 3. Square sizes: 1,2,3, 1/4" magnetic bit holder, 1/4" bit holding socket adapter and MicroFinish handle.

Mfg. Part No.	Stock No.	Price Each
71990	97B2481	76.62

(68837)

BIT-SELECTORS



Included in these sets are: 10 hardened bits of chrome-vanadium-molybdenum steel, 1/4" magnetic bit holder. Slide-out drawer allows quick bit access.

Mfg. part no. 79243 10-bit set includes slotted sizes: 5.5, 6.5, 8.0mm, Phillips sizes: #0, #1, #2, #3. Torx® sizes: T10, T15, T20.

Mfg. Part No.	Stock No.	Price Each
79243	93F2754	21.40

Mfg. part no. 79245 10-bit set includes Torx® sizes: T7, T8, T9, T10, T15, T20, T25, T27, T30 and T40.

Mfg. Part No.	Stock No.	Price Each
79245	28C2453	23.16

Mfg. part no. 79247 10-bit set includes Tamper-Resistant Torx® sizes: TR7, TR8, TR9, TR10, TR15, TR20, TR25, TR27, TR30 and TR40.

Mfg. Part No.	Stock No.	Price Each
79247	28C2455	34.68

(68840)

31-PIECE XL-SELECTOR BIT SETS



- Industrial quality through hardened bits
- Small pocket-sized versions also available
- Tip-out drawer holds ten bits, bits always visible opened or closed
- Small sets include "clickfix" quick-release magnetic bit holder
- Made in Germany

Mfg. part no. 79490 security bit set includes spanner bits: #4, #6, #10; tri-wing bits: #2, #3, #4, #5; Torx® set bits: #6, #8, #10; security Torx® bits: T7, T8, T9, T10, T15, T20, T25; security hex: 3/64, 3/32, 1/8, 3/16, 1/4, 5/16, 3/8; square bits: #1, #2; Pozidriv bits: #1, #2; slotted bit: 6.5; Phillips bits: #1, #2; and 1/4 magnetic bit holder. Mfg. part no. 79495 combo set of slotted, Phillips, hex, and Torx® bits includes slotted bits: 5.5, 6.5, 8.0; Phillips bits: #0, #1, #2, #3; Torx® bits: T6, T7, T8, T9, T10, T15, T20, T25; hex: 3/64, 3/32, 1/8, 3/16, 1/4, 5/16, 3/8, 1/2, 3/4; hex bits: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0; and 1/4 magnetic bit holder. Both bit sets include 30 bits, molded storage box and standard magnetic bit holder.

Mfg. Part No.	Stock No.	Price Each
79490	84K6855	65.67
79495	84K6856	50.98

(89321)

INSULATED PLIERS AND DRIVERS



Mfg. part no. 32891 10-piece set includes 8" combination pliers, 8" side cutter, 8" long-nose, 6.75" cable cutter and 6.5" universal wire stripper. Slotted sizes: 3/16", 1/4". Phillips sizes: #1, #2, #3.

Mfg. Part No.	Stock No.	Price Each
32891	28C1425	402.48

(68841)

PICO SOFT GRIP PRECISION NUT DRIVER SETS



- Molded on soft tactile Pico grip handles
- Narrow profile precision formed nut drivers
- Exclusive CRM-72 special tool steel
- Satin micron vapor chromed finish
- Super through hardened blades
- Handles proportioned to blade size for maximum torque
- Rotating finger tip control cap for precise turning control
- Precision quality made in Germany

Mfg. part no. 26593 8-piece Pico nut driver set includes inch sizes: 3/32, 1/8, 3/16, 1/4, 5/16, 3/8, 1/2, 3/4. Mfg. part no. 26596 8-piece Pico nut driver set includes metric sizes: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5. Technician quality nut driver sets come standard in rugged canvas pouch.

Mfg. Part No.	Stock No.	Price Each
26593	84K5395	63.42
26596	84K5396	62.64

(89320)

SCREWDRIVERS – SETS • SCREWDRIVERS – TORX

SCREWDRIVER SETS



SDX-22



CK23

Mfg. part no. SDR-11. 5 round blade slotted screwdrivers: 1/8", 5/32", 3/16", 1/4", 5/16". Plastic case.

Mfg. part no. SDS-44. 5 square-blade slotted screwdrivers, sizes 1/4" stubby and 3/16", 1/4", 5/16", 3/8" regular. Clear plastic case.

Mfg. Part No.	Description	Stock No.	Price Each
SDR-11	5-Pc. Round Blade Slotted Screwdriver Set	46F2586	29.45
SDS-44	5-Pc. Square Blade Slotted Screwdriver Set	46F2587	42.46

CK-3 or CK-23. Type 25 handle with 3 reversible blades: #1, 2 and 3 Phillips and 3/16", 1/4" and 5/16" slotted blades. Mfg. part no. CK-3. Pocket roll-up case. Mfg. part no. CK-23. Clear plastic case.

CK-3	Set with Pocket Roll-Up Case	46F2591	25.03
CK-23	Set with Clear Plastic Case	35F1424	26.26

Mfg. part no. SDX-22. 5 Phillips screwdrivers: #0, #1, #2, #3 regular, and #2 stubby. Clear plastic case.

SDX22	5-Pc. Phillips Screwdriver Set	46F2590	32.23
-------	--------------------------------	---------	-------

(5732)

SCREWDRIVER SETS



PS-88



M-60



XL-70



XL-75

Mfg. part no. XL-70 19-piece midjet reversible ratchet screwdriver set. Ideal for all work involving Allen hex head type, Phillips® and slotted screws. Driver bits 1/4" hex shank. Allen hex sizes: 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16". Phillips® screw bits: #1, #2, 3/16", 1/4" slotted screw bit. Adapter bit, reversible ratchet, spinner-extension and plastic case. Hot drop forged cutlery steel.

Mfg. Part No.	Description	Stock No.	Price Each
XL-70	19-Pc. Midjet Reversible Ratchet Screwdriver Set	35F200	81.18

Mfg. part no. XL-75 5-piece offset ratchet screwdriver set. 3/16" and 1/4" slotted screw bits. #1 and #2 Phillips® screw bits. Reversible ratchet. 1/4" hex shank on driver bits. Plastic pouch. Hot drop forged cutlery steel.

Mfg. Part No.	Description	Stock No.	Price Each
XL-75	5-Pc. Offset Ratchet Screwdriver Set	35F1436	25.12

Mfg. part nos. PS-88 and M-60 compact midjet screwdriver sets come with "piggyback" torque amplifier handle that slips over drivers for better gripping. Mfg. part no. PS-88 set includes 3 Phillips® and 5 slotted drivers with blade diameters from 3/32" to 1/4". Mfg. part no. M-60 set consists of 5 jeweler's blades and 1 Phillips® blade for detailed work.

Mfg. Part No.	Description	Stock No.	Price Each
PS-88		34F375	34.86
M-60	6-Pc. Compact Jeweler's and Phillips Midjet Screwdriver Set	35F206	16.86

(5731)

ESD SAFE SCREWDRIVER AND TORX® SETS



4881X / 5ESD

- Rotating Hollow Cap
- Dissipative, For ESD Use
- 4-Piece Set Contains: 3 Slotted 3/32 x 3" - 4", 5/32 x 4", Phillips #0
- 5-Piece Torx® Set Contains: Tamperproof TX07, 08, 09, 10, 15
- 7-Piece Set Contains: 5 Slotted 3/32 x 3" - 4" - 5", 5/32 x 4", 6", Phillips #0, #1

Mfg. Part No.	Description	Stock No.	Price Each
4884X ESD	ESD 4-Piece Screwdriver Set	95C2786	36.42
4881X / 5ESD	ESD 5-Piece Torx® Set	95C2785	102.17
4883X ESD	ESD 7-Piece Screwdriver Set	30C8529	61.54

(68074)

TORX PRECISION SCREWDRIVERS



- Soft grip handles with swivel tops for added control
- Blade length: 75mm; Overall length: 165mm

Mfg. Part No.	Description	Stock No.	Price Each
D00429	Torx Screwdriver, Tip Size: T5	58M5473	2.23
D00430	Torx Screwdriver, Tip Size: T6	58M5474	2.59
D00431	Torx Screwdriver, Tip Size: T7	58M5475	2.23
D00432	Torx Screwdriver, Tip Size: T8	58M5476	2.23
D00433	Torx Screwdriver, Tip Size: T9	58M5477	2.23
D00434	Torx Screwdriver, Tip Size: T10	58M5478	2.23

(116835)

6 PIECE PRECISION TORX SET



- Soft grip handles with swivel tops for added control
- Blade length: 75mm; Overall length: 165mm
- Tip sizes: T5, T6, T7, T8, T9, T10

Mfg. Part No.	Description	Stock No.	Price Each
D00421	Precision Torx Set	58M5465	13.52

(116826)

TORX BIT SETS



TL10393



TL10394

3-PIECE STAR TORX BIT SET

A 3-piece torx bit set for use with screwdriver handles and portable screwdrivers with 1/4" hex drives. Tip type: Torx. Shank length: 50mm. Tip Sizes: T5, T6 and T7.

8-PIECE STAR TORX BIT SET

An 8 piece torx bit set for use with screwdriver handles and portable screwdrivers with 1/4" hex drives. Manufactured from chrome vanadium steel. Bit lengths: 50mm. Sizes: T8, T10, T15, T20, T25, T27, T30 and T40.

Mfg. Part No.	Description	Stock No.	Price Each
TL10393	3-Piece Torx Bit Set	99M1203	1.16
TL10394	8-Piece Torx Bit Set	99M1204	1.73

(116773)

SCREWDRIVERS – TORX • RATCHETS & SOCKETS • WRENCHES

TORX® SCREWDRIVERS



Screwdrivers for Torx® head screws. Blades made of AISI 6150 chrome vanadium steel, plated for protection. Durable plastic handle.

Mfg. Part No.	Blade Length	Tip Size	Stock No.	Price Each
XTD-10	3"	T-10	33F1800	6.59
XTD-15	3"	T-15	33F1801	6.48
XTD-20	3"	T-20	33F1802	6.48
XTD-25	3"	T-25	33F1803	6.48
XTD-27	4 1/2"	T-27	33F1804	6.86
XTD-30	4 1/2"	T-30	33F1805	7.07

(5730)

SOCKET SETS (CONT.)

21-PIECE, 3/4" DRIVE SOCKET SET

Industrial chrome-plated drop forged, heat treated steel features 12-point design for maximum surface contact and greater torque transfer. Contents: 16 x sockets 3/4" drive: 19,21,22,23,24,26,27,30,32,34,36,38,41,46,48 & 50mm; 3/4" drive ratchet handle; 3/4" breaker bar; 100mm (4") extension bar; 200mm (8") extension bar and blow molded carry case.

Mfg. Part No.	Description	Stock No.	Price Each
TL04281	29-Piece 1/4" Drive Socket Set	01N3573	18.98
TL04282	26-Piece 3/8" Drive Socket Set	01N3572	18.98
TL04283	22-Piece 1/2" Drive Socket Set	01N3574	52.56
TL10409	40-Piece 1/4" & 3/8" Drive Socket Set	01N3563	5.40
TL10410	94-Piece 1/4" and 1/2" Socket Set	01N3564	48.35
TL10411	21-Piece 3/4" Drive Socket Set	01N3565	73.01

(116711)

SOCKET SETS



24-8463



TL04282



TL04283



TL10409



TL10410



TL10411

29-PIECE, 1/4" DRIVE SOCKET SET

Manufactured from chrome vanadium steel and supplied in a rigid, blow molded case. Contents: Flank drive sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 and 13mm; Slotted screwdriver sockets: 4, 4.5, and 7mm; Hex screwdriver sockets: 3, 4, 5, 6 and 8mm; Phillips screwdriver sockets: No. 1, No. 2; Pozidriv screwdriver sockets: PZ 1, PZ 2. Also includes Quick release ratchet handle, Spinner handle, Universal joint, Extension bar, and Sliding T-bar.

26-PIECE, 3/8" DRIVE SOCKET SET

Manufactured from chrome vanadium steel with a durable chrome plated finish, supplied in a blow molded case. Includes Flank drive sockets (6pt): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm; Spark plug sockets: 16, 21mm. Also includes Quick release ratchet handle; Universal joint; Extension bars: 50, 75, 150mm; Adaptor: 1/2" F x 3/8" M.

22-PIECE, 1/2" DRIVE SOCKET SET

1/2" square drive socket set manufactured from chrome vanadium steel and supplied in a robust blow molded case. Contents: Flank drive sockets (6 pt): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32mm; Spark plug sockets: 16 and 21mm. Also includes Quick release ratchet handle, Universal joint, Extension bars: 125 and 250mm, and Adaptor: 3/8" F x 1/2" M.

40-PIECE, 1/4" & 3/8" DRIVE SOCKET SET

1x 3/8" reversible ratchet handle; 14x 1/4" drive metric sockets: 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 9, 10, 11, 12, 13mm; 14x 1/4" drive imperial sockets: 9/32, 5/16, 7/32, 1/4, 9/32, 5/16, 1/2, 3/8, 7/16, 19/32, 1/2, 17/32, 9/16"; 3 x 1/4" drive (8 point) sockets imperial size: 1/4, 5/16 and 3/8"; 1x 3/8" extension bar; 1x 1/4" to 3/8" adaptor; 1x 3/8 x 16mm spark plug socket; 1x 6" spinner handle; 1x spin disc; 1x 3/8" metric drive socket: 15mm; 1x 3/8" imperial drive socket: 5/8"; Blow molded case.

94-PIECE, 1/4" & 1/2" DRIVE SOCKET SET

The kit contains: 13 x 1/4" metric flank drive sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm; 18 x 1/2" drive flank deep sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32mm; 8 x Metric flank deep drive sockets: 6, 7, 8, 9, 10, 11, 12 and 13mm; 4 x Metric flank deep drive sockets: 14, 15, 17 and 19mm; 1 x 1/4" x 2" extension bar; 1 x 1/4" x 4" extension bar; 1 x 1/2" x 5" extension bar; 1 x 1/2" x 10" extension bar; 1 x 1/4" drive universal joint; 1 x 1/2" drive universal joint; 1 x 1/4" quick ratchet handle; 1 x 1/2" quick ratchet handle; 2 x 1/2" drive spark plug; 16 & 21mm; 3 x Hex key wrenches: 1.5, 2 & 2.5mm; 1 x 6" Spinner handle; 17 x Bits: Slotted: 4, 5.5 and 7mm. Hex: 3, 4, 5 and 6mm. Phillips: PH1 and PH2. Poz: PZ1 and PZ2. Torx: T8, T10, T15, T20, T25 and T30; 15 x Bits: Regular: 8, 10 and 12mm. Hex: 8, 10, 12 and 14mm. Phillips: PH3 and PH4. Poz: PZ3 and PZ4. Torx: T40, T45, T50 and T55; 1 x Bit adaptor; 1 x Bit holder; 1 x 3 way adaptor; 1 x 1/4" x 6" Flexible extension; 1 x 1/4" drive sliding T bar

➔ CONTINUED ➔

STUBBY L-WRENCH SETS



SBLX13

Mfg. Part No.	Description	Stock No.	Price Each
16537	13-Piece Inch Set Contains Sizes: .050", 1/16", 9/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", Bondhex® Case	97C8507	28.91
16538	10-Piece Inch Set Contains Sizes: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 1/4", Bondhex® Case	97C8508	18.09
16592	7-Piece Inch Set Contains Sizes: 1.5mm, 2mm, 2.5mm, 4mm, 5mm, 6mm, Bondhex® Case	97C8509	14.26
16599	9-Piece Inch Set Contains Sizes: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, Bondhex® Case	97C8510	23.50
20599	Double Pack Contains #16537 SBLX13 Inch Stubby Set and #16599 SBLX9M Stubby Set.	97C8513	49.50

(73533)

CRESCENT® RATCHETING COMBINATION WRENCH SETS



FR4



FRP4



FRP7

Standard Combination Wrench Features:

- Ratchet Action Speeds Up Any Job
- 5° Swing Turns Bolts Versus 30° Needed With Standard Wrenches
- Chrome Vanadium Steel Construction Exceeds ANSI Specs.

STANDARD COMBINATION WRENCH SETS

Mfg. Part No.	Description	Stock No.	Price Each
FR4	4-Pc. Set Includes: 3/8", 7/16", 1/2", 9/16"	31C6501	38.78

PIVOT HEAD RATCHETING COMBINATION WRENCH SETS

FRP4	4-Pc. SAE Set Includes: 3/8", 7/16", 1/2", 9/16"	73C1136	63.51
FRP7	7-Pc. SAE Set Includes: 3/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"	73C1137	114.55

(68277)



eQuotes

Retrieve and process Newark quotes online from our website under MY ACCOUNT eSuite. Log in or register today.

(148833)

WRENCHES • SERVICE TOOL KITS

AC SERIES ADJUSTABLE WRENCHES

All AC series Adjustable Wrenches Feature:

- Industrial professional or home use
- Heat-Treated, Drop-Forged Alloy Steel
- Chrome finish resists rust and corrosion
- Wide handle for increased leverage
- Polished Jaw
- SAE/Metric size indicator on jaw



RapidSlide™ Adjustable Wrench Only:

- Slide button mechanism in handle for quick, fast adjustment
- Debris shield protects slide mechanism, and maintains a smooth operation

Mfg. Part No.	Length	Jaw Opening	Stock No.	Price Each
				1-4
AC16	6"	3/4"	52F9056	19.50
AC18	8"	1 1/16"	52F9057	20.28
AC-110V	10"	1 1/8"	90F7202	26.20
AC-112V	12"	1 3/16"	90F7203	37.58
AC8NKWMP	8"	1"	73K7065	21.24

(5703)

STRAP WRENCH SET

Just Added



- Cushioned grips for comfort
- Small wrench for diameters up to 4", and large wrench for diameters up to 6"



Two piece strap wrench set can loosen or tighten almost anything including jars, oil filters, pipes, fittings, shafts and pulleys.

Mfg Part No.	Description	Stock No.	Price Each
			1-999
22-9662	Strap Wrench Set, 2 pc.	63M0339	6.99

(137201)

OFFSET RATCHET SPANNER SETS



- Metric offset ratchet ring spanner set
- Ideal for getting at hard to reach nuts & bolts
- 30° offset design helps prevent bruised and scraped nuckles
- 12 point for maximum surface contact
- Drop forged heat treated steel



TL10436

Mfg. Part No.	Description	Stock No.	Price Each
			1-49
TL10436	Offset Ratchet Spanner Set, 5 pc	99M1262	10.06

(116786)

ADJUSTABLE WRENCHES



D507-6



Precision-machined jaws and smooth turning knurl for easy operation. Forged heat-treated alloy steel for maximum strength and light weight. High polish chrome-plated finish is corrosion resistant. Contoured handles for comfortable use. Mfg. part no. D506-4 standard-capacity adjustable wrench features plastic-dipped dovetail handle. Mfg. part nos. D507-6 and D507-8 extra-capacity adjustable wrenches feature plastic-dipped handle. Extra capacity allows use of a smaller size wrench to handle bigger jobs, especially in confined spaces.

Mfg. Part No.	Length (in.)	Max. Capacity (in.)	Stock No.	Price Each
D506-4	4	1/2	34F129	33.09
D507-6	6	1 1/16	50F7342	34.60
D507-8	8	1 1/8	50F7343	37.72

(5722)

ELECTRONIC TOOL KITS



22-8820



22-8815

9-PIECE ELECTRONIC TOOL SET

Kit contains: 30W soldering iron, desoldering pump, solder, 6" adjustable wrench, 6" long nose pliers, 5" diagonal cutting pliers, VOM meter measures AC/DC voltage DC amps and ohms (includes battery), #2 phillips screwdriver, slotted screwdriver and padded zipper carry case.

12-PIECE ELECTRONIC TOOL SET

Kit contains: 30W soldering iron with cover, desoldering pump, 4.5" long nose pliers, 4.5" diagonal cutting pliers, two slotted screwdrivers, two phillips screwdrivers, slotted precision screwdriver, phillips precision screwdriver, utility knife and padded zipper carry case.

25-PIECE ELECTRONIC TOOL SET

Kit contains: 30W soldering iron with cover, desoldering pump, six piece screwdriver set (three slotted, three phillips), two precision screwdrivers (slotted/phillips), 5" long nose pliers, 5" diagonal cutting pliers, IC puller, Wire stripper that strips up to 10AWG wire, DMM measures AC/DC voltage, DC amps, ohms, hFE transistors (includes battery and test leads), eight piece hex key wrench set (1.5-6.0mm), long nose tweezers and padded zipper carry case.

Mfg. Part No.	Description	Stock No.	Price Each
			1-2
22-8815	9-Piece Electronic Tool Kit	95K9116	19.89
22-8820	12-Piece Electronic Tool Kit	99M1267	17.95
22-8825	25-Piece Electronic Tool Kit	99M1268	29.95

(116807)

MINIATURE TOOL KITS



TL10406

Tools are all made from chrome vanadium steel and are supplied in a rigid, blow molded case. The kit contains bit assortment: PH1, PH2, PH3, slotted 5, 6 and 7mm, torque 10, 15 and 20mm, adapter, magnetic tip handle, 5" mini long nose pliers, 4.5" mini side cutters, 115mm tweezers, 1/4" drive sockets: 5,6,8 and 10mm, extension bar, precision screwdrivers: 4 slotted and 2 Phillips.

Mfg. Part No.	Description	Stock No.	Price Each
			1-49
TL10406	Mini Tool Kit, 26 pc	01N3562	3.98

(116806)

BASIC TOOL KIT



TL10498

The toolbox kit contains junior hacksaw, 150mm mini level, 125mm x 250mm roofing square, 3m measuring tape with rubber cover, 16oz tubular hammer with rubber grip, ratchet screwdriver, 60mm bit holder, 200mm adjustable wrench with dipped handle, 175mm (7") carpenter pencil, 150mm (6") stainless ruler, trim knife with soft comfortable handle, electric clips, 150mm (6") combination pliers, 150mm (6") long nose pliers, 150mm (6") side cutting pliers, 4 x screwdrivers with a cushion grip.

Mfg. Part No.	Description	Stock No.	Price Each
			1-24
TL10498	Tool Kit, 69 pc	01N3566	23.21

(116795)

SERVICE TOOL KITS

116-PC. ULTIMATE TELCO TECHNICIANS TOOL KIT



Mfg. part no. 4938 116-pc. ultimate telco technicians tool kit consists of all the UTP tools, connectors and accessories one might need to prepare cable, test new installations, and troubleshoot problems. Kit includes mfg. part no. 1556 all-in-one data and phone crimp tool (WE/SS-style), mfg. part no. 4941 GripPack SurePunch® Pro technician's kit (includes mfg. part no. 4599 SurePunch® Pro PDT with LED light, mfg. part no. 3589 SurePunch® Pro PDT handle, mfg. part no. 4571 119/64 blades for SurePunch® and SurePunch® Pro PDTs, mfg. part no. 1116 Data SureStrip™ stripper, mfg. part no. 1925 datacomm/telecom scissors, mini MagLit™ with two AA batteries, one black Sharpie® marker and a quick-release tool holster), mfg. part no. 1780 butt set (handset) with ABN cord, mfg. part no. 1573 Tone and Probe Plus Cable Check™, mfg. part no. 1902 RJ45 modular adapter (8-Way), mfg. part no. 1903 RJ11 modular adapter (6-way), mfg. part no. 9546 10-pack of RJ45 WE/SS 8P8C modular plugs (Cat5e, Cat5), mfg. part no. 9520 10-pack of RJ11 WE/SS 6P6C modular plugs, mfg. part no. 6500 PT-510 PowerPlay® multi-tool, and mfg. part no. 4573 66 blade for SurePunch® and SurePunch® Pro PDTs. All neatly packaged in the "ultimate" tool bag and plano box.



Mfg. Part No.	Description	Stock No.	Price Each
4938	116-Pc. Ultimate Telco Technicians Tool Kit	01N4821	599.99

(116770)

17-PC. DATACOM PRO STARTER KIT MAX



Mfg. part no. 4919 17-pc. DataCom Pro starter kit max is perfect for the new data installer, offering the "must have" tools required for cutting, crimping, and terminating. Kit includes mfg. part no. 6500 PT-510 PowerPlay multi-tool, mfg. part no. 1556 all-in-one data and phone crimping tool (WE/SS-style), mfg. part no. 1545 all-in-one data and phone crimping tool (RJ11/RJ45), mfg. part no. 1116 Data SureStrip™ stripper, mfg. part no. 1925 datacomm/telecom scissors, mfg. part no. 3570 SurePunch® punchdown tool handle, mfg. part no. 4572 110 blade for SurePunch® and SurePunch® Pro PDTs, and mfg. part no. 9546 10-pack of RJ45 WE/SS 8P8C modular plugs (Cat5e, Cat5). All tools come neatly packaged in a compact zipper storage case.



Mfg. Part No.	Description	Stock No.	Price Each
4919	17-Pc. DataCom Pro Starter Kit Max	01N4820	149.99

(116766)

49-PC. COMPACT TECHNICIAN'S TOOL KIT



49-Pc. compact technician's tool kit includes: soldering iron, solder, microvick, flashlight, 3-piece alignment tools, 6-piece solder aid kit, needle file flat, 10-piece hex key set, knife precision blade, nutdriver blades: 1/4, 3/16, and 1/8", slotted screwdriver blades: 3/16, 1/4, and 5/16", Phillips screwdriver blades: #1 and #2, screwdriver handle, 6-piece jeweler's Phillips and slotted screwdriver set, wire stripper/cutter, 4" adjustable wrench, 6" stainless steel ruler, 4 1/2" stainless steel pliers with smooth jaws, 4 1/2" stainless steel cutter, 5" stainless steel needle-nose plier, 6" long-nose plier with cutter, 6" slip joint plier, and desoldering pump.

Mfg. Part No.	Description	Stock No.	Price Each
SPC5142	49-Pc. Compact Technician's Tool Kit	50N425	266.76
SPC5143	Tool Case Only — No Tools	50N426	72.20

(38274)

52-PC. NETWORKING TOOL KIT ACCESSORIES



- Black Cordura case with shoulder strap
- Shown with optional Tenma® multimeter, test telephone and cable tester; ordered separately below

Mfg. Part No.	Description	Stock No.	Price Each
SPC5131	Black Cordura Tool Case Only — No Tools	50N414	131.15
72-6069A	Tenma® Test Telephone	92N5937	234.14
72-6706	Tenma® Cable Tester	18C2275	89.95
72-2050	Tenma® Multimeter	92F5407	53.80

DIGITAL MULTIMETER ONLY WITH CALIBRATION AND PRINTED CERTIFICATION AND DATA REPORT

72-2050 CALIBRATED W/DATA	Tenma® Multimeter	50N2218	106.80
---------------------------	-------------------	---------	--------

(38374)

58-PC. GENERAL ELECTRONIC TOOL KIT



58-Pc. general electronic tool kit includes: soldering iron, microvick, solder, 9-piece fold-up hex key set, snap blade knife, 4 1/2" stainless steel diagonal cutter, 4 1/2" stainless steel long-nose pliers with cutter, 6" long-nose pliers with cutter, 6" slip joint pliers, 6" stainless steel ruler, electrician's scissors, 6-piece jeweler's Phillips or slotted screwdriver, brush, flashlight, plastic parts box, slotted screwdrivers: 1/8 x 4", 3/16 x 4", 1/4 x 4"; Phillips screwdrivers: #0 x 2", #1 x 3", #2 x 4"; 13-pc. 1/4" drive (3/16-1/4"), 12/3m tape measure, 7-piece fold-up Torx® (T6-T20), wire stripper/cutter, and a 6" adjustable wrench. All neatly organized in a black Cordura tool case.

Mfg. Part No.	Description	Stock No.	Price Each
SPC5134	58-Pc. General Electronic Tool Kit	50N417	277.21
SPC5135	Black Cordura Tool Case Only — No Tools	50N418	62.13

(38470)

89-PC. FIELD SERVICE TOOL KIT



89-Pc. field service kit includes: soldering iron, solder, microvick, DIP IC extractor, DIP IC inserter, desoldering pump, 3-piece needle files, 4 oz. ball-peen hammer, 6" stainless steel ruler, feeler gauge, 1/16" and 1/8" punch pins, metal scribe, 13-piece socket set with 1/4" drive, solder aid kit, electrician's scissors, 5" hemostat, 8-piece BP hex key set, flashlight, mirror/magnetic retriever, screwdriver handle, nut driver blades: 3/16, 1/4, 5/16, 3/8, 1/2, 5/8, 3/4, and 1/2"; slotted screwdrivers: 9/32 x 2", 1/8 x 6", 3/16 x 8", and 1/4 x 4"; Phillips screwdrivers: #0 x 2", #1 x 6", and #2 x 4"; safety Torx® screwdrivers: T10, T15, and T20; 3/16" stubby slotted screwdriver, #1 Phillips stubby screwdriver, 6-piece slotted and Phillips jeweler's screwdriver set, 4 1/2" side cutter pliers, 4 1/2" serrated chain-nose pliers, 5" needle-nose pliers, 6" long-nose pliers with side cutter, 6" slip joint pliers, spring tool combination, tape measure, AA-SA tweezer, 4 1/2" cross-lock tweezer, wire stripper (16-26 AWG), 6" adjustable wrench, and a 8-piece mini-ignition wrench set (3/16-3/8"). All neatly organized in a black Cordura tool case.

Mfg. Part No.	Description	Stock No.	Price Each
SPC5140	89-Pc. Field Service Tool Kit	50N423	633.60
SPC5141	Black Cordura Tool Case Only — No Tools	50N424	144.25

(38771)

ELECTRONIC TOOL KIT



Electronics tool kit includes: 13-piece screwdriver set, 6-piece long precision screwdriver set, super drill set, IC extractor, flashlight, soldering iron stand, 4.5" flat nose plier, 5" long nose pliers, 6" stainless scissors, 7-piece folding type hex wrench, 6" tweezers, mini vacuum cleaner, 6" adjustable wrench, 9.5" 5-way crimping tool, 30W ceramic soldering iron, 5-piece file set, 3-piece soldering aid kit, cleaning solution, hand cleaning fluid, 10-piece miniature combination wrench, carrying tool case (460 x 340 x 160mm) and more.

Mfg. Part No.	Description	Stock No.	Price Each
SPC10066	Electronic Tool Kit	18C2426	200.31

(66409)

Expert technical support

(148838)

Chat online to our team of engineers, or connect to them through your representative.

SERVICE TOOL KITS • TELECOM TOOLS

TECHNICIAN TOOL KIT



Technician tool kit includes: 6-piece precision screwdriver set, 7-in-1 crimping tool, IC extractor tool, flashlight, utility knife, 30W ceramic soldering iron, 5-piece double blade, mini hammer set, 3-piece PRO-SOFT duplex color screwdriver, 7-piece folding type hex wrench, 8" adjustable wrench, 5" cutting pliers, 4.5" flat-nose pliers, deluxe desoldering pump, heat sink, 6" tweezer, PLCC extraction tool, 5-piece file set, carrying zipper bag (440H x 320W x 100Dmm) and more.

Mfg. Part No.	Description	Stock No.	Price Each
SPC10067	Technician Tool Kit	18C2427	142.74

(66410)

BASIC ELECTRONIC TOOL KIT



Features PRO-SOFT duplex color screwdrivers: Phillips: #0 x 75, #1 x 75, #2 x 100, #2 x 200mm; slotted: 3 x 75, 5 x 75, 6 x 100mm; nut: 5mm, 6mm. Kit also includes: 6" side cutter, 6" long nose plier, 6" combination plier, stainless tweezer, 6" adjustable wrench, desoldering pump, alignment driver, solder wick, solder core, needle file set, PVC insulated tape, 30W ceramic soldering iron, and carrying zipper bag (330 x 210 x 50mm).

Mfg. Part No.	Description	Stock No.	Price Each
SPC10068	Basic Electronic Tool Kit	18C2428	57.24

(66411)

IMPACT AND NON-IMPACT PUNCH DOWN TOOLS



D914S™



D814™

Fluke Networks™ punch down tools provide technicians a variety of options. The popular D914S™ series impact tool features a rounded edge handle with soft rubber grip to reduce recoil, preventing hand fatigue and slipping while terminating. D914™ and D814™ series spring-loaded impact tools make efficient connections with less effort. D214™ series non-impact tool is effective for scissor blades such as Krone and BIX. Increased versatility and flexibility of these punch down tools and a wide variety of interchangeable blades allows each tool to perform multiple functions. Order additional blades separately below.

PUNCH DOWN TOOLS

Mfg. Part No.	Description	Stock No.	Price Each
10061000	D914S™ Impact Tool	18C1547	60.36
10061100	D914S™ with 66 Blade	18C1548	66.01
10061120	D914S™ 66 and M110 Blades	18C1550	75.77
10051000	D914™ Impact Tool	48F4930	48.55
10051120	D914™ with 66 and 110 Blade	97C9297	65.33
10051501	D914™ with 66 and 110 Extra Blade	48F4931	65.33
10054000	D814™ Impact Tool	48F4932	42.30
10055000	D814™ with 66 Blade	85C1383	47.95
10055110	D814™ with 110 Blade	95B8127	47.95
10055200	D814™ with 66 and 110 Blade	97C9298	57.71
10055501	D814™ with 66 and 110 Extra Blade	48F4933	57.71

PUNCH DOWN TOOL BLADES

Through special processing of the metal, Eversharp™ high-performance blades stay sharper three-times longer than other competitive blades. Sharper blades provide better termination at the block, leading to quality installs.

Mfg. Part No.	Description	Stock No.	Price Each
10056500	Eversharp™ 66 Blade	18C1546	21.86
10176500	EverSharp™ 110 Blade	18C1551	21.86
10565000	KRONE Blade	48F4940	44.36
10665000	BIX® Blade	48F4957	44.01

(62989)

PRO-TOOL™ KITS



11293-000



These Pro-Tool™ kits are comprised of the most essential tools for telecom installations, conveniently stored in a PVC pouch for greater durability. Mfg. part no. 11291-000 kit includes D814™ impact tool, electrician's D-Snips™, cable stripper, EverSharp™ 66/110 cut blade, and ProbePic. Mfg. part no. 11292-000 kit includes D914S™ impact tool, electrician's D-Snips™, cable stripper, and EverSharp™ 66/110 cut blade. Mfg. part no. 11293-000 kit includes D914S™ impact tool, electrician's D-Snips™, cable stripper, Mini-Maglite and Sharpie.

Mfg. Part No.	Description	Stock No.	Price Each
11293000	Pro-Tool™ Kit IS60	02H5542	161.56
11292000	Pro-Tool™ Kit IS50	97C9305	139.00
11291000	Pro-Tool™ Kit IS40	97C9304	131.03

(73269)

D-IMPACTOR 5-PAIR IMPACT TOOL



D-Impactor 5-pair punch down tool is ergonomically-designed with a cushioned handle that reduces recoil and prevents the tool from slipping. This impact tool has fewer moving parts providing a smoother termination. The D-Impactor patented blades are molded into a single reversible blade part, for cut or non-cut terminations, delivering optimal performance that saves valuable time.

Mfg. Part No.	Description	Stock No.	Price Each
10059-000	D-Impactor 5-Pair Impact Tool	31C7924	169.52
10059030	Replacement D-Impactor Blade	31C7925	34.98

(68356)

ELECTRICIAN D-SNIPS™



D-Snips™ offer a unique ergonomically-designed handle that leverages your power, providing 1½ times the cutting force with half the effort. The special plastic coated "tail" on the handle that provides the added leverage also minimizes hand fatigue. Made of high-quality forged steel. With a reinforced center joint these new snips are the most durable in the industry.

Mfg. Part No.	Description	Stock No.	Price Each
44300000	Electrician D-Snips	31C7928	21.41

(68357)

CABLE CUTTER AND STRIPPER



Adjustable cable cutter and stripper for round cable, UTP/STP telephone and data cable, and other flexible cable.

Mfg. Part No.	Description	Stock No.	Price Each
11230002	Cable Cutter and Stripper	97C9300	24.32

(51183)

TECHNICIAN'S HAND TOOLS



44007-000



44600-000



44400-000

Mfg. part no. 44007-000 can wrench, designed for optimum versatility, features 2 hex head sockets (1/16" and 3/8") with reduced outside diameters that fit all new network interface devices. Color-coded socket ends make it easy for the technician to distinguish between the socket sizes. Mfg. part no. 44600-000 pocket-sized insulation probe is ideal for checking for loose or damaged connections or to spread apart wire for direct access. Compact size is perfect for using the pic end for tracing or pulling wires from a bunch. Mfg. part no. 44400-000 cable-splicing knife has a 1.75" long cutlery-grade steel blade that stays sharp use after use. Features a non-slip, easy-to-grip handle for better control and reduced hand fatigue.

Mfg. Part No.	Description	Stock No.	Price Each
44007000	Can Wrench Hex Head	48F4960	13.01
44600000	ProbePic, 105° Angle	48F4961	5.48
44400000	Cable Splicing Knife	48F6975	17.99

(73270)

TELECOM TOOLS • TERMINATION TOOL

E-Z CHECK® GFI AND RECEPTACLE CIRCUIT TESTERS



- Non-slip ergonomic design maximizes comfort
- Premium neon lamps prevent false readings
- Tough impact-resistant case
- Safety-yellow color for easily visibility
- 5-year manufacturer's warranty
- UL listed, CSA certified



61-051

61-035

Mfg. part no. **61-051** E-Z Check® Plus GFI circuit tester tests the integrity and operation of GFI receptacles, protected circuits or outlets. Also tests for correct wiring, open-ground, reverse-polarity, open-hot, open-neutral, hot-on-neutral, hot and ground reversed with open-hot, and ground fault interruption in 3-wire 125V AC circuits. Push-pull shape, easy-to-read indicators. Mfg. part no. **61-035** E-Z Check® circuit tester is the same except no GFI outlet test capability.

Mfg. Part No.	Description	Stock No.	Price Each
61-051	E-Z Check® Plus GFI Circuit Tester	90F2394	51.64
61-035	E-Z Check® Circuit Tester	35F2254	25.33

(5603)

TELEMASTER™ MODULAR PLUG CRIMPING TOOLS AND KITS



30-496

30-696 Ratcheting

33-750

Rugged multifunction crimping tools for RJ-45 and RJ-11 plugs. Cuts UTP/STP cable and strips flat cable. Mfg. part no. **30-696** includes a ratcheting mechanism for consistent crimping.

Mfg. Part No.	Description	Stock No.	Price Each
30-496	Crimps RJ-11 and RJ-45 Plugs	92F1528	73.25
30-696	Ratcheting, Crimps RJ-11 and RJ-45 Modular Plugs	48F1305	96.09

KITS

Mfg. part no. **33-750** economy 10Base-T Telemaster™ kit includes UTP/Coax stripper, Telemaster™ RJ-11/RJ-45 crimping tool, 50 8-position RJ-45 non-keyed solid plugs, and a durable, hard-sided storage case. Mfg. part no. **33-652** 10Base-T Crimpmaster™ RJ-45 kit includes Data T® Cutter, UTP/Coax stripper, Crimpmaster crimp tool frame only, 8-position crimp die set for RJ-45 Plugs, 200 8-position RJ-45 non-keyed solid plugs, and a durable, hard-sided storage case.

Mfg. Part No.	Description	Stock No.	Price Each
33-750	Economy 10Base-T Telemaster™ Kit	16F7673	165.86
33-652	10Base-T Crimpmaster™ RJ-45 Kit	01F020	344.39

(7802)

IMPACT TERMINAL TOOLS



- Professional BT-type terminal tool
- Manufactured from toughened plastic with a hardened steel blade
- Quickly and safely cuts and terminates cable
- Handles house wire hooks and extractors
- Supplied with molded belt holder



TL09782

Mfg. Part No.	Description	Stock No.	Price Each
TL09782	Impact terminal tool	01N3630	9.86

(116812)

LAN AND TELECOM CABLE TESTING KIT



RJ45 LAN Tester Features:

- True cable mapper
- Automatic display of mapping
- Dual speeds: Slow and Fast

Telephone Test Set and Tone Probe Cable Tracer Features:

- Check polarity of phone power lines
- View phone line status: dial tone, ringing line or busy line
- Provide talk power for phone lines and butt set use
- Four tone generator patterns
- Test continuity of wires, cable and loads
- Tone generator features Auto-Off function
- Locate patch and termination point of wire
- Identify cable pair carrying tone signal
- Audible speaker with adjustable volume control



Mfg. part no. **1573** LAN and telecom cable testing kit is ideal for data and voice testing needs. Identify connector and cable pin-out with true cable mapping or utilize the full-range continuity, line condition, signal tracing and wire identification with tone generator and tone probe cable tracer. Kit includes: Tone and Cable-Check™ transmitter main unit, Tone and Cable-Check™ remote receiver unit, RJ-11 and alligator clip cord, two RJ-45 shielded patch cords, inductive high-sensitivity probe, jack for headset, durable nylon carrying case with belt loop and two 9V batteries.

Mfg. Part No.	Description	Stock No.	Price Each
1573	LAN and Telecom Cable Testing Kit	87H5780	95.99

(83200)

JACKRAPID™ TERMINATION TOOLS



- Seats and cuts all wires at once, saving up to 2 minutes installation time per jack
- High quality, consistent terminations
- Simple, one-handed operation and ergonomic handle reduces hand fatigue
- Unique design easily accommodates close-to-wall installation
- Replaceable blade head for use with multiple jack types



JackRapid™ termination tools are innovative and time saving installation tools. JackRapid™ allows you to accurately terminate jacks faster than traditional impact tools. The patented jack termination tool seats and terminates all wires simultaneously with one squeeze of an ergonomic handle. Get clean, consistent cuts every time. The built-in blade cuts off the excess wire after it is seated in the connector, eliminating the need for a secondary trim step. With JackRapid™, you'll never punch into the palm of your hand or through drywall again.

Mfg. Part No.	Description	Stock No.	Price Each
JR-LEV-1	JackRapid Termination Tool (for LEVITON 41106, 41108, 5G108)	95M6386	78.57
JR-LEV-1-H	JackRapid Replacement Blade Head (for LEVITON 41106, 41108, 5G108)	95M6387	52.86
JR-SYS-UNI-1	JackRapid Termination Tool (for MPS100E,C5,M1BH & UNJ600/500/300)	95M6390	78.57
JR-SYS-UNI-1-H	JackRapid Replacement Blade Head (for MPS100E,C5,M1BH&UNJ600/500/300)	07P5216	52.86
JR-LEV-2	JackRapid Termination Tool (for LEVITON 61110, 5G110, 6110G)	95M6388	78.57
JR-LEV-2-H	JackRapid Replacement Blade Head (for LEVITON 61110, 5G110, 6110G)	95M8571	52.86
JR-SYS-2	JackRapid Termination Tool (for SYSTIMAX MGS400,MGS500,MFP420,MFP520)	95M6391	78.57
JR-SYS-2-H	JackRapid Replacement Blade Head (for SYSTIMAX MGS400,MGS500, MFP420, MFP520)	95M8573	52.86
JR-ORT-2	JackRapid Termination Tool	95M6389	75.90
JR-ORT-2-H	Replacement Blade Head (For ORTRONICS TJ5E00,TJ600, TJ610)	95M8572	51.06
JR-ADC-2	JackRapid Termination Tool (for ADC KM8, CopperTen)	45P7637	78.57
JR-ADC-2-H	JackRapid Replacement Blade Head (for ADC KM8, CopperTen)	46P3794	52.86
JR-ERGOHANDLE	JackRapid Ergonomic Handle	95M6385	30.36

(115573)

WIRE STRIPPER/CUTTER

Easy-to-use. Features cushioned grips. No tools required for adjustments. Supplied assembled.



Mfg. Part No.	Description	Stock No.	Price Each
JIC-4473	Wire Stripper/Cutter	19C7649	63.99

(56860)

TERMINATION TOOL • TOOL BAGS • TOOL KITS

WIRE CUT-AND-STRIP TOOLS



For easy, clean stripping of wires for wire wrapping. Place up to four wires in the stripping slot with ends extended beyond the hardened steel cutting blades, press tool, and pull to cut wires to perfect wire-wrapping length. All tools now have a double blade.

Mfg. Part No.	AWG	Adjustable Strip-Off Length (in.)	Blade	Stock No.	Price Each
					1-4
ST-100	24-22	1 ⁹ / ₁₆ " — 1 ⁹ / ₁₆ "	Double	10F7573	67.73
ST-100-2426	26-24	1 ⁵ / ₁₆ " — 1 ¹ / ₁₆ "	Double	72K0759	67.73
ST-100-2830	30-28	7 ⁸ / ₁₆ " — 1 ¹ / ₈ "	Double	72K0760	67.73

(5678)

RATCHETING, ALL-IN-ONE TELEPHONE TOOLS



Paladin Tools®



1530R

Mfg. part nos. 1530R and 1556 are fully-ratcheting, all-in-one telephone tools that cut, strip, and crimp 4- and 6-position RJ11/RJ12, 4-position RJ22 handset plugs, and 8-position RJ45 modular telephone plugs. AWG 28-24. WE/SS-style. Complete ratchet cycle and durable steel frame with rubber embedded handles. Mfg. part nos. 1530R and 1556 have a 5-year limited warranty. Mfg. part no. 901016 has a precision die-cast aluminum head and lifetime warranty.

Mfg. Part No.	Description	Stock No.	Price Each
			1-5
● 1530R	All-in-One Pro Telephone Crimper/Cutter/Stripper	90F6851	139.57
● 1556	All-in-One Data & Telephone Crimper/Cutter/Stripper — WE/SS-Style Plugs	29K8551	50.46
● 901016	All-in-One Ultra-Pro Telephone Crimper/Cutter/Stripper	48F2034	161.05

(5655)

POWERPLAY™ MULTI-TOOLS

Paladin Tools®

PT-510 PowerPlay™ is 18 Tools-In-One:

- Needle Nose and Gripping Pliers
- 110 Punchdown Tool
- Wire Cutter
- #4 and #6 Slotted Screwdrivers
- #1 Phillips Screwdriver
- SOG Serrated Knife
- Drywall Punch
- 4 Wire Strippers — 18/20/22/24 AWG
- 3-in-1 File
- Bottle Opener
- Ruler



PT-540 PowerPlay™ 30 Tools-In-One

PT-540 PowerPlay™ is 30 Tools-In-One:

- Needle Nose and Gripping Pliers
- 110 and 66 Punchdown Blades
- Wire Hook and Spudger
- 18/20/22/24 AWG Strippers Built-Into Punchdown Blades
- Large Romex® and Hard Wire Cutter
- UTP and Round Cable Stripper
- 12/14/16 AWG and Romex® Stripper
- SOG Knife with 1/2 Serrated Blade
- 1/4" Socket Drive with Hex Bit Adapter
- 26-18 AWG Smaller Terminal Lug Crimper
- 16-10 AWG Large Terminal Lug Crimper
- #4 and #6 Slotted Screwdrivers
- #1 Phillips Screwdriver
- 3-in-1 File
- Bottle Cap Opener
- Scissors

- PT-525 PowerPlay™ is 24 Tools-In-One:
- Needle Nose and Gripping Pliers
 - 110 and 66 Punchdown Tools
 - 5 Wire Strippers — 12/18/20/22/24 AWG
 - Cat5e UTP Stripper
 - Romex® Wire Cutter
 - Drywall Punch and Saw
 - #4 and #6 Slotted Screwdrivers
 - #1 Phillips Screwdriver
 - 1/4" Hex Bit Driver/Adapter
 - SOG Knife
 - 3-in-1 File
 - Wire Hook and Spudger
 - Bottle Opener
 - Ruler

PowerPlay™ multi-tools designed specifically to meet the needs of professional electricians and datacom/telecom installers. It's like having a complete tool kit that fits in the palm of your hand. Lightweight, compact design can be easily carried on your belt. Tough stainless steel construction. Compound Leverage System™ delivers twice the cutting and gripping power with less hand force. Effortless opens with one-handed flip. Pivoting handle-covers protect palms from folding components. Manufacturer's limited lifetime warranty.

Mfg. Part No.	Description	Length (In.) Closed/Open	Stock No.	Price Each
				1-99
6500	PT-510 PowerPlay 18 Tools-in-One Multi-Tool	4.25/6.00	69K8284	49.99
6510	PT-525 PowerPlay 24 Tools-in-One Multi-Tool	4.75/7.00	69K8285	89.99
6520	PT-540 PowerPlay 30 Tools-in-One Multi-Tool	5/7.50	17M4070	124.99

(87052)

ALL-IN-ONE CRIMP TOOLS FOR MODULAR PLUGS



HT200AR



HT2008AR

- Professional quality
- Durable middle carbon steel construction
- Black oxide and hardened finish

- Ratchet mechanism
- Comfort grip handles
- 8.3" long

Mfg. part no. HT-200AR professional modular crimp tool for crimping modular plugs: 10P10C, AMP 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11, 4P4C and 4P2C plugs, and DEC/offset plug-6P6C. Mfg. part no. HT-2008AR professional modular crimp tool for crimping modular plugs: 8P8C/RJ-45, 6P6C/RJ-12, 6P4C/RJ-11, 4P4C and 4P2C plugs, and DEC/offset plug-6P6C.

Mfg. Part No.	Description	Stock No.	Price Each
			1-24
HT200AR	Modular Crimp Tool — AMP Style	42M0919	56.22
HT2008AR	Modular Crimp Tool — WE/SS Style	42M0920	56.22

(116639)

CANVAS ZIPPER BAG



Sturdy 7 1/2" x 12", white canvas bag with strong zipper. Convenient storage for pliers, wrenches and other tools.

Mfg. Part No.	Stock No.	Price Each
5139	94F5772	15.47

(56577)

CABLE TOOL KIT

DURATOOL




TL11398

Mfg. Part No.	Description	Stock No.	Price Each
			1-99
TL11398	Cable Tool Kit, 25 pc	99M1220	22.31

(116790)

Huge Expanded Selection of Semiconductors



Go online to find new technologies and proven solutions from world-class and specialist suppliers.

Make it easy. Make it fast. Make it Newark.

(148844)

PROFESSIONAL TOOL SETS



PLIER AND ELECTRONIC TOOL SETS

NEW TECHNOLOGY



CTK70MP



CTK148MP

70-PIECE PROFESSIONAL TOOL SET

Mfg. part no. CTK70MP 70-piece professional tool set includes: (1 ea.) $\frac{3}{8}$ " drive and $\frac{1}{4}$ " drive 72-tooth quick-release ratchet handles, (1 ea.) $\frac{1}{4}$ " and $\frac{3}{8}$ " x 3" extensions, (16) SAE and metric $\frac{3}{8}$ " 12-point sockets: $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{1}{2}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{1}{2}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{1}{2}$ ", $\frac{11}{16}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, and 19mm. (16) SAE and metric $\frac{1}{4}$ " drive 6-point sockets: $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, and 12mm. (12) SAE and metric combination wrenches: $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, (1) $\frac{3}{8}$ " female-to- $\frac{1}{4}$ " male adapter, (8) SAE hex key set and holder, (1) multi-bit Dura-Driver™ magnetic bit driver and (12) 1" driver bits: slotted, Phillips, Torx and hex, and storage case. All tools are industrial-quality, meeting stringent new ANSI and ASME specifications, and come with a full-satisfaction manufacturer's guarantee.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
CTK70MP	70-Pc. Professional Tool Set	73K7620	61.56

148-PIECE PROFESSIONAL TOOL SET

Mfg. part no. CTK148MP 148-piece tool set includes: $\frac{1}{2}$ " Drives: (1) $\frac{1}{2}$ " 70 tooth quick release drive, (1) $\frac{1}{2}$ " drive 5" extension, (10) Sockets: $\frac{1}{2}$ ", $\frac{3}{8}$ ", $\frac{3}{4}$ ", $\frac{1}{2}$ ", 15mm, 17mm, 18mm, 19mm, 21mm; (1) $\frac{3}{8}$ " Drives: (1) $\frac{3}{8}$ " 72 tooth quick release drive, (1) $\frac{3}{8}$ " drive # extension, (1) $\frac{3}{8}$ " to $\frac{1}{4}$ " drive adapter, (2) $\frac{3}{8}$ " and $\frac{1}{2}$ " spark plug sockets; (16) Sockets: $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", 9mm, 10mm, 12mm, 13mm, 14mm, 15mm, 17mm and 19mm; (1) Deep Sockets: $\frac{1}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", 12mm, 13mm, 14mm, 16mm, and 17mm; $\frac{1}{4}$ " Drive: (1) $\frac{1}{4}$ " 72 tooth quick release drive, (1) $\frac{1}{4}$ " drive 3" extension; (20) Sockets: $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", $\frac{3}{16}$ ", $\frac{1}{8}$ ", $\frac{1}{4}$ ", 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm; (12) Combination Wrenches: $\frac{3}{8}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", $\frac{13}{16}$ ", $\frac{1}{2}$ ", $\frac{5}{8}$ ", $\frac{3}{4}$ ", 8mm, 10mm, 12mm, 13mm, 14mm, 15mm; (2) Pliers: 8" long nose cutting and 6" diagonal cutting; Magnetic Screwdrivers: (4) $\frac{1}{4}$ " x 4" slotted, $\frac{3}{16}$ " x 3" slotted, #2 x 4" Phillips and #1 x 3" Phillips; (1) Magnetic Bit Driver; (44) 1" driver bits and holders; (1*) Hex Keys and Holders and (1) Storage Case.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
CTK148MP	148-Pc. Professional Tool Set	96H1216	100.46

(78153)

LINKMASTER™ PRO TEST KITS



33-825



Mfg. part no. 33-825 LinkMaster™ Pro Cat5e, network and coax cable tester kit includes eight remotes and all patch cables necessary for wiring and testing multiple locations for UTP, STP and coax cable. **Mfg. part no. 33-835** LinkMaster™ Pro economy kit includes one remote. Both kits contain a four signal tone generator, LCD display to identify opens, shorts, split pairs, reversals, and miswires. Also available are **mfg. part nos. 33-880** and **33-887** LinkMaster™ Pro XL Cat5e, network and coax cable tester kits that include upgraded features such as: hub linking, remotes with RJ-11 and RJ-45 ports, backlit display screen, and the ability to measure length; go online or call.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
33-825	LinkMaster™ Pro Kit with 8 Remotes	89C9909	481.95
33-835	LinkMaster™ Pro Economy Kit with 1 Remote	89C9910	305.22

(7536)



00 19 57



00 20 11



00 20 16



00 20 15



00 20 18



00 20 17



00 20 18 ESD

00 19 57: 4-PIECE PRECISION RETAINING RING PLIERS SET

Practical, adjustable quick release fastener. Tool roll made of hard-wearing polyester fabric. Set includes: four commonly used, straight precision circlip pliers internal pliers for sizes 1/2 to 1" and 3/4 to 2-3/8" and external pliers for sizes 5/16 to 1" and 3/4 to 2-3/8" for highest requirements.

00 20 11: 3-PIECE ASSEMBLY PLIERS SET

Box set includes: 1 ea. 7" cushion grip combination pliers, 1 ea. 8" cushion grip long nose side cutting pliers and 1 ea. 6 1/4" diagonal cutter.

00 20 16: 7-PIECE ELECTRONIC PLIERS SET

Case made of hard-wearing polyester fabric, pliers are held by elastic band, with zip fastener. Set includes: 6 electronics pliers and one precision tweezer. Set contents: 1 ea. electronic pliers 4 1/2" flat tip, 4 1/2" half round tip, 4 1/2" round tip; 1 ea. 4-3/4" oblique end cutter; 1 ea. 4-1/2" round head diagonal small bevel, 4-1/2" pointed head no bevel diagonal and 1 ea. precision tweezer.

00 20 15: 4-PIECE INSULATED TOOL SET

All pliers VDE tested according to DIN EN/IEC 60900 1000V, pliers finish 6. Case made of high quality, shock-resistant plastic with foam insert for variable equipment. Outside dimensions (H x W x D): 65 x 327 x 275 mm. Box set includes: 1 ea. combination pliers, wire stripper, long nose side cutting pliers and diagonal cutter. Set contents are all insulated tools: 1 ea. 7" combination pliers, 1 ea. 6-1/4" wire stripper, 1 ea. 8" long nose pliers, 1 ea. 6-1/4" diagonal.

00 20 18: 8-PIECE ELECTRONICS TOOL SET

Plastic, shock-resistant storage case, with foam insert. Set includes: 2 electronics pliers and 6 electronics screwdrivers. Set contents: 1 ea. 4 1/2" half round tip electronics pliers, 1 ea. 4 1/2" round head diagonal small bevel, 1 ea. precision slotted screwdrivers 0.4 x 2.5 mm, 0.5 x 3 mm, 0.6 x 3.55 mm, 0.8 x 4.0 mm; 1 ea. precision phillips screwdrivers #0 x 60 mm, #1 x 80 mm.

00 20 17: 6-PIECE ESD ELECTRONIC PLIERS SET

Case made of hard-wearing polyester fabric, pliers are held by elastic band, with zip fastener. Set includes: 6 ESD electronics pliers, electrically discharging version. Set contents: 1 ea. ESD electronic pliers 4-1/2" flat tip, 4-1/2" half round tip, 4 1/2" round tip; 1 ea. ESD 4-3/4" oblique end cutter; 1 ea. ESD 4-1/2" round head diagonal small bevel, 4 1/2" pointed head no bevel diagonal.

00 20 18 ESD: 8-PIECE ESD ELECTRONICS TOOL SET

Plastic, shock-resistant storage case, with foam insert. Set includes: 2 electronics pliers and 6 electronics screwdrivers, ESD electrically discharging version. Set contents: 1 ea. ESD 4-1/2" half round tip electronics pliers, 1 ea. ESD 4-1/2" round head diagonal small bevel; 1 ea. ESD precision slotted screwdrivers 0.4 x 2.5 mm, 0.5 x 3 mm, 0.6 x 3.55 mm, 0.8 x 4.0 mm; 1 ea. ESD precision phillips screwdrivers #0 x 60 mm, #1 x 80 mm.

Mfg. Part No.	Description	Stock No.	Price Each
00 19 57	4-Pc. Precision Retaining Ring Pliers Set	06R6251	111.42
00 20 11	3-Pc. Assembly Pliers Set	06R6252	92.11
00 20 16	7-Pc. Electronic Pliers Set	06R6254	385.14
00 20 15	4-Pc. Insulated Tool Set	06R6253	198.12
00 20 18	8-Pc. Electronic Tool Set	06R6256	207.25
00 20 17	6-Pc. ESD Electronic Pliers Set	06R6255	384.42
00 20 18 ESD	8-Pc. ESD Electronic Tool Set	06R6257	224.12

(147251)

TOOL KITS

LAN PRONAVIGATOR™ NETWORK AND COAXIAL CABLE TESTER AND KIT



Paladin Tools



Mfg. part no. 1543 LAN ProNavigator™ with remote is a UTP/STP and coaxial cable tester for patch cords or installed cable runs. Tests data and telephone cable for proper pairing for EIA/TIA-568A and B, Token Ring, 10 Base T and common Cat5, Cat5e, Cat6 configurations. Also tests continuity of 50 and 75 ohm coaxial cable with BNC terminations. Compact, lightweight and easy-to-use, the LAN ProNavigator™ detects open wires, shorts, crossed-wires and split pairs in only seconds. Test results at both ends. Generates oscillating audio tone for use with tone probes to locate cable. Uses 9V battery with auto-off function to preserve power. Includes belt clips and battery. **Mfg. part no. 901066** LAN ProNavigator™ kit includes LAN ProNavigator™ network and coaxial cable tester with remote plus two RJ45 patch cords, two BNC coaxial cables, two CATV "F"-to-BNC adapters, one shielded RJ45 coupler, two belt clips, 9V battery and durable, hard-sided storage case with custom-fit foam insert. One-year manufacturer's warranty.

Mfg. Part No.	Description	Stock No.	Price Each
			1-9
● 1543	LAN ProNavigator Network and Coaxial Cable Tester with Remote Only	07C7929	129.79
● 901066	LAN ProNavigator Network and Coaxial Cable Tester with Remote Kit	20C4956	196.58

(56470)

DATAREADY® TOOL KIT



Paladin Tools

Complete Category 5 datacom tool set perfect for the IT professional. DataReady® kit includes: **mfg. part no. 1116** Data SureStrip® UTP/STP and flat satin cutter/stripper, **mfg. part no. 1556** All-in-One phone/data tool (WE/SS), **mfg. part no. 3570** SurePunch® impact punchdown tool handle, **mfg. part no. 4571** SurePunch® reversible 110/66 blade, **mfg. part no. 1576** Data Link/ID and Cable-Check™ tester and 20 RJ-45 Cat5e modular connectors. All packaged in zipper storage case.



Mfg. Part No.	Description	Stock No.	Price Each
			1-9
● 901053	DataReady Tool Kit	98B6237	246.61

(54970)

PREMISE SERVICE KIT



Paladin Tools



Premise service kit for data, voice and coaxial LAN installations comes conveniently packaged in choice of **mfg. part no. 901039** a sturdy molded case with form-fitting foam or **mfg. part no. 4933** in the "Ultimate" tool bag. Kit includes: KT 8 cutter, Data SureStrip® and flat cable cutter/stripper, LC CST CATV "F" coax stripper, CrimpALL™ ergonomic crimp frame with RJ11/12 and RJ45/CATV "F" combined die, SurePunch™ Pro, 66, and 110 blades, LAN ProNavigator® coax network tester, telephone test set and LAN Cable-check™, RJ45 adapter, two BNC-to-CATV adapters and plano plastic tackle box.

Mfg. Part No.	Description	Stock No.	Price Each
			1-3
● 901039	Premise Service Kit	20C4952	518.99
● 4933	Ultimate Premise Service Kit	29K8630	518.99

(72366)

SEALTITE® AND SEALTITE® PRO WATERPROOF COMPRESSION KITS



Paladin Tools



SealTite® waterproof compression kits are designed for applications requiring weather-proof CATV "F" connections including satellite dish and CATV installations. **Mfg. part no. 4906** SealTite® 59/6 compression kit includes: SealTite® 59/6 compression crimper, KT8 cable cutter and LC CST coax stripper, all packaged in a nylon zipper storage case.

Mfg. Part No.	Description	Stock No.	Price Each
			1-5
● 4906	SealTite 59/6 Kit	53H6869	110.52

Mfg. part no. 4910 SealTite® Pro compression kit includes: SealTite® Pro compression crimper, KT8 cable cutter, LC CST CATV "F" coax stripper, multi-function coax flaring tool and RG6/RG6 Quad SealTite® compression cable TV "F" connectors, all packaged in a nylon zipper storage case.

● 4910	SealTite Pro Kit	73J8554	130.41
--------	------------------	-------------------------	--------

Mfg. part no. 4915 SealTite® Pro SmartHome AV tool kit includes: SealTite® Pro compression crimper, SmartHome SureStrip™ coax cable cutter/stripper, two each of: RG6/RG6 Quad CATV "F", RCA and BNC compression connectors and six slip-on color ID bands, all packaged in a zipper storage case.

4915	SealTite Pro SmartHome AV Tool Kit	39M4518	104.99
------	------------------------------------	-------------------------	--------

(84680)

DATA/LINK ID AND CABLE-CHECK™ AND LAN CABLE-CHECK™ CONTINUITY TESTERS



Paladin Tools



Mfg. part no. 1576 Data/Link ID and Cable-Check™ multi-function continuity tester and network identifier features a Cable-Check™ mode to test UTP/STP and flat satin phone cable with RJ-45 terminations. Tests both data and telephone connection schemes, including patch cords and installed cable, to identify good connections, opens, shorts and cross-connections. Its Data/Link ID mode identifies data and link transmission speeds with real-time detection: 10MB and 100MB. Tester comes complete with two RJ45 patch cords, 9V battery and nylon carrying case with belt loop. One-year manufacturer's warranty.

Mfg. Part No.	Description	Stock No.	Price Each
● 1576	Data/Link ID and Cable-Check	97H2964	69.99

Mfg. part no. 1574 LAN Cable-Check™ continuity tester for testing UTP/STP and flat satin cable with RJ-45 terminations. Tests both data and telephone connection schemes, including patch cords and installed cable, to identify good connections, opens, shorts and cross-connections. Features slow and fast scan speeds. Tester includes two RJ45 patch cords, 9V battery and nylon carrying case with belt loop. One-year manufacturer's warranty.

● 1574	LAN Cable-Check	97H2963	34.99
--------	-----------------	-------------------------	-------

(83199)

ULTIMATE TECHNICIAN TOOL KIT



Paladin Tools



Ultimate technician tool kit **mfg. part no. 4932** is a complete tool kit for data, voice and video installation and maintenance. Includes all necessary cable preparation tools for Cat5, Cat 5e, Cat 6, and RG6/RG6 Quad. Contained in **mfg. part no. 4923** ultimate tool bag. **Mfg. part no. 4932** kit includes: KT 8 cutter, Data SureStrip® UTP/STP & flat cable cutter/stripper, LC CST CATV "F" coax stripper, SealTite® Pro compression and All-in-One crimpers, SurePunch® Pro Handle with, 110, 66, BIX, Krone LSA, Double 110 blades, SurePunch® Pro detachable light, LAN ProNavigator® coax network tester, telephone test set & LAN Cable-check™, can wrench, RJ45 adapter, untwist tool, CATV "F" flaring and attachment tool, (10) RJ11/12 handset plugs, (10) RJ11/12 plugs stranded flat, (10) RJ45 Cat5 plugs solid round, (10) CATV "F" RG6/RG6 quad compression connectors, (2) BNC-to-CATV adapters, ultimate tool bag, and plano plastic tackle box.

➤ CONTINUED ➤

TOOL KITS

ULTIMATE TECHNICIAN TOOL KIT (CONT.)

Mfg. Part No.	Description	Stock No.	Price Each
			1-5
● 4932	Ultimate Technician Tool Kit	29K8633	704.83
● 4923	Ultimate Tool Bag (Empty)	33K4396	75.03

(84706)

99 SERIES TOOL SERVICE KITS



99MP



99SM

99 series screwdrivers, nutdrivers, blades and handles are all interchangeable. Handles feature spring devices which hold blades firmly and permit quick, easy insertion.

Mfg. part no 99MP 39-piece multipurpose kit contains: regular screwdriver handle, Tee screwdriver handle, 1/4" magnetic nutdriver, 9 regular nutdrivers, 9 Allen hex screwdrivers, 9 Bristol multispline screwdrivers, 4 slotted screwdrivers, 3 Phillips screwdrivers, reamer and extension.

Mfg. part no 99PS-60 11-piece Bristol multiplespline socket screwdriver set. Contains handle, extension and 9 4" 6-flute Bristol blades: 0.048", 0.060", 0.069" (4-flute), 0.072", 0.076" (4-flute), 0.096", 0.111", 0.145", 0.183", clear plastic case.

Mfg. part no 99 SM or **99SMX** 23-piece kits each contain: regular screwdriver handle, stubby screwdriver handle, 9 regular nutdrivers, 3 stubby nutdrivers. 2 slotted screwdrivers, 2 Phillips screwdrivers, reamer, extension, long-nose 6" pliers, 5" diagonal pliers, 6" adjustable wrench and wire stripper/cutter.

Mfg. Part No.	Description	Stock No.	Price Each
99MP	39-Pc. Multipurpose Service Kit	34F223	228.74
99-PS-60	11-Pc. Bristol Multiple Spline Socket Screwdriver Set	34F340	53.14
99 SM	23-Pc. Tool Set with Canvas Case	34F388	197.66
99SMX	23-Pc. Tool Set with Hard Case	87F714	196.86

(6735)

METRIC-SIZE HAND TOOL SETS



99-PS-51MM



PS-121MM

Mfg. part no. 4-13MM is a 10-piece set of metric-size, plastic-handle nutdrivers, size 4-8mm, 10mm, 11mm, 13mm. All have 31.35mm deep shaft hole. Sturdy molded plastic carrying case.

Mfg. Part No.	Stock No.	Price Each
		1-4
4-13MM	34F189	79.27

Mfg. part no. 99PS-51MM is a 12-piece nutdriver set containing 1 regular handle; 1 extension; and 10 shafts, sizes 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm. In clear, hard plastic stand-up case.

99-PS-51MM	35F209	77.69
------------	------------------------	-------

Mfg. part no. PS-121MM compact convertible nutdriver kit contains 10 plastic-handle shafts, sizes 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 10mm. Also includes torque amplifier handle in clear, hard plastic stand-up case.

PS-121MM	34F624	57.16
----------	------------------------	-------

Mfg. part nos. 99PS-41MM standard Allen® hex socket and **99PS-41MMBP** ballpoint Allen® hex socket contain one regular handle, one extension and seven shafts. Sizes: 1.27mm, 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm. In clear, hard plastic stand-up case.

➔ CONTINUED ➔

METRIC-SIZE HAND TOOL SETS (CONT.)

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
99PS-41MM	Standard Allen® Hex Socket Set	34F621	56.42
99PS-41MMBP	Ballpoint Allen® Hex Socket Set	34F622	70.19

(5741)

PERSONAL COMPUTER REPAIR KIT



Mfg. part no. 99SPC. 13-piece kit for making PC repairs features anti-static tools to protect chips from damage due to electrostatic discharge. Fits securely in a roll-up pouch.

99-SPC KIT CONTENTS

Type	Description
99-820	(1) #0 Phillips
99-821	(1) #1 Phillips
99-811	(1) 3/16" Slotted
99-10XTD	(1) #10 Torx®
99-15XTD	(1) #15 Torx®
99-6	(1) 3/16" Nutdriver
99-8	(1) 1/4" Nutdriver
99-1	(1) Screwdriver Handle
99-R1	(1) Three-Prong Chip Retriever / Extractor—Antistatic
99-T1	(1) Chip Tweezer—Antistatic
99-E1	(1) Chip Insertor—Antistatic
99-X1	(1) Chip Extractor—Antistatic
...	(1) Vinyl Case

Mfg. Part No.	Stock No.	Price Each
		1-4
99SPC	50F1845	55.53

(5739)

PROFESSIONAL TOOL KITS



Carefully selected intermediate assortment of Xcelite® hand tools neatly organized in a high-impact, blow-molded plastic tool case. Tool features durable neolux pouches and sturdy elastic retainers that hold tools on pallets, so they are easy to locate and retrieve. Tool kits are available with either 57- or 35-pieces. **Mfg. part no. TCMG150MT** durable, double-skin blow-molded plastic tool case also available without tools; order separately below. Case dimensions: 4-3/4H x 17-3/4W x 12 3/8"D.

Mfg. part no. TCMG150ST 57-pc. tool kit includes: one 4" extension for Series 99® blades, 10 Allen hex screwdriver blades, 7 nutdriver blades, handle for Series 99® blades, ratchet tee handle for Series 99® blades, 1/8" x 3/8" reamer, 3 screwdriver blades, 1/2" and 3/4" hollow shaft nutdrivers, 1/4" and 3/8" magnetic nutdrivers, 1/16" screwdriver soldering tip, Metric/English measuring tap, 25W professional soldering iron, 120V, 3-wire cord, electrician's knife, 60/40, 0.73 oz. Rosin core solder, straight seizer with serrated jaws, 4" diagonal semi-flush cutter, 5 1/4" needle-nose plier, 5" diagonal plier, 5" utility ignition plier, 6 1/2" electronic cushion grip snips, 6" long-nose plier with side cutter, 7" tongue and groove utility plier, 8" electrician's chain-nose plier, serrated jaw, 7" tongue and groove utility plier, 8" electrician's chain nose plier, serrated jaw, wire cutter and stripper with opening spring, #1 Phillips bit, #2 Phillips bit, 1/4" slotted bit, 3/16" slotted bit, #1 Phillips round blade stubby screw driver, offset reversible ratchet screwdriver handle, reversible blade screwdriver/nutdriver, 4 round blade slotted screwdrivers, 2 square blade slotted screwdrivers and a 6" adjustable wrench with cushion grip.

Mfg. part no. TCMG200ST 35-pc. tool kit includes everything in the 57-piece kit except a 3/8" and 9/16" nutdriver blade, ratchet tee handle for Series 99® blades, 1/2" and 3/4" hollow shaft nutdriver, 1/4" and 3/8" magnetic nutdriver, 1/16" screwdriver soldering tip, Metric/English measuring tape, 25W professional soldering iron, 120V, 3-wire cord, 60/40, 0.73 oz. Rosin core solder, 5" utility ignition plier, 8" electrician's chain-nose plier, serrated jaw, Phillips and slotted ratchet handles, #1 Phillips round blade stubby screwdriver, offset reversible ratchet screwdriver handle, reversible blade screwdriver/nutdriver, round blade slotted screwdriver, square blade slotted screwdrivers.

Mfg. Part No.	Description	Stock No.	Price Each
			1-4
TCMG150ST	57-Pc., 2-Pallet Tool Kit	98B6001	541.21
TCMG200ST	35-Pc., 1-Pallet Tool Kit	17C6643	369.26
TCMG150MT	Tool Case Only — No Tools	17C6641	164.99

(66397)

New products added weekly

See the newest products, technologies and suppliers on our website.

(148886)

TOOL KITS • TWEEZERS

PROFESSIONAL TOOL KITS FOR TECHNICIANS, SERVICEMEN AND FIELD ENGINEERS



TCMB100/ST



TCA100/ST

86-Pc. Professional Tool Kits Contain 53 Popular Tools:

- Including pliers, cutters, wrenches, snips, screwdrivers and nutdrivers
- 31 Series 99® interchangeable screwdriver and nutdriver blades and handles
- Two specialized screwdriver and nutdriver kits

46-Pc. Professional Tool Kit Contains 23 Popular Tools:

- Including pliers, cutters, screwdrivers and nutdrivers
- Weller® WP25 25W soldering iron
- 24 Series 99® interchangeable screwdriver and nutdriver blades and handles
- Offset ratchet screwdriver set, measuring tape and solder



TCS100/ST

TC series attached tool cases are durable, charcoal-brown leather-grained Marvelon vinyl featuring solid brass hardware, padded handle, removable 3-panel hinged tool pallet in lid, plus anodized aluminum divider and additional tool pallet in bottom. TCMB series tool case is super-tough, black polyethylene with rich-looking black anodized aluminum hardware, removable 3-panel hinged tool pallet in lid and additional tool pallet in bottom. TCA series tool cases are high-tech aluminum with smooth finish featuring a keyless combination lock, chrome-plated latches, tongue-and-groove lid with rubber gasket for a positive seal, removable tool pallet in lid and additional tool pallet in bottom. TCS series tool case is soft-sided, rugged Cordura® with dual heavy-duty zippers, leather wrapped handles and three outside storage pockets.

Mfg. Part No.	Description	Stock No.	Price Each
TCMB100/ST	86-Pc. Kit with Polyethylene Tool Case — 17¾" x 12½" x 5¾"	50F1839	919.15
TCA100/ST	86-Pc. Kit with Aluminum Tool Case — 17¾" x 12½" x 7⅞"	50F1837	1135.42
TCA150/ST	46-Pc. Kit with Aluminum Tool Case — 17¾" x 12½" x 5¾"	50F1838	898.87
TCS100/ST	86-Pc. Kit with Cordura® Tool Case — 17" x 12" x 3¼"	50F1842	865.75
TC-100/MT	Marvelon Tool Case Only — No Tools 18¾" x 12½" x 5⅞"	35F216	322.88

(57386)

E-Z PIK COLOR-CODED PRECISION TWEEZERS AND TWEEZERS SET



E-Z Pik precision tweezers are manufactured from anti-acid, anti-magnetic stainless steel and feature a highly-durable, special color coating for high visibility and easy identification. Color coding helps user quickly find the tweezers needed by identifying the color only rather than style of tweezers. Available in six popular styles.

18480EZF 6-Pc. Set

Mfg. Part No.	Description	Length (in.)	Color	Stock No.	Price Each
18013EZF	Style AA — Straight, Strong Precise Tips	5	Yellow	01N4764	5.75
18032EZF	Style 00 — Straight Thick Flat, Strong Tips	4.75	Red	01N4765	6.63
18049EZF	Style 2A — Tapered Straight Flat Tips	4.75	Black	01N4766	6.63
18056EZF	Style 3C — Straight Ultra Fine Tips	4.25	Light Blue	01N4767	6.63
18062EZF	Style 5 — Tapered Ultra Fine Tips	4.25	Green	01N4768	5.75
18072EZF	Style 7 — Curved Fine Tips	4.5	Orange	01N4769	6.63

6-PC. E-Z PIK PRECISION TWEEZERS SET WITH PROTECTIVE POUCH

Set includes one each of the following tweezers: style AA yellow, style 00 red, style 2A black, style 3C light blue, style 5 green, style 7 orange, and a handy protective storage pouch.

18480EZF	6-Pc. E-Z Pik Precision Tweezers Set	01N4770	32.92
----------	--------------------------------------	---------	-------

(116782)



(148881)

Current Order Status & History

Check the status of your current order or access past orders from our website under MY ACCOUNT eSuite. Log in or register today.

TWEEZER SETS

- Set of value for money tweezers
- Includes: needle, angle, straight and flat point

DURATOOL



TL10508

Mfg. Part No.	Description	Stock No.	Price Each
TL10508	Tweezer Set, 4 pc	01N3568	1-99
			0.83

(116750)

PRECISION INDUSTRIAL TWEEZERS

DURATOOL



D00348



D00347



D00346



D00345



D00344

- Quality manufactured, economically priced
- Anti-magnetic stainless steel (SA)
- Wide choice of shapes for a large variety of industrial applications
- Packaged in a protective plastic case

Mfg. Part No.	Model No.	Description	Length		Stock No.	Price Each
			(in.)	(mm)		
D00334	00 SA	Flat Edges, Thick	4¾	120	34M5820	13.12
D00335	1 SA	Accurate, Strong Tips	4¾	120	34M5821	13.12
D00336	2 SA	Flat, Sharp Fine Tips	4¾	120	34M5822	13.12
D00337	2A SA	Flat, Round Tips	4¾	120	34M5823	13.12
D00338	3 SA	Very Sharp Tips	4¾	120	34M5824	13.12
D00339	3C SA	Very Sharp Tips, Superior Finish	4¼	110	34M5825	13.12
D00340	4 SA	Fine Tips	4¼	110	34M5826	14.52
D00341	5 SA	Extra Fine Tips	4½	115	34M5827	14.52
D00342	5A SA	Extra Fine Tips	4½	115	34M5828	14.52
D00343	7 SA	Fine Curved Tips	4½	115	34M5829	14.52
D00344	7A SA	Fine Strong Curved Tips	4½	115	34M5830	14.52
D00345	AA SA	Strong Tips for General Use	5	130	34M5831	10.05
D00346	AC SA	Strong Tips, Serrated Grips	4¼	110	34M5832	14.80
D00347	MM SA	Strong Fine Tips for General Use	5	130	34M5833	10.05
D00348	SS SA	Extra Fine Super Slim	5½	140	34M5834	13.12

(116655)

PRECISION TWEEZERS

Erem®



EROP2ASA



EROP3SA



EROP5ASA



EROP7SA

EROPSSSA

- Stainless steel
- Anti-magnetic

Mfg. Part No.	Description	Length (in.)	Stock No.	Price Each
EROP2ASA	Tweezer, Large Flat Round Straight Tips	4.75	48F2389	3.84
EROP3CSA	Tweezer, Ultra-Fine Straight Points	4.25	48F2390	3.84
EROP3SA	Tweezer, Ultra-Fine Straight Points	4.75	48F2391	3.84
EROP5ASA	Tweezer, 10° Offset Micro-Fine Straight Points	4.50	48F2393	3.84
EROP5SA	Tweezer, Micro-Fine Straight Points	4.50	48F2394	3.84
EROP7SA	Tweezer, Micro-Fine Curved Points	4.50	48F2395	3.84
EROPAASA	Tweezer, Medium Straight Points	5.00	48F2396	3.84
EROPSSSA	Tweezer, Ultra-Fine Straight Points	5.50	48F2399	3.84

(34094)

TWEEZERS

EREM® CUSHION-GRIP TWEEZERS



E00SA

Mfg. Part No.	Description	Stock No.	Price Each
E2ASA	Flat, Round, Precision Tips	92B0557	26.62
E3CSA	Straight, High-Precision Tips	95B4280	30.78
E00SA	Straight, Fine, Strong, Precision Tips	95B4279	27.68
E5SA	Straight, Thin-Tapered, Ultra-Fine, High-Precision Tips	95B4281	32.93
E7SA	Curved, Fine-Point, High-Precision Tips	95B4282	34.66

(58372)

HEAT-RESISTANT, PRECISION POINTED TIP TWEEZERS



- Anti-glare finish
- Synthetic heat-resistant pointed tips to 480° F (250° C)
- Acid-, solder-, and rust-resistant
- Non-magnetic
- Waterproof
- ESD safe



249SA Fine Pointed Tips, Straight



258SA Very-Fine Pointed Tips, Straight-Relieved

Professional-quality, Swiss-made, "special" stainless steel/PPS tweezers are perfect for conventional and precision handling of small components, fiber optics and wires. Ideal for tasks in microelectronics industry, labs, medicine and other applications where high precision is required. Choice of straight fine or straight-relieved very-fine pointed tips. Serrated grips provide more control.

Mfg. Part No.	Description	Length (In.)	Stock No.	Price Each
249SA	Fine Pointed Tips Straight Tweezer	5.12	19M5241	35.44
258SA	Very-Fine Pointed Tips Straight -Relieved Tweezer	4.72	26H3549	40.88

(89617)

FINE TIP TWEEZERS



AA-SA EROPAASA



00-SA EROPOOSA



3SASL EROP3SA



5SASL 5A-SA EROP5SA



7SASL EROP7SA



5SASL 5-SA EROP5SA

SWISS HIGH PRECISION TWEEZERS

Mfg. Part No.	Description	Size	Stock No.	Price Each
AA-SA	Fine, But Strong Points	4 3/4"	96F9421	11.98
AC-SA	For Precision Bending and Handling; Serrated Grip	4 1/4"	96F9437	13.21
00-SA	Flat Inside Edges; Resistant; For Electronics Assembly	4 3/4"	96F9426	19.95
00D-SA	Same as 00-SA Plus Interior and Exterior Serrations; Carbon Steel	4 1/2"	96F9431	24.28
2A-SA	Flat, Round Points	4 1/2"	96F9423	19.16
3C-SA	Excellent for Microelectronics	4 1/4"	96F9446	19.57
5-SA	Fine Points, Special Shaping for Very Small Wires and Components	4 1/2"	96F9428	33.57
5A-SA	Very Fine, for Die Attaching	4 1/2"	96F9451	32.87
7SA	Curved for Easy Manipulation in Confined Areas	4 1/2"	93F5408	30.51
2ASARU	Label-Handling Tweezer, Flat, Round Precision Tips	4 3/4"	95B5050	30.51

FINE TIP ITALIAN TWEEZERS

1SASL	General Purpose, Fine Points	4 1/2"	52F9065	13.58
3SASL	For Micro Electronics, Fine Points	4 1/4"	52F9066	11.45
5ASASL	Very Fine, Die Attaching	4 1/2"	52F9068	15.54
5SASL	Super Fine Points. For Handling Very Fine Wires, Miniature Components.	4 1/2"	52F9069	13.45
7SASL	Curved for Easy Manipulation in Confined Areas	4 1/2"	52F9070	15.23

(19347)

ELECTRONIC STYLE TWEEZERS



2A Style



3C Style



5 Style



5A Style



7 Style



00 Style

- (5) Star Quality: 40% Cobalt alloy; extremely strong, 1mm thickness for light touch; radius inside edges temperature resistant to 500C°
- (3) Star Quality - Swiss - AISI 303/304 Stainless Steel; Anti-magnetic; Anti-acid
- (2) Star Quality - Italian - AISI 316L Stainless; Anti-magnetic; Anti-acid
- (1) Star Quality - General - AISI 316L Stainless; Anti-magnetic; Anti-acid

Mfg. Part No.	Tip Description	Tip Size	Stock No.	Price Each
● 2A-SA***	Flat Round	.150 x .20 mm	95H8442	24.69
● 2A-SA-PI**	Flat Round	n/a	95H8445	12.31
● 2A-SA-SE*	Flat Round	n/a	95H8448	3.90
● 3C-CO****	Straight	.08 x .04mm	95H8694	89.19
● 3C-SA***	Straight	.17 x 10mm	95H8702	25.27
● 3C-SA-PI**	Straight	n/a	95H8705	12.31
● 3C-SA-SE*	Straight	n/a	95H8707	3.90
● 5-CO****	Ultra Fine Precision	.05 x .01mm	95H8990	101.79
● 5-SA***	Ultra Fine Precision	.10 x .06mm	95H8997	30.17
● 5-SA-PI**	Ultra Fine Precision	n/a	95H9000	13.75
● 5-SA-SE*	Ultra Fine Precision	n/a	95H9003	3.90
● 5A-CO****	Ultra Fine Offset	.06 x .03mm	95H9009	100.15
● 5A-SA***	Ultra Fine Offset	.17 x .06mm	95H9013	26.13
● 5A-SA-SE*	Ultra Fine Offset	n/a	95H9018	3.90
● 7-CO****	Curved	.07 x .03mm	95H9321	111.12
● 7-SA***	Curved	.17 x .10mm	95H9327	27.96
● 7-SA-PI**	Curved	n/a	95H9330	13.91
● 7-SA-SE*	Curved	n/a	95H9333	3.90
● 00-SA***	Strong Fine	0.0177 x 0.0098 "	95H8129	24.40
● 00-SA-PI**	Strong Fine		95H8132	12.31
● 00-SA-SE*	Strong Fine		95H8134	3.90

* (1) Star Quality; ** (2) Star Quality; *** (3) Star Quality; **** (5) Star Quality (79285)

TWEEZERS FOR SURFACE MOUNT DEVICES



- Anti-Magnetic, Anti-Acid



Mfg. Part No.	Component Types	Stock No.	Price Each
● 104-SA	Chip Capacitor	95H8185	53.53
● 116-SA	MELF	95H8249	53.53
● 115-SA	1mm Diameter Cylindrical Parts	95H8240	53.53
● 124-SA	SOT-23 and TO-236	95H8278	53.53

(79339)

ERGONOMIC TWEEZERS



- ESD Safe
- Ergonomic Cushion Comfort for Extended Use
- Offered in (2) and (3) Star Quality
- Protects Operator from Heat
- (3) Star Quality - Swiss - AISI 303/304 Stainless Steel; Anti-magnetic; Anti-acid
- (2) Star Quality - Italian - AISI 316L Stainless; Anti-magnetic; Anti-acid



2A-SA-ET

Mfg. Part No.	Description	Tip Size (In.)	Stock No.	Price Each
● 2A-SA-PI-ET**	Flat Round	n/a	95H8446	16.72
● 2A-SA-ET***	Flat Round	.0591 x .0078	95H8443	29.10

▶ CONTINUED ▶


TWEEZERS

ERGONOMIC TWEEZERS (CONT.)

Mfg. Part No.	Description	Tip Size (In.)	Stock No.	Price Each
● 3C-SA-PI-ET**	Straight	n/a	95H8706	16.72
● 3C-SA-ET***	Straight	.0066 x .0039	95H8703	29.68
● 5-SA-PI-ET**	Ultra Fine Precision	n/a	95H9001	18.16
● 5-SA-ET***	Ultra Fine Precision	.0039 x .0024	95H8998	34.57
● 7-SA-PI-ET**	Curved	n/a	95H9331	18.32
● 7-SA-ET***	Curved	.006 x .0039	95H9328	32.37
● 00-SA-PI-ET**	Strong Fine	n/a	95H8133	16.72
● 00-SA-ET***	Strong Fine	.0177 x .0098	95H8130	28.81

** (2) Star Quality; *** (3) Star Quality (79340)

GENERAL-PURPOSE TWEezer SETS




1385

Mfg. part no. 1385 kit includes: 7" curved solder utility, 6" blunt tip with serrated points, 4 1/2" solder utility with sharp points, 7" wide point with lock, 7" wide point cross locking, and 7" solder utility straight tweezers. Mfg. part no. 1386 includes: 4 1/4" curved with serrated tips, 4 1/4" smooth spade tip, 4 1/4" wide point with serrated tips, 4 1/4" indented shank with smooth tips, and 4 1/4" solder utility with sharp points tweezers. Mfg. part no. 1387 includes: 5" precise tip, 4 3/4" fine straight precision point, 4 1/4" straight precision tip, 4 1/4" curved tip, 4 3/4" fine straight point with interior tip and finger serration tweezers.

Mfg. Part No.	Description	Stock No.	Price Each
1385	6-Piece General-Use Tweezer Set	92N3666	49.35
1386	5-Piece Stainless Steel Tweezer Set	92N3667	34.70
1387	6-Piece Electrical Tweezer Set	92N3668	56.51

(19129)

STAINLESS STEEL TWEEZERS



00-SA

Good balance, fine points and light tension make these tweezers ideal for semiconductor electronics and computer/microelectronics. Antiacid, antimagnetic stainless steel. Precision tweezers also have anti-glaze finish.

Mfg. Part No.	Description	Style	Stock No.	Price Each
1358	5" Economy Stainless Steel	AA-SA	92N3639	7.86
1359	4 1/2" Economy Stainless Steel	2A-SA	92N3640	9.14
1364	4 1/4" Economy Stainless Steel	5B-SA	92N3645	7.86
1340	4 3/4" Deluxe Stainless Steel	00-SA	92N3621	9.44
1343	4 3/4" Deluxe Stainless Steel	2A-SA	92N3624	8.81
1344	4 3/4" Deluxe Stainless Steel	2AB-SA	92N3625	8.42
1345	4 3/4" Deluxe Stainless Steel	3-SA	92N3626	8.95
1346	4 3/4" Deluxe Stainless Steel	3C-SA	92N3627	8.98
1347	4 3/4" Deluxe Stainless Steel	5-SA	92N3628	8.98
1348	4 3/4" Deluxe Stainless Steel	5B-SA	92N3629	9.92
1349	4 3/4" Deluxe Stainless Steel	7S-SA	92N3630	9.35
1350	4 3/4" Deluxe Stainless Steel	SS-SA	92N3631	8.61

(19130)

5-PC. PRECISION INDUSTRIAL TWEEZERS SET



- Five most used precision tweezers
- Anti-magnetic stainless steel (SA)
- Supplied in a protective plastic case

SET CONTENTS:

Model No.	Description	Length (in. / mm)
00 SA	Tweezers with Flat, Strong Tips	4 3/4" / 120
2A SA	Tweezers with Flat, Rounded Tips	4 3/4" / 120
3C SA	Tweezers with Very Sharp Tips	4 1/4" / 110
5 SA	Tweezers with Very Fine Tips	4 1/4" / 110
7 SA	Tweezers with Fine, Bent Tips	4 1/4" / 110

Mfg. Part No.	Description	Stock No.	Price Each
D00349	5-Pc. Precision Industrial Tweezers Set	34M5835	56.37

(116657)

STAINLESS STEEL FORCEPS



SPC4790

The most versatile tool. Use as clamps, heat sinks, and third hands while soldering. Has a 3-position locking device. Serrated jaws. Plastic coated handles.

Mfg. Part No.	Length	Tip	Stock No.	Price Each
SPC4788	5"	Straight	50N040	8.57
SPC4790	6"	Straight	50N042	10.36
SPC4789	5"	Curved	50N041	8.57
SPC4791	6"	Curved	50N043	10.71

(32974)



TechCast® Product Training


Use the library of online training modules located on our homepage under Useful Tools, with specific guidance for complex solutions.

Make it easy. Make it fast. Make it Newark.

(148853)

TWEEZERS • WIRE WRAPS

ESD SAFE TWEEZERS



Antistatic conductive, ESD-safe hypo-allergenic tweezers. Special stainless steel, anti-magnetic and acid-resistant.

Mfg. Part No.	Description	Stock No.	Price Each
44501	Universal Fine Point AA SA IND—130mm	28C1832	19.91
44502	Sturdy Long, Fine Round Points GG SA IND—130mm	28C1833	26.14
44503	Long Narrow Body, Low Force SS SA IND—135mm	28C1834	25.36
44504	Reduced Body to Medium Point 2 SA IND—120mm	28C1835	23.79
44505	Flat Round Tips, Smooth Sides 2a SA IND—120mm	28C1836	24.97
44506	Fine Round Points for Assembly 3 SA IND—120mm	28C1837	25.36
44508	Very Fine Points/Tapered to Tip 4 SA IND—110mm	28C1839	26.14
44509	Extra-Fine Points/Tapered to Tip 5 SA IND—110mm	28C1840	26.14
44510	Curved Extra-Fine Rounded Tips 7a SA IND—120mm	28C1841	32.77
44512	Holds 1.5 - 3mm Diameter 51 SA IND—120mm	28C1843	26.33
44521	MicroTip 45° Hook - 1 x 1 x 2mm 12SA-SMD IND—120mm	28C1849	31.85
44522	MicroTip for Chips Angled - 1.6 x 1 x 1mm 13 SA IND—120mm	28C1850	31.85
44525	Curved Extra Fine 3mm Long Straight Tip 7abb SA IND—120mm	93C9901	39.21
44526	Narrow Body, Low Force, Bent 35° - 3mm Tip S5bb SA IND—140mm	28C1853	32.21
44527	Angled Extra-Fine Points Bent 30° w/3mm Long Tips 5abb SA IND—117mm	28C1854	33.21
44529	MicroTip Bent 30°, 1mm Wide 0.5mm Slot 8b SA IND—120mm	28C1856	34.73
44531	ESD-Safe, General-Purpose Fine Point 1 SA IND—120mm	28C1858	26.14
44533	Angled and Slightly Bent w/Extra-Fine Tips 7 SA IND—120mm	28C1860	32.21

(68813)



eInvoices

Now you can view, print or email Newark invoices from our website under MY ACCOUNT eSuite. Log in or register today.

Make it easy. Make it fast. Make it Newark.

(148829)

PTX SERIES WIRE-WRAPPING AND UNWRAPPING TOOLS AND KITS



OK Industries
Division of Jonard Industries Corp.



- Ergonomic design minimizes repetitive stress
- NiMH battery-operated or 115V electric-powered versions
- Rugged construction for field use
- Wraps and unwraps 18 to 30 AWG wire
- Rated maximum usage: 2,500 cycles/day



Mfg. part no. PTX-KIT1 kit includes tool, battery charger and two NiMH batteries. Mfg. part no. PTXKIT1DH includes all mfg. part no. PTX-KIT1 kits content plus mfg. part no. DFB224 wrap/unwrap bit set and Cordura tool pouch. Individual tools and accessories available separately; go online or call.

Mfg. Part No.	Description	Stock No.	Price Each
PTX-KIT1	Battery-Operated Wrap/Unwrap Tool Kit (Tool, Charger and 2 NiMH Batteries)	04M4596	371.07
PTX-KIT1DH	Battery-Operated Wrap/Unwrap Tool Kit (Tool, Charger, 2 NiMH Batteries, Bit and Sleeve Set and Tool Pouch)	04M4597	548.70
PTX-1	115V Electric-Powered Wrap/Unwrap Tool	04M4598	305.33
PTX-1BF	115V Electric-Powered Wrap/Unwrap Tool with Backforce	96C2377	315.74

(68028)

DUAL-FUNCTION WRAP/UNWRAP BIT AND SLEEVE SETS



OK Industries
Division of Jonard Industries Corp.

- Combines both wrap and unwrap functions into 1 bit/sleeve set
- Eliminates the need to carry extra tools or bits
- Wraps or unwraps 22-24 AWG or 24-26 AWG wire
- Used with PTX series tools



DFB224

The bit is precision-machined for high-quality wrapping in the clockwise direction, but also includes the removal mechanism that is used to unwrap when operated counter-clockwise.

Mfg. Part No.	Description	Stock No.	Price Each
DFB224	Wrap/Unwrap Bit and Sleeve Set, 22-24 AWG	30C2716	133.46
DFB2426	Wrap/Unwrap Bit and Sleeve Set, 24-26 AWG	30C2717	133.46

(68029)

MANUAL WIRE-WRAPPING TOOLS



OK Industries
Division of Jonard Industries Corp.



- G100/R3278 offers durability with rugged aluminum construction
- G100/R3278INS provides 1000V of dielectric strength across most of the aluminum housing
- G200/R3278 Lexan housing is lightweight and lower cost
- G200/R3278FL insulated model with LED flashlight

These tools are designed to make full use of bits and sleeves accommodating wire sizes 18 – 32 AWG for wire wrapping applications

Mfg. Part No.	Description	Stock No.	Price Each
G100/R3278	Aluminum	10F7585	157.20
G100/R3278INS	Aluminum (Insulated)	96C0343	193.31
G100/R3278FL	Wire Wrapping Gun with LED Flashlight	71K4495	172.52
G200/R3278	Lexan™	10F7586	145.23

(5872)

WIRE WRAPS

WIRE-WRAPPING BITS AND SLEEVES



3" BITS

Mfg. Part No.	AWG	Insul. Dia.	Dimensions (in.)				Stock No.	Price Each	
			Terminal Dia.	Depth	Terminal Min.	Terminal Diagonal Max.		1-4	5-9
● KB18	18	...	0.075	1	0.06	0.073	41B5400	94.68	91.01
● KB22	22	...	0.075	0.75	0.054	0.073	10F7512	61.90	59.50
● KB224-1	24-22	...	0.075	1	0.054	0.073	41B5408	61.90	59.50
● KB224	24-22	...	0.075	0.807	0.054	0.073	10F7513	61.90	59.50
● KB24	24	...	0.075	0.75	0.055	0.074	10F7514	61.90	59.50
WB2426M	26-24	0.046	0.075	0.75	0.054	0.073	41B6162	65.55	63.01
● KB26	26	...	0.075	1	0.058	0.073	10F7515	61.90	59.50
WB28SHM	28	0.030	0.036	0.75	0.031	0.035	10F7517	65.55	63.01
SB30MSH-B	30	0.027	0.036	0.75	0.031	0.035	10F7518	72.82	70.00
WB3032M	32-30	0.030	0.04	0.75	0.034	0.038	52F1331	65.55	63.01

5" BITS

● KB22-5	22	---	0.075	0.75	0.054	0.073	41B5405	91.35	87.81
● KB24-5	24	---	0.075	0.75	0.055	0.073	52F1354	91.35	87.81

3" SLEEVES

Mfg. Part No.	Use With Bit No.	AWG	Stock No.	Price Each	
				1-4	5-9
● P2224	Bit No. KB2075, KB22, KB224-1, KB224, WB2426M,	26-20	10F7519	26.85	25.81
● P2426	Bit No. KB24, KB26	26-24	10F7520	26.85	25.81
● P3032	Bit No. WB28SHM, SB30MSH-B, WB3032M	32-28	10F7522	48.07	46.21

5" SLEEVES

● P2224-5	Bit No. KB22-5	22	41B5628	45.26	43.50
● P2426-5	Bit No. KB24-5, KB26-5	26-24	41B5629	45.26	43.50

(5874)

HAND WRAPPING, STRIPPING AND UNWRAPPING TOOLS



WSU-2224, WSU-30M, WSU-30

Mfg. Part No.	Use With	Stock No.	Price Each	
			1-4	5-9
WSU-2224	22-24 AWG on Standard 0.03 x 0.06" and 0.045" Sq. Posts	10F7534	59.00	
WSU-24M	Modified Wrap for 24 AWG on 0.045" Sq. Posts	50B6108	59.00	
WSU-26M	Modified Wrap for 26 AWG on 0.045" Sq. Posts	70B5873	59.00	
WSU-30M	Modified Wrap for 30 AWG on 0.025" Sq. Posts	10F7535	41.09	
WSU-30	Regular Wrap for 30 AWG on 0.025" Sq. Posts	10F7536	41.09	

(5829)

KYNAR™ PRE-CUT AND PRE-STRIPPED WIRE WRAPPING WIRE



- 50 pieces per package
- Kynar™ insulated
- Silver plated copper conductor
- UL listed
- 1" of stripped wire on either end

30 AWG (0.25mm) Pre-Cut/Pre-Stripped Wire 50 Pieces/Pkg.

Insulation Length	Blue		White		Price per Pkg.
	Mfg. Part No.	Stock No.	Mfg. Part No.	Stock No.	
1.0"	● 30B-50-010	50B6129	● 30-W-50-010	96B9607	8.55
2.0"	● 30-B-50-020	97B2946	● 30-W-50-020	50B6126	8.55
3.0"	● 30-B-50-030	20C0015	● 30-W-50-030	96B9605	9.45
5.0"	● 30-B-50-050	20C0022	● 30-W-50-050	96B9444	9.45

Insulation Length	Yellow		Red		Price per Pkg.
	Mfg. Part No.	Stock No.	Mfg. Part No.	Stock No.	
1.0"	● 30-Y-50-010	97B2943	● 30-R-50-010	97B2945	8.55
2.0"	● 30-Y-50-020	20C0026	● 30-R-50-020	11C1942	8.55
3.0"	● 30-Y-50-030	20C0028	● 30-R-50-030	50B6124	9.45
5.0"	● 30-Y-50-050	20C0031	● 30-R-50-050	20C0032	9.45

(5920)

HAND WRAPPING/ UNWRAPPING TOOLS



One tool does the work of two. Switch from wire wrapping to unwrapping in only seconds by changing cap from one end to the other. Compact, convenient tools for use where occasional wraps are required.

REGULAR WRAPPING TYPE

Mfg. Part No.	AWG	Wrap (in.)		Unwrap (in.)		Stock No.	Price Each
		Diameter	Terminal Depth	Diameter	Terminal Depth		
● HW-UW-20	20	0.075	1	0.07	1	10F7524	105.91
● HW-UW-224	24-22	0.075	0.807	0.07	1	10F7525	105.91
● HW-UW-224-1	24-22	0.075	1	0.07	1	41B5364	105.91
● HW-UW-2426	26-23	0.075	0.75	0.07	1	41B5373	105.91
● HW-UW-26	26	0.075	1	0.07	1	10F7526	105.91

MODIFIED WRAPPING TYPE

● HW-UW-26SM	26	0.04	0.75	0.038	1	10F7527	121.93
● HW-UW-2829M	29-28	0.04	0.075	0.038	1	18C3951	121.93
● HW-UW-30	30	0.036	0.75	0.038	1	10F7528	121.93

(5921)

HAND UNWRAPPING TOOLS



Fig. 1

Fig. 2

Fig. 3

Use to easily remove solderless wrapped connections.

Mfg. Part No.	AWG	Fig.	Hand	Terminal Diameter x Depth	Stock No.	Price Each	
						1-4	5-9
UW-1	20-26	1	Left	0.070 x 1.000"	10F7660	36.42	
UW-2	20-26	3	Left, Right	0.070 x 1.000"	10F7661	40.78	
UW-4	20-26	2	Left	0.070 x 2.360"	10F7662	46.82	
UW5	20-26	2	Left, Right	0.070 x 2.360"	41B6139	42.83	
UW-093R	24-32	1	Left	0.038 x 1.000"	10F7664	36.42	
UWD-93-93	24-32	3	Left, Right	0.038 x 1.000"	10F7665	36.42	

(5877)



eQuotes

Retrieve and process Newark quotes online from our website under MY ACCOUNT eSuite. Log in or register today.

(148833)

WIRE WRAPS • TOOLS AND ACCESSORIES

KYNAR® INSULATED COPPER CONDUCTOR WIRE WRAPPING WIRE ROLLS



Kynar® Insulated, Silver Plated Copper Conductor
Ideally suited for wire wrapping and many other applications. OFHC (oxygen free high conductivity) provides a flexible yet abrasion resistant wire

Wire Size		Insulation Dia.		Roll Size		Blue		Yellow		White		Black		Red		Price per Roll
AWG	mm	In.	mm	Ft.	Meters	Mfg. Part No.	Stk. No.	Mfg. Part No.	Stk. No.	Mfg. Part No.	Stk. No.	Mfg. Part No.	Stk. No.	Mfg. Part No.	Stk. No.	1-4
24	0.50	0.030	0.76	100	30.4	● R24B-0100	50B6096	● R24Y-0100	50B6099	● R24W-0100	50B6098	● R24BK-0100	41B5675	● R24R-0100	50B6097	24.64
26	0.40	0.027	0.69	100	30.4	● R26B-0100	10F7613	● R26Y-0100	36K2972	● R26W0100	98F5999	● R26BK-0100	50B6100	18.61
28	0.32	0.024	0.60	100	30.4	● R28B-0100	10F7607	● R28Y-0100	10F7610	● R28W-0100	92B9398	● R28R0100	52F1332	16.13
30	0.25	0.0195	0.50	100	30.4	● R30B-0100	10F7567	● R30Y-0100	10F7601	● R30W-0100	10F7570	● R30BK-0100	50B6101	● R30R-0100	10F7604	14.41
30	0.25	0.0195	0.50	1000	304.4	● R30B-1000	10F7569	● R30Y-1000	10F7603	● R30W-1000	10F7600	● R30BK-1000	52F1333	73.66

KSW Wire Wrapping Wire Rolls for Cut/Strip/Wrap Applications
Low strip force Kynar® insulated wire is ideally suited for wire wrapping and many other applications. OFHC (oxygen free high conductivity) provides a flexible yet abrasion resistant wire, which is further processed to provide a low strip force when removing the insulation.

Wire Size		Insulation Dia.		Roll Size		Blue		Yellow		White		Black		Red		Price per Roll
AWG	mm	In.	mm	Ft.	Meters	Mfg. Part No.	Stk. No.	Mfg. Part No.	Stk. No.	Mfg. Part No.	Stk. No.	Mfg. Part No.	Stk. No.	Mfg. Part No.	Stk. No.	1-4
24	0.50	0.030	0.76	100	30.4	● KSW24B0100	87F6009	● KSW24Y0100	87F6012	● KSW24W0100	87F6015	● KSW24BK-0100	94B1276	● KSW24R-0100	94B1279	32.80
26	0.40	0.027	0.69	100	30.4	● KSW26B0100	87F6004	● KSW26Y0100	87F6007	● KSW26W0100	87F6017	● KSW26BK-0100	50B6090	● KSW26R-0100	50B6091	22.58
30	0.25	0.0195	0.50	100	30.4	● KSW30B0100	87F6374	● KSW30Y0100	87F6377	● KSW30W0100	87F6380	● KSW-30-BLK-0100	50B6089	● KSW30R-0100	51B676	27.42
30	0.25	0.0195	0.50	1000	304.4	● KSW30B1000	87F6376	● KSW30W1000	87F6381	● KSW30BK1000	98F2553	● KSW30R1000	98F2554	110.20

HAND WRAPPING TOOLS



HW-224 to HW26 *HW30

Compact, convenient for use where occasional wraps are required and where power wrapping tools are not practical. A complete line of hand wrapping tools are available; go online or call.

REGULAR WRAPPING TYPE

Mfg. Part No.	AWG	Terminal Dia. (In.)	Terminal Depth (In.)	Stock No.	Price Each
					1-4
● HW-224	24-22	0.075	0.807	10F7655	87.39
● HW-224LH	24-22	0.086	1	10F7656	87.39
● HW-26	26	0.075	1	10F7657	87.39

MODIFIED WRAPPING TYPE

● HW-30*	30	0.036	0.75	10F7659	90.51
----------	----	-------	------	---------	-------

HAND-OPERATED WRAPPING TOOL



Wire-Wrap®

Mfg. part no. 28000AC1 is for telephone installers, electronic technicians, and servicemen. Strong, lightweight plastic housing. Universal collet handles all wrapping bits and sleeves. Ten revolutions of wrapping per squeeze. Precision construction, heat treated gearing, adjustable pivot, and ball-bearing mechanism. Right-hand rotation. For 22 to 32 AWG wire. Bits and sleeves are available; go online or call.

Mfg. Part No.	Stock No.	Price Each
		1-4
28000AC1	44F1795	173.31

12-PIECE SDS DRILL AND CHISEL SET

Just Added

DURATOOL

- Features:**
- Heavy-duty set for drilling through concrete and masonry
 - Includes: 10" spear-heat chisel, screwdriver tip chisel and U tip chisel, SDS drills: 5mm x 4 1/4", 6mm x 4 1/4", 8mm x 6", 10mm x 6", 12mm x 6", 14mm x 8", 16mm x 8", 18mm x 11 1/2", 20mm x 17 1/2"
 - Blow molded case



Mfg. Part No.	Description	Stock No.	Price 1-999
22-9740	SDS drill & chisel set	12P9964	19.95

20 PIECE MICRO HSS TITANIUM TWIST DRILL BIT SET

Just Added

DURATOOL


- Features:**
- Titanium-coated drill bits
 - Perfect for small electronics and hobbyist use
 - Works best with rotary tools or drills designed for small and micro bits
 - Includes sizes: 0.3, 0.35, 0.4, 0.45, 0.5, 0.55, 0.6, 0.65, 0.7, 0.75, 0.8, 0.85, 0.9, 0.95, 1.0, 1.2, 1.3, 1.4, 1.5 and 1.6mm



Mfg. Part No.	Description	Stock No.	Price 1-999
22-9952	20-Pc. Micro HSS Drill Bit Set	12P9989	4.99

Expert technical support

Chat online to our team of engineers, or connect to them through your representative.



(148840)